



Distributed by
Active Healthcare

Freecall 0800 336 3339
sales@activehealthcare.co.nz
www.activehealthcare.co.nz

Centro®



Date:

Order No:

Number of pages:

Quote No:

Job No:

P/Slip No:

Frame colour: _____

Purchase Details:

Client Name

Ph:

Fax:

Contact No:

Standard Features using PG R-net

Centro® power wheelchairs are supplied with the following components as standard.

- Weight rating 175kg – AS3695 | Crash tested – AS 3696:19
- 50 deg Power Tilt with Drive inhibit switch.
- PG R-Net EL 90 PM and Colour screen Joystick module.
- Castors 8" front and 7" Rear pneumatic (*Optional foam filled*)
- Drive wheels 14" Pneumatic (*Optional foam filled*)
- Brakes Electro Magnetic and manual attendant
- Seat Height 45cm 0-46 Tilt and 48cm 4-50 tilt. (Measured floor to top of seat rail at front of chair)
- Motors – 2 pole 9 K/hr High Power (optional 4 pole 350 watt)
- Armrests Flip-up, adjustable height and with sliding arm pads.
- Choice of three colour finishes as standard (Many more as option refer to colour chart on our Web site)
- Vehicle Tie Down locations – Front & Rear
- Leg Hangers choice. Standard swing away or Drop-In heavy duty

Centro using STD Leg Hangers

- ☐ **C-TSR** **Centro Tilt Seat**
Including Weight Shift 50 Deg Power Tilt
- ☐ **C-ER** **Centro Elite**
As per TS with Weight Shift 50 Deg Power Tilt + 30 Deg Power Recline. PG ISM included
- ☐ **C-VL** **Centro Vertical Lift 50 deg**
50 Deg Tilt + 30cm Vertical lift seat. PG ISM included - 49 seat height – *not available with Anterior tilt.*
- ☐ **C-VLRB** **Centro Vertical Lift 50 deg**
50 Deg Tilt + 30cm Vertical Lift Seat + Power Reclining Backrest + PG ISM
Included - 49 seat height - *not available with Anterior Tilt*

Centre Mount - Foot plate Options
and more legrest options page 4.

Centro using "DROP-IN" Leg Hangers

- ☐ **CD-TSR** **Centro Tilt Seat**
Including Weight Shift 50 Deg Power Tilt
- ☐ **CD-ER** **Centro Elite**
As per TS with Weight Shift 50 Deg Power Tilt and 30 Deg Power Recline. PG ISM included
- ☐ **CD-VL** **Centro Vertical Lift 50 deg**
As per TS including 50 Deg tilt + 30cm Vertical Lift seat. PG ISM included - 49 seat height – *not available with Anterior tilt.*
- ☐ **CD-VLRB** **Centro Vertical Lift 50 deg**
50 Deg Tilt + 30cm Vertical Lift Seat + Power Reclining Backrest + PG ISM
Included - 49 seat height - *not available with Anterior Tilt*

Low Seat Height OPTION 42cm

- ☐ 310560L Seat Base 42cm 0–46 deg Tilt in-lieu of standard. (Measured from floor to top of seat rail) Not available for VL.
Available in seat width 37cm and over
Custom seat frame for seat width under 37cm

Standard Colour choice

☐ Outback Red ☐ Island Blue ☐ Black Onyx

- ☐ 4015 Colour Surcharge
Specify Colour.....

- ☐ 310450 Leg Hangers MOUNTS 50mm WIDER (ideal for Power Elevating legs)

(More legrest options page 3 & 4)

Seat Width

- ☐ 31cm ☐ 34cm ☐ 37cm (extra small seat module)
☐ 37cm ☐ 40cm ☐ 43cm (small seat module)
☐ 43cm ☐ 46cm ☐ 49cm ☐ 52cm ☐ 55cm (standard seat module)
☐ 58cm ☐ 61cm ☐ 64cm (XL Custom P.O.A)
☐ 67cm ☐ 70cm ☐ 73cm (XXL Custom P.O.A)

Seat Depth

- ☐ 31cm ☐ 34cm ☐ 37cm (short)
☐ 40cm ☐ 43cm ☐ 46cm ☐ 49cm (standard)
☐ 49cm ☐ 52cm ☐ 55cm ☐ 58cm (Extended Actuator Mnt required for power Recline.) **See below**
☐ 310049-1L Extended Actuator Mnt - for seat depth (49 – 58cm)
 Uses non-standard Back Canes and Mnt Brkts
☐ 61cm ☐ 64cm ☐ 67cm (not available with Power recline)

Motor and Drive Options

- ☐ Standard 2 Pole 170 RPM std - 9 k/hr
☐ 860046L 4 Pole 350 watt **Upgrade** -10 k/hr
 (4 pole recommended for user weight over 100kg)
☐ 860071-1L **120 Amp** Power module Upgrade
 (TS models need ISM)
☐ 860068L ISM upgrade for TS
☐ 860048-UG **Smart Drive** Encoder Up Grade - including 4 pole
 motors. Available on R-Net Only
☐ 860110 PG Advance Stability Module

Back Angle Recline 150 deg.

- ☐ 310475L Back angle (5 -60) Power Recline. In lieu of Std
 Power recline.
Note: Max seat depth 55cm

Seat & Tilt Options

- ☐ N/C Seat tilt 0 – 46 (footplate may interfere with castor
 wheel when in flat position) Refer to agent Rep
☐ N/C Seat tilt 4 – 50 Std **(not avail on VL)**
☐ 310261 Seat tilt 10 - 55 (P.O.A) **(not avail on VL)**
(Not available on VL)
☐ 310420 Raise Seat rail height 52cm
☐ 325501-(37-55) Seat Pan (Aluminium) 6mm to suit up to 55cm SD.
☐ 325502-(37-55) Seat Board (Vinyl Covered)

Seat Anterior Tilt Options

- Note: Foot plate may touch ground or castor
 wheel when in negative tilt.**
☐ 310260 Seat Tilt Anterior (-4 to 38 Deg) standard.
 48cm seat height when tilted level.
 When using Low seat frame -4 degree (SH 45cm
 when tilted level)
☐ 310263 L Seat Tilt Anterior (-7 to 26 Deg) Using Low Seat
 Frame. Seat height 48cm when tilted level. Uses
 5 packing blocks.

R-net Controller Options

Note: Centro TS has an EL 90 amp power module with ONLY one actuator capabilities fitted. If more than one actuator is required, then the ISM upgrade kit must be selected. Elite and VL models come standard with Intelligent Seating Module (ISM).

- ☐ 860068L ISM **Upgrade for TS** (for two or more actuators)
 (Elite and VL models include ISM as Std)
☐ 860076L Col to LED j/stick module **Downgrade**
☐ 860082 Dual Attendant control (must tick box below)
☐ 326971 Bracket - Attendant for above
☐ 860254 Knob 38mm ball
☐ 860251 Knob 80mm stick
☐ 860252 Knob 48mm Mushroom
☐ 860255 Knob 70mm Soft Ball
☐ 32699 J/Stick used as attendant (including mnt brkt)
☐ 860075D J/Stick module not required. (Must select master
 control unit. E.g. Omni)

Lighting Options

- ☐ 860073-LM PG Lighting module up grade -lighting not included)
☐ 860068L ISM (Only for **TS models**)
☐ 860073-K Lighting Kit (2 x LED head lights 1 x tail stop)
☐ LED Lighting Joy stick in lieu of LCD
☐ 860102L J/stick LCD with Speed Pot/Toggle/Lighting in lieu.
 (Toggle used for On/Off and Profile)

Controller Mounting Option and Placement

- ☐ 860521L Drop Down J-Stick Brk in lieu of std
☐ 326935L Swing away control bracket
☐ 310380L Retractable J/Stick bracket
☐ 310492L Joystick mnt brkt with cage R-net LCD

- ☐ Left hand side
☐ Right hand side
☐ Other

Speciality R-Net Controller Options

- ☐ 860078 Omni Module
☐ 860060 Bracket - Omni swivel/adjust mount bracket.
☐ 860060-G Goose neck mnt bracket Omni
☐ 860083 Remote Button Interface (If switching is required
 external of PG controller.
☐ 860088 Bluetooth PC mouse control
☐ 860103 Cable Bluetooth external switch 1
☐ 860103 Cable Bluetooth external switch 2
☐ 860087 Input / output Module

R-Net Chin Control Options

- ☐ 32692 Chin - Power Swing Away KIT with two switches.
 Choose J/Stick type below
Note: Jay Back™ requires custom Chin Kit.
☐ 32693 Chin – manual Swing Away KIT with two switches.
 Choose J/Stick type below
☐ 860080 Joystick JC200 for swing away chin.
☐ 860084 Compact J/stick for swing away chin.
☐ 860085 Compact Chin Kit for above J/Stick. FOR ABOVE
☐ 860086 Mini Joystick HMC (lip) and interface.
☐ 860083 Remote Button Interface. *Ideal for Swing away
 Chin or when operating actuator
 separate from controller.*
☐ 8603125 Buddy Buttons Qty = _____
 Colour _____

Batteries and Charger

- ☐ 506074 2 X Battery 75amp/hr (long distance)
☐ 50609-CTE Charger 8amp CTE.

Suspension Set up**APT suspension set up**

- ☐ **Single** Spring – (Standard)
☐ **Double** spring
 for more information on suspension setup please refer to APT user guide.

Rear Spring

- ☐ **Type A** - Soft up to 120 kg (Standard)
☐ **Type B** - Hard 120 kg and over
Note: All spring types are a guide only.

Wheel Options & Foam Filled Wheels

- ☐ 202720-FL 14" Solid Foam filled in lieu of STD pneumatic
☐ 202715L 14" Wide Wheel - in lieu of std. (not available in Foam filled)
- ☐ 20064L Front Castor 200*50 (8") Foam filled in lieu Pneum
☐ 20066-FL Rear Castor 7" foam Filled in lieu of Pneumatic

6" Rear Castor Options

- ☐ 6"x 2" solid rear castor in lieu of 7"
Note: 6" castor uses different size suspension arm to standard 7" castor.

Seating & Upholstery Options**FX Backrest Options**

- ☐ 3397- (37 -55) FX Backrest Upholstery
 Specify Fabric and Mnt Bracket below
- ☐ 310375 Quick release Mount Kit
☐ Standard Fixed Mount N/C item
- Note: Specify Seat width on front page. require. 3397-37 to 3397-55 for costing.*
- ☐ Dartex (standard)
☐ Aero Mesh
☐ Vinyl Insert

Basic Back Upholstery Options

- ☐ 325401 Basic Backrest Upholstery, Foam over Ply
☐ Fabric Insert (standard)
☐ Vinyl Insert
- ☐ 33909 Bracket Multi holed for backrest mounting
- ☐ 33909 Wing Extension basic
☐ Left side ☐ Right side

Deluxe Backrest**Please Note:**

Deluxe Backs on Centro's with Power Recline Back can only be fitted with a maximum Seat Depth of 49cm using extended Actuator Mnt.

- ☐ 3390- (37-49) Deluxe Backrest Upholstery
☐ 3390- (52-55) Deluxe Backrest Upholstery
☐ 310074 Bracket Multi holed for backrest mounting.

Note: Specify Seat width on front page. require. 3390-37 to 3397-55 for costing.

- ☐ Dartex (standard)
☐ Vinyl Insert

Back Cane / Push Handle Options

- ☐ 310432 Pram Style Push handle
☐ Push handle removed (No Charge)
☐ 310190-C Custom Height Back Canes
☐ Floor to top (103cm Std) cm
☐ Back Cane height (58cm Std)cm
 from seat rail to top.
- ☐ 310438L Removable Back canes (non-recline ONLY)
☐ 310435L **Fold Down Back** (Only fitted in conjunction with either removable seat or removable Back upholstery with Back Strut fitted. Or Power Recl) Strut - If no power recline for F/down back.
- ☐ 325615

Legrest Options - Standard Swing Away Type**Power Elevating**

- ☐ 335229L Legrest, **Elevating Power** Individual swing away
☐ Left side ☐ Right side
- ☐ 33938 Cover Power Elevating Legs
☐ Left side ☐ Right side
- ☐ 335240 Short Knee to heel Foot Plate Adaptors P/ Elev. 12cm min. Specify knee to heelcm..
- ☐ LS207 Lateral Knee protectors elevators.

Manual Elevating

- ☐ 51434L Legrest, **Elevating Manual** Type (with calf pad)
☐ 12471L Footstem, 50mm longer for manual Elevating leg

Other Legrest Options

- ☐ 1259L Legrest, Vertical (knee to heel max. 30cm)
☐ 3200765 External legrest release (standard swing away)
☐ 51711L Stump Support 30cm long
☐ Left ☐ Right

Drop-In Legrest Options**Power Elevating**

- ☐ Legrest, **Elevating Power** Individual swing away
☐ Left side ☐ Right side
- ☐ 33938 Cover Power Elevating Legs
☐ Left side ☐ Right side
- ☐ 335240 Short Knee to heel Foot Plate Adaptors P/ Elev. 12cm min. Specify knee to heelcm..
- ☐ LS207 Lateral Knee protectors elevators.
☐ 310550L Stump Support 30cm long
☐ Left ☐ Right

Foot Plate Options

Knee to Heel Dimensions

Armrest

Headrests

Lateral Supports

Trays

Postural Support Options

Wool Covers

Accessories

Special Requirements: