



aspire

MOBILE SHOWER COMMUNE RANGE

(Formerly **ottobock.**)

aspire for...

Comfort

Support

Protection

NEW FEATURES



Improved Over
Toilet Clearance



Angle Adjustable
Backrest



Customisable
Ultra Low Seat





Weight Bearing Platform

Easy-slide weight bearing
platform footrest slides
completely away for transfers



Swing Away Footrests



Angle adjustable backrest
from 8° to 18° for improved
seating comfort



Ultra low seat
height of 590mm
which can be reduced to
490mm when
customised




Integrated Features

- 8° backrest angle ensures patient comfort
- Improved over toilet clearance



- Integrated access trough improves hygiene whilst maintaining toilet bowl clearance height of 465mm
- 4x total locking stainless steel castors provide brake access from all angles
- Safety arms prevent falls and swing back out of the way for transfers



- Open armrests style accommodates a wider sitting surface whilst maintaining a smaller base footprint for improved accessibility
- Self propelled model available in both frame configurations



See page 8 for seat options (sold separately)

Height adjustable, swing away footrests for optimal positioning and ease of transfers

Code	Description	Overall Height	Overall Width	Seat Width	Backrest Height	Armrest Height	Anterior Seat Height	Posterior Seat Height
BTC066000	WB Platform - 460mm - Att Propelled - S/Steel	995mm	535mm	460mm	305mm	225mm	590mm	560mm
BTC066200	WB Platform - 460mm - Self Propelled - S/Steel	995mm	665mm	460mm	305mm	225mm	590mm	560mm
BTC065900	Swing Away Footrest - 460mm - Att Propelled - S/Steel	895 - 995mm	535mm	460mm	305mm	225mm	590mm	560mm
BTC066100	Swing Away Footrest - 460mm - Self Propelled - S/Steel	895 - 995mm	665mm	460mm	305mm	225mm	590mm	560mm



Weight Bearing Platform

Easy-slide weight bearing
platform footrest slides
completely away for transfers




Integrated Features

- 8° backrest angle ensures patient comfort
- Improved over toilet clearance



- Integrated access trough improves hygiene whilst maintaining toilet bowl clearance height of 465mm
- 4x total locking stainless steel castors provide brake access from all angles
- Safety arms prevent falls and swing back out of the way for transfers



- Open armrests style accommodates a wider sitting surface whilst maintaining a smaller base footprint for improved accessibility
- Self propelled model available in both frame configurations



See page 8 for seat options (sold separately)

Swing Away Footrests



Angle adjustable backrest
from 8° to 18° for improved
seating comfort



Ultra low seat height of
590mm which can be
reduced to 490mm when
customised



Height adjustable, swing away footrests for
optimal positioning and ease of transfers

Code	Description	Overall Height	Overall Width	Seat Width	Backrest Height	Armrest Height	Anterior Seat Height	Posterior Seat Height
BTC066050	WB Platform - 530mm - Att Propelled - S/Steel	995mm	605mm	530mm	305mm	225mm	590mm	560mm
BTC066055	WB Platform - 530mm - Self Propelled - S/Steel	995mm	735mm	530mm	305mm	225mm	590mm	560mm
BTC066060	Swing Away - 530mm - Att Propelled - S/Steel	995mm	605mm	530mm	305mm	225mm	590mm	560mm
BTC066065	Swing Away - 530mm - Self Propelled - S/Steel	995mm	735mm	530mm	305mm	225mm	590mm	560mm



Weight Bearing Platform



Height adjustable reinforced armrests offer drop flat positioning to assist with lateral slide transfers



Easy-slide weight bearing platform footrest slides completely away for transfers



Integrated Features

- Heavy duty reinforced wide frame can support bariatric users up to 400kg
- 4x total locking stainless steel castors provide brake access from all angles



See page 8 for seat options (sold separately)

Swing Away Footrests



Ultra low seat height of 590mm which can be reduced to 490mm when customised



Angle adjustable backrest from 8° to 18° for improved seating comfort



Integrated access trough improves hygiene whilst maintaining toilet bowl clearance height of 465mm



Height adjustable, swing away footrests for optimal positioning and ease of transfers

Integrated Features

- 8° backrest angle ensures patient comfort
- Safety arms prevent falls and swing back out of the way for transfers



- Open armrests style accommodates a wider sitting surface whilst maintaining a smaller base footprint for improved accessibility
- 4x total locking stainless steel castors provide brake access from all angles
- Self Propelled Model Available



See page 8 for seat options (sold separately)

Code	Description	Overall Height	Overall Width	Seat Width	Backrest Height	Armrest Height	Anterior Seat Height	Posterior Seat Height
BTC061400	WB Platform - 600mm - Att Propelled - S/Steel	995mm	725mm	600mm	300mm	290mm	590mm	560mm
BTC061300	Swing Away - 600mm - Att Propelled - S/Steel	995mm	675mm	600mm	305mm	225mm	590mm	560mm
BTC061305	Swing Away - 600mm - Self Propelled - S/Steel	995mm	805mm	600mm	305mm	225mm	590mm	560mm



✓ Shower Commode Accessories are registered in the ARTG, AUST R ARTG 286695

✓ All Aspire Shower Commode Accessories are DVA Contracted



Commode Bowl & Pan Carrier

- Stainless steel carrier slides easily into mobile shower commode frame under seat
- Carries a commode bowl with lid, or standard size bed pan
- Rear access handle

Code	Description
BTC066400	Pan Carrier - 460mm - 600mm



Commode Bowl & Bed Pan

- Assists in the collection of waste
- Bowl with lid & handle for discreet disposal
- Bowl washable to 95°
- Bed pan autoclavable

Code	Description
BTC081610	Commode bowl w/lid & handle
BTT151800	Bed Pan



Elevating Legrests

- Assists in leg and foot positioning or elevation, most commonly to treat oedema
- Legrest is angle adjustable to six positions
- Footplate is height and angle adjustable
- Fits all Aspire Shower Commodes with swing away legrests

Code	Description
BTC067110	Elevating Legrest - Left
BTC067115	Elevating Legrest - Right



Stump Support

- Adjustable support for amputees
- Fits both left and right side on all Aspire Shower Commodes (except BTC061200, BTC068010 & BTC068020)
- Adaptable clamp fits most shower commode brands

Code	Description
BTC067105	Stump Support



Advanced Headrest

- Height and depth adjustable padded headrest for head and neck positioning and support
- Fits all Aspire Shower Commodes except BTC061200, BTC068010 & BTC068020
- Adaptable to other brands

Code	Description
BTC067050	Advanced Headrest



Lateral Supports

- Width and height adjustable thoracic positioning and lumbar spine support
- Fits all Aspire Shower Commodes except BTC061200, BTC068010 & BTC068020
- Adaptable clamp also fits other shower commode brands

Code	Description
WCA867010	Lateral Supports



Oxygen Bottle Carrier

- 140mm diameter stainless steel holder suits sizes Oxygen Bottle sizes C to D
- Adaptable clamp fits most shower commode brands

Code	Description
BTC067200	Oxygen Bottle Carrier



Adjustable Pelvic Belt

- Adjustable belt to assist with pelvic and lower thoracic positioning and safety
- Durable and washable to 95°
- Plastic buckle reduces chill when in contact with users skin

Code	Description
BTC067100	Adjustable Pelvic Belt



Adjustable IV Pole

- Clamp-on stainless steel pole to organise intravenous equipment
- Height adjustable
- Adaptable clamp fits most shower commode brands

Code	Description
BTC067103	Adjustable IV Pole

Technical Support

For technical support, including user manuals or spare parts, and for further information please contact Active Healthcare on:



0800 336 339



activehealthcare.co.nz