

HYGIENE



| | |
|-----------------------------|-----|
| Mobile Shower Commodes | 186 |
| Bath Lifters | 191 |
| Bathroom Aids | 192 |
| Change Tables | 194 |
| Shower Trolleys | 195 |
| Freestanding Shower Cubicle | 196 |
| Privacy | 197 |
| › Curtain Rails | 197 |
| › Portable Screens | 198 |



Aspire Commode with Weight Bearing Platform

ORDER CODES:

0151-2429: 460mm
0151-2432: 530mm

Features & Benefits

- > Safety arms standard
- > Soft and durable polyurethane seat for pressure care and support with 70mm of travel forward and back
- > Full stainless steel construction for years of trouble free service
- > Deeper access trough for easier hygiene
- > Easy-slide weight bearing platform
- > Swing-back arms for ease of transfer
- > High-quality stainless steel frame
- > Stainless steel lockable castors standard
- > S.W.L 150kg
- > TGA Approved

Specifications

| | 460mm | 530mm |
|-----------------------|-------|-------|
| Seat Width | 460mm | 530mm |
| Overall Height | 994mm | 991mm |
| Overall Width | 512mm | 582mm |
| Backrest Height | 307mm | 307mm |
| Armrest Height | 228mm | 225mm |
| Lower Leg Length | 398mm | 395mm |
| Anterior Seat Height | 587mm | 584mm |
| Posterior Seat Height | 557mm | 554mm |



Aspire Self Propelled Commode with Weight Bearing Platform

ORDER CODES:

0151-2406: 460mm
0151-2443: 530mm
0151-2445: 600mm

Features & Benefits

- > Weight bearing platform
- > Soft PU seat with 70mm of travel (fwd & back)
- > Deeper access trough for easier hygiene
- > Easy-slide weight bearing platform
- > Swing-back arms for ease of transfer
- > Anti tippers standard
- > Stainless steel locking castors standard
- > High-quality stainless steel frame
- > S.W.L 150kg
- > TGA Approved

Specifications

| | |
|-----------------------|-------|
| Seat Width | 460mm |
| Overall Height | 994mm |
| Overall Width | 656mm |
| Backrest Height | 307mm |
| Armrest Height | 230mm |
| Lower Leg Length | 398mm |
| Anterior Seat Height | 587mm |
| Posterior Seat Height | 556mm |



Aspire Bariatric Commode

ORDER CODE: 0151-2414

Features & Benefits

- > Safety arms standard
- > Soft PU seat with 70mm of travel (fwd & back)
- > Deeper access trough for easier hygiene
- > Easy-slide weight bearing platform
- > Swing-back arms for ease of transfer
- > Stainless steel lockable castors standard
- > 400kg capacity
- > 600mm seat width
- > TGA approved

Specifications

| | |
|-----------------------|-------|
| Seat Width | 600mm |
| Overall Height | 991mm |
| Overall Width | 725mm |
| Backrest Height | 300mm |
| Armrest Height | 247mm |
| Lower Leg Length | 400mm |
| Anterior Seat Height | 590mm |
| Posterior Seat Height | 559mm |



Aspire Swing Away Footrest Commode

ORDER CODES:

- 0151-2430: 460mm
- 0151-2444: 530mm
- 0151-2415: 600mm

Features & Benefits

- > 8° backrest angle ensures patient comfort
- > Improved over toilet clearance
- > Integrated access trough improves hygiene whilst maintaining toilet bowl

Specifications

| | 460mm* | 530mm [^] | 600mm [^] |
|-----------------------|--------|--------------------|--------------------|
| Overall Height | 995mm | 995mm | 995mm |
| Overall Width | 535mm | 605mm | 675mm |
| Seat to Backrest | 305mm | 305mm | 305mm |
| Armrest Height | 225mm | 225mm | 225mm |
| Anterior Seat Height | 590mm | 590mm | 590mm |
| Posterior Seat Height | 560mm | 560mm | 560mm |

* Seat sold separately.

[^] Self propelled model also available.



Aspire Tilt In Space Commode

Available in two seat sizes and in attendant propelled or self propelled models.

ORDER CODES:

0151-2408: 460mm

0151-2803: 530mm

Features & Benefits

- > 30° of backrest angle adjustment in 10° increments for effortless repositioning and maximum user comfort
- > 5° to 35° of gas-assisted tilt-in-space functionality minimises manual handling efforts during the showering process
- > Open armrests style accommodates a wider sitting surface whilst maintaining a smaller base footprint for improved accessibility
- > 4x total locking stainless steel castors provide brake access from all angles
- > Open back straps provide greater access for bathing needs
- > Tool-free height adjustment to 4 settings allow the commode to be easily adapted to varying needs
- > S.W.L 250kg

Specifications

| | Swing Away 460mm | Swing Away 530mm |
|------------------------------|---------------------|---------------------|
| Overall Height | 1315 - 1485mm | 1315 - 1485mm |
| Overall Width | 560mm | 630mm |
| Seat Width | 460mm | 530mm |
| Backrest Height | 900mm | 900mm |
| Armrest Height | 275mm | 275mm |
| Anterior Seat Height | 460 - 630mm | 460 - 620mm |
| Posterior Seat Height | 460 - 630mm | 460 - 620mm |



BRODA

Revive Tilt & Recline Shower Commode

The Broda Tilt & Recline Shower Commode is designed for use by individuals who are caregiver dependent for commode and shower needs. The Broda Tilt & Recline Shower Commode accommodates easy side transfers through swing away, removable arms. It also helps facilitate front transfers through anterior tilt and a flip up removable footrest.

ORDER CODE: 0151-1401

Features & Benefits

- > 12° of posterior tilt, 10° anterior tilt and up to 67° of back recline, giving you numerous positioning options to help control slumping, sliding, and falls while maintaining your clients' comfort and safety
- > Caregivers benefit from the range of positioning, as the full elevating legrest fully supports the patient's legs while showering, while the back recline assists with washing the patient's hair and accessing difficult to reach areas
- > Adjustable-length elevating legrest with removable flip down footrest
- > Fixed height swing away, removable arms
- > Sturdy no-rust construction with stainless steel powder coated frame, and stainless steel fasteners and castors
- > 4 way stretch padded urethane foam commode seat (removable)
- > 3 total lock castors and 1 directional locking castor
- > Drainage holes to help prevent water from pooling
- > Bedpan with basket (basket slides in and out for easy removal)
- > Padded head rest
- > Lateral supports available as an optional accessory

Specifications

| | |
|-------------------------|--------------------------|
| Seat Width | 46cm (18") or 56cm (22") |
| Seat Height | 60cm (23.5") |
| Seat Depth | 46cm (18") |
| Overall Width | 61cm (24") or 71cm (28") |
| Posterior Tilt | 0° to 12° |
| Anterior Tilt | 0° to 10° |
| Backrest Recline | 0° to 67° |
| Weight Capacity | 181kg (400lb.) |

BRODA

Revive Bariatric Tilt & Recline Shower Commode

The Broda Bariatric Tilt & Recline Shower Commode offers superior versatility and safety in caring for Bariatric patients' shower and commode needs. It incorporates three bariatric chairs in one, being a Commode Chair, a Shower Chair, and a Transport Chair (with the option of an easily interchangeable transport seat). Numerous positioning options for comfort, safety and ease of use, unlike any other bariatric commode shower chair.

ORDER CODE: 0151-1403

Features & Benefits

- > Recline position opens the patient's mid-section area to permit cleaning of hard to reach areas under abdomen and perineal area
- > Unique 6-wheel design offers easy manoeuvrability and permits turning in tight corners without lateral drifting. The middle wheels allow for tracking
- > Up to 8° of anterior tilt, 14° of posterior tilt, with up to 65° of back recline
- > Adjustable-length elevating legrest with removable flip down footrest
- > Fixed height swing away removable arms
- > Removable and rotational arms to adjust seating width
- > Sturdy no-rust construction with stainless steel powder coated frame, and stainless steel fasteners and castors
- > 4 way stretch padded urethane foam commode seat (removable)
- > 4 total lock swivel castors and 2 20cm (8") locking middle wheels with one touch emergency brake
- > Drainage holes to help prevent water from pooling
- > Bedpan with basket (basket slides in and out for easy removal)
- > Lateral supports available as an optional accessory

Specifications

| | |
|-------------------------|---|
| Seat Width | 53cm (21") (can be adjusted to 58cm or 23") |
| Seat Height | 69cm (27") (can be adjusted to 84cm or 33") |
| Seat Depth | 53cm (21") (can be adjusted to 58cm or 23") |
| Overall Width | 83cm (33") or 98cm (39") |
| Posterior Tilt | 0° – 14° |
| Anterior Tilt | 0° – 8° |
| Backrest Recline | 0° – 65° |
| Weight Capacity | 363kg (800lb.) |



Reval Soflex 2 Hydraulic Shower Commode

Available in two seat sizes and in attendant propelled or self propelled models.

ORDER CODE: 0151-6000

Features & Benefits

- > Head and footrest that can be adjusted to match all heights and body types
- > The specially shaped and comfortable base facilitates washing, easily fits a wc pan or provides direct access to toilet seat
- > Takes up little floor space and features four swivel wheels with brakes
- > A powerful actuator that effortlessly lifts patients weighing up to 135kg

Specifications

| | |
|-------------------------------|--------|
| Maxium Weight | 135kgs |
| Weight Of Chair | 35kgs |
| Minimum Height of Seat | 50cm |
| Lifting Range | 55cm |



Reval Soflex Electric Commode

Offering optimum comfort for both users and carers the Soflex is an ergonomic solution for the care and hygiene routines of patients. It can be used as a commode chair, used with a bowl or pan or directly over the toilet.

The Soflex is a height adjustable commode and shower chair that makes hygiene procedures safe and comfortable for both patients and caregivers.

ORDER CODE: 0151-6001

Features & Benefits

- > Available with hydraulic or electric controls, the Soflex is height adjustable to enable carers to work at a height that suits them best
- > The tilt-in-space function allows for use by patients with limited upper body stability
- > A 3 part detachable headrest adjustable in height
- > A folding footrests, adjustable in height which can be transformed leg-support for comfort of patient
- > The specially shaped and comfortable base facilitates washing, easily fits a wc pan or provides direct access to toilet seat
- > Takes up little floor space and features four swivel wheels with brakes
- > A powerful actuator that effortlessly lifts patients weighing up to 135kg

Specifications

| | |
|-------------------------------|--------|
| Maxium Weight | 135kgs |
| Weight Of Chair | 39kgs |
| Minimum Height of Seat | 50cm |
| Lifting Range | 55cm |



Silver Surfer Hi Lo Bath

The all new SilverSurfers range of power assisted baths have been designed by caring professionals for professional carers. At the touch of a button, the powered seat lift will gently lift the bather and rotate the seat over the bath rim and down in to the temperature controlled water. Folding arm rests and optional lap strap make the experience safe, comfortable and stress free for the bather. The care assistant can then use the hand control set to raise the bath to a comfortable working height. The SilverSurfers range of baths protects both the bather and the carer.

Features & Benefits

It's simple

One touch technology on the ergonomic thermoplastic handset allows the bathing assistant to power the seat transfer unit up and out of the bath - then traverse the seat out at 90 degrees. The seat is then lowered to the required height for the transfer of the bather safely onto the seat.

It's safe

Once safely seated with the arm rests down - at the touch of the button the seat very gently lifts the bather up and then over the bath and then gently down into the water ready for bathing in total safety and comfort. Parker Anderson has used this transfer technology for over 20 years in conjunction with our Scandinavian technology partners and our UK electronic programming engineering partners.

It's easy

Built in lift programming allows the bathing assistant to raise the whole bath including water and bather to their required suitable bathing height - reducing the risk of back problems for your staff and making the whole bathing experience more enjoyable for all.

Lift and rotating seat

Lifts up to 160 Kg with ease. Armrests lift out of the way for ease of transfer.

Solid steel universal sub-frame

Hot dipped with rust inhibiting galvanised coating for steamy environment

Anderson Flexi Shower Hose

Rotates through 90 degrees with hand controlled shower head. Connected through TMV3 valve and manufactured from WRAS approved part





Assist-A-Care Heavy Duty Shower Stool

Extra heavy duty shower stool, adjustable height, with arms. Available in two different seat width options - 60cm or 66cm.

Seat depth: 36cm

Adjustable seat height: 44cm – 66cm

Maximum user weight: 350kg

ORDER CODES:

0151-3003: 60cm wide

0151-3004: 66cm wide



Assist-A-Care Heavy Duty Bath Transfer Bench

Extra heavy duty, transfer bench.

Width: 36cm

Length: 90cm

Adjustable height: 46cm – 58cm

Maximum user weight: 350kg

ORDER CODE: 0151-3001



Bariatric Toilet Surround

Heavy duty stainless steel freestanding toilet surround.

Width inside arms: 58cm

ORDER CODE: 0151-3007



Aspire MAXI Over Toilet Aid

The Aspire MAXI Over Toilet Aid is a super heavy duty width adjustable over toilet aid designed for bariatric patients.

Overall Height: 670 – 790mm

Overall Width: 645 – 845mm

Overall Depth: 495mm

Seat Height: 455 – 575mm

Sitting Width: 575 – 775mm

Seat Depth: 455mm

ORDER CODE: 0151-2440



Aspire MAXI Shower Chair

The Aspire MAXI Shower Chair is a super heavy duty, adjustable width shower chair designed for bariatric patients.

Overall Height: 670-1005mm
Overall Width: 645-845mm
Overall Depth: 495mm
Seat Height: 455 – 575mm
Sitting Width: 575 – 775mm
Seat Depth: 455mm

ORDER CODE: 0151-2438




Aspire MAXI Shower Stool

The Aspire MAXI Shower Stool is a super heavy duty, adjustable width shower stool designed for bariatric patients.

Overall Height: 670-790mm
Overall Width: 645-845mm
Overall Depth: 495mm
Seat Height: 455 – 575mm
Sitting Width: 575 – 775mm
Seat Depth: 455mm

ORDER CODE: 0151-2439



Sark Wall Mounted Changing Bench

The Sark Wall Mounted Changing Bench is an electrically operated wall mounted changing table that is suitable for children and adults up to 200kg. Despite its robust structure, Sark has a slimline design that ensures it fits easily into most environments.

The Sark has been designed so that it can be used with most mobile or ceiling hoists. The unique safety side rail stows away, streamlining access for transfers from a wheelchair, shower and toileting chair. The Sark also benefits from an impressive travel range of 600mm.

ORDER CODES:

0151-3800: 1800mm x 650mm

0151-3806: 1600mm x 650mm

Features & Benefits

- › We understand that every need is different, which is why Sark comes in seven different sizes that cater from young children through to adults
- › Electrically operated
- › Wall and floor mounted
- › Stainless steel for damp room environment i.e. bath/changing room
- › Available in 100mm increments from 1200mm – 1800mm
- › Weight capacity of 200kg
- › Impressive height range of 600mm
- › Folds away to save on space
- › Easy to clean padded surfaces

Specifications

| | |
|--------------------------|------------|
| Table length | 1800mm |
| Table width | 650mm |
| Table width safety guard | 975mm |
| Travel range | 400-1000mm |
| Wall frame width | 700mm |
| Wall frame depth | 110mm |
| Wall frame height | 1550mm |
| Safety guard height | 165mm |
| Stored width | 305mm |
| Max user weight | 200kg |
| Product weight | 92kg |



Saye Mobile Change Table

The Saye Mobile Change Table is a fully mobile changing table that requires no installation or fixing. Its compact and slimline design means it can be easily manoeuvred from room to room, offering an extremely cost effective option for multi-transfer or multi-user environments.

The electrically operated Saye provides an excellent travel range of 480mm and can be lowered and elevated at the touch of a button. Safe and suitable working heights can be easily achieved which helps prevent the risk of back injury to the carer.

ORDER CODE: 0151-3801: 1800mm x 750mm

Features & Benefits

- › The Saye Mobile Change Table has been designed to ensure sufficient clearance for a wide number of hoists. Its mobility and unique stowaway side rails enable safe and easy handling. Whether you are transferring from a bed, wheelchair or toileting chair, the Saye changer is the perfect solution
- › Mobile and easy to manoeuvre
- › No installation required
- › Stainless steel for wet room environments
- › Available in 1400mm, 1600mm or 1800mm
- › Weight capacity of 227kg
- › Travel range of 480mm
- › Easy to clean padded surfaces
- › Optional angled back and safety skirt
- › Unique stowaway side rails

Specifications

| | |
|---------------------------------|-----------|
| Table length | 1800mm |
| Table width | 750 |
| Travel range | 470-950mm |
| Safety guards width | 840mm |
| Safety guards height | 165mm |
| Safety guards operational space | 200mm |
| Castor centres length | 1090 |
| Castor centres width | 700mm |
| Nominal clearance | 190kg |
| Max user weight | 227kg |
| Product weight | 90kg |



Select Aquarius Hydraulic Shower Trolley

The Aquarius Hydraulic Shower Trolley provides full functionality and ease of use with simple hydraulic height adjustment and is ideal for use in both home care and hospital environments.

The Aquarius allows a patient to be transferred to the bathing area, showered, dried and clothed, minimising the need to lift manually, in line with current Moving and Handling Regulations.

ORDER CODES:

0151-2605: Aquarius Mild Steel Shower Trolley, Standard Size

0151-2623: Aquarius Mild Steel Shower Trolley, Junior Size

Features & Benefits

- › Easy to operate hydraulic height adjustment allows the shower trolley to be set to the optimum height for the carer
- › Lightweight design and directional steering lock on one castor allow easy manoeuvring
- › Rotating bumpers on all corners help stop damage to walls
- › Dropsides have twin release handles for increased safety and when folded down they lock under the trolley for unhindered side access and ease of transfers
- › Both endrails extend to accommodate tall clients
- › Secured patient pillow for added comfort
- › Heavy duty non-stick padded vinyl liner provides increased comfort and can be easily removed for cleaning
- › Base design allows simple access for patient lifters
- › 6° Top tilt for efficient drainage
- › Zero transfer gap for safety
- › Available in mild steel with stainless steel dropsides and end rails, or in fully stainless steel
- › Available in three top size options; standard, midi and junior

Specifications

| | |
|-----------------------------|---|
| Length | Standard: 1950mm (+120mm extra length adjustment) Midi: 1810mm |
| Width | 790mm |
| Liner Base | 1800 x 560mm |
| Castor Size | 175mm |
| Fixed Height | 680 to 880mm hydraulic |
| Max Load | 180kg |
| Construction options | Mild steel with stainless steel side and end rails option Fully stainless steel option |
| Trolley Weight | 80kg |



Mobi Shower Trolley

The Mobi shower trolley is a powered, height-adjustable shower trolley specifically designed to enable the user to be safely and easily washed or showered and to reduce risk of back injury for carers.

Mobile and easy to manoeuvre, the Mobi shower trolley can be easily wheeled to and from any room, making it an ideal bathing solution for a wide range of care settings.

ORDER CODE: 0151-5000

Features & Benefits

› Safe showering

For many children and adults, conventional methods of bathing and showering can be difficult and even hazardous. The Mobi shower trolley is a powered, height-adjustable shower trolley specifically designed to enable the user to be safely and easily washed or showered by their carer.

› Reduces back injury

The Mobi shower trolley offers a range of height adjustments to enable the carer to shower and change the user at a safe and suitable working height. This reduces the risk of back injury for the carer.

› Stowaway side rails

The Mobi shower trolley has been designed with two unique safety side rails that can be easily stowed away beneath the trolley. This allows maximum clearance for safe, easy transfer and use.

Specifications

| | |
|------------------------------|-------------|
| Table Length | 1800mm |
| Table Width | 750mm |
| Travel Range (height) | 465 – 925mm |
| Safety Sides | 840mm |
| Weight Capacity | 220kg |



Custom Designs Available

Careport 120 Plus Front Entry Shower Cubicle

The Careport Freestanding Shower Cubicle is a totally freestanding portable shower unit which combines ease of access with simple installation. Modular components make the Careport very quick and easy to install on any floor surface and it can be connected to existing plumbing or temporarily connected to an outside water source. Constructed from fibreglass, plastic and aluminium the Careport Freestanding Shower Unit is durable and aesthetically pleasing, as well as being very easy to clean.

ORDER CODES:

0151-0804 – 120 Plus

0812-8829 – Mira Excel Thermostatic Mixer Shower

Features & Benefits

- › A free-standing and self-contained shower cubicle range which can be sited in the bedroom, bathroom or in a downstairs room, offering a showering facility in a location convenient to the user/carer.
- › Quick and easy to install on almost any surface, usually in 1-2 days. The Cubicle can also be de-installed when no longer required.
- › No need for tiling - reducing the associated cost of installation.
- › Pumped waste options to suit drainage conditions.
- › Horizontal and vertical handrails
- › Removable access ramp
- › Optional: Half height side panel option - standard units are supplied with three full height panels and a half height door - as an option half height panels can be fitted allowing easy access for carer assistance.

Specifications

| | |
|--------|------------|
| Width | 1010mm |
| Height | 1900mm |
| Depth | 1210mm |
| Ramp | 470mm Deep |
| Outlet | 40mm |



Custom Designs Available

Careport Freestanding Shower Cubicle Extra

The Careport Extra Freestanding Shower Cubicle is a freestanding portable shower unit with easy access. Modular components make the Careport possible to install on almost any floor surface and it can be connected to existing plumbing or temporarily connected to an outside water source.

Features & Benefits

- › Constructed from fibreglass, plastic and aluminium, the Careport Freestanding Shower Unit is durable and aesthetically pleasing, as well as being very easy to clean.
- › A freestanding and self contained shower cubicle which can be installed in the bedroom or bathroom, offering a showering facility in a location convenient to the user/carer.
- › No need for installing a level access bathroom – reducing the cost of installation and modifying the house.
- › Pumped waste options to suit drainage conditions.

Specifications

| | |
|--------|--------|
| Width | 1200mm |
| Height | 2100mm |
| Depth | 1400mm |



Also
available in
Corner Cubicle

Curtain Rails

Select the best curtain rails for your healthcare environment.

Active Healthcare offers a range of bespoke curtain rail solutions built with durability as a top priority. The selection of curtain rails on offer provide swing out, self supporting option for ease of use and discretion for users. Easy to clean and designed with infection control properties.

Long lasting telescopic rails are built to be light and easy to use. They are extremely easy to handle, making them suitable for patients who would struggle with heavy curtain options. It also reduces the load to caregivers who can quickly go about their care duties. Ideal for the bathroom setting these rails are suitable for damp and wet environments without any compromising the product.

Included are curtain rings in standard grey colour and 42mm in width, making them suitable for different styles of curtains at your choice. Easily loaded and release themselves from the eyelets to avoid injury and damage to the entire system should they experience sudden force.

Features & Benefits

- › Swing out and self-supporting, choose from a selection of curtain rails that are suitable for all applications. Telescopic rails are made of high-quality anodised aluminum. Easy to clean and disinfect and highly versatile for all care environments to provide dignity and privacy.
- › Extending out to 915 mm – 2015 mm

Specifications

| | |
|------------------|---|
| RKLE 1515 | Telescopic Cubicle Shower Curtain Rail 900 mm – 1500 mm |
| RTS 2.1 | Telescopic Straight Curtain Rail, extended 2100 mm |
| RKAE1.5 | Telescopic Straight Curtain Rail 1.5m/ used in conjunction with RKLE 1515 |
| WH95G | Shower Curtain Rail Wall Holder |

KWICKSCREEN

World Leading Portable Screens

KwickScreen's are designed to help improve infection control in partnership with hospitals around the world. Quickly and easily reconfigure your spaces and provide enhanced patient safety and privacy.

Screens can be personalised to suit your environment. We can work with you to identify the screens you need as well as a range of images, aimed at both adults and children, suited to the needs of your environment.

The Problem

1 in 10 patients will acquire an infection in hospital

Patients come to hospital to get well – not to get worse. But currently, hundreds of millions of people each year are affected by HAIs, with 55% of Hospital Acquired Infections (HAIs) are preventable.

When a patient picks up an infection in a healthcare setting, their condition is likely to become far more serious, and they're likely to stay longer in hospital (and be readmitted).


And HAIs are often preventable – with the right infection control equipment.

Where to use KwickScreen?

KwickScreen is a versatile solution for all environments, not limited to healthcare settings.



Reduce the spread of infection



Maintain social distancing



Reconfigure spaces in seconds

How does it compare

| KwickScreen | Curtains | Folding Screens |
|---|--|---|
| <p>Infection control</p> <p>A flat, smooth surface that's easy to clean</p> | <p>Permeable surface holds onto germs whilst being hard to clean</p> | <p>Folds and crevices are dirt traps that are hard to clean</p> |
| <p>Flexibility</p> <p>KwickScreens are portable and stow away into a small storage space</p> | <p>Limiting as they can only move within their track</p> | <p>A larger footprint when not in use</p> |
| <p>Environmentally friendly</p> <p>Reusable and long lasting</p> | <p>High environmental impact</p> | <p>Environmentally friendly and can be reused</p> |