



Active Healthcare

Established 1990

Solutions that move you

Hei whakakori i a koe

Active Healthcare is committed to providing you with the very best solutions. This product catalogue showcases our commitment to our mission of caring about people being active. Helping you is an integral part of our purpose – and a family legacy, passed down for three generations.

Selwyn James Bishop founded Active Rehabilitation Equipment in 1990 out of a small cottage in Princes St, Onehunga, Auckland. As a healthcare professional with a background in pharmaceuticals, Selwyn wanted to help people in need of better rehabilitation equipment and provide a more intimate tailored level of service. A trusted name in the industry, Selwyn used his healthcare network to establish a range of equipment solutions to enable people to be active.

With a focus on outstanding service and reliability, Selwyn's business grew. Joined by his son Nick Bishop, Active Rehabilitation Equipment quickly became a leading supplier of rehabilitation equipment for rental and sale. In 2013 Active Rehabilitation rebranded as Active Healthcare to continue to support the healthcare sector with the highest quality innovations.

During this 33-year journey, the Bishop family have continued to provide quality, innovation and service, enabling people to enjoy movement in life. With a mission to improve equitable outcomes for everyone.

Active Healthcare cares about people being active and is committed to solutions that move you.

Bishop Family

Active Healthcare (NZ) Limited



More than great products,
we deliver full service, customisation,
education and on-going support



Premium Products

At Active Healthcare we believe that you should have access to the best because we genuinely care about you and your clients being safe, healthy and active.



Award Winning Solutions

Active Healthcare exclusively selects premium solutions, we are dedicated to supplying the highest quality products from well-respected brands.



Sustainability

By designing and manufacturing premium healthcare equipment that lasts longer, we can reduce the amount of waste generated. When equipment has a short lifespan, it often ends up in landfills sooner.



Exceptional Service

For the lifetime of the product you can contact us for support. We ensure equipment is delivered by our team and set up safely, used correctly for your client so you're confident with it.

Nationwide support

Caring for New Zealand

E whakaaro nui ana ki a Aotearoa

We have strategically located nationwide distribution centres across New Zealand to ensure nobody gets missed. Not only do we care about providing exceptional support to our people, we also care about New Zealand as a country. We only work with sustainable brand partners in order to reduce environmental impacts. Our purpose is people, and in caring for people we care for the wider environment we all live in.

Our legendary service and delivery are what make us unique. Active Healthcare offers a nationwide distribution support service, providing truly local advice and support. We travel the length of New Zealand to deliver your products safely to you. Our trusted specialists are available to train your staff at no cost, in any location, for the lifetime of the product.

From the deep south to the far north, our team are familiar with the needs of every location, a key factor in delivering our bespoke service. New Zealand is a diverse country with diverse needs, having an in-depth understanding gives us an advantage when helping you. Our team are hands-on and can tailor an approach that best works for you. Refer to our map below for our office locations as well as our nationwide distribution centres where we can store goods for you.



Learn with us

Experience Centre

Te Whare Wheako

You're invited to experience & learn

Learning is not a one-dimensional process. The Experience Centre by Active Healthcare has been created for you and your team to experience a huge range of healthcare solutions in a real world environment.

Visit our Experience Centre on-site at our Auckland offices and get hands-on with our products. Learn how to work with our products in our state-of-the-art learning and training centre. See the products in the flesh, hear about the unique features and benefits, try how they work and see how they feel. Or simply do it all over a video link so we can show you from a distance.

The Experience Centre can adapt to your style of learning – simply let us know what works best for you and your team.





Specialists in Ceiling Hoists


We are leaders in patient transfer equipment in a range of environments including DHB and private hospitals, education and special schools, aged care facilities, and private residential clients.

Working alongside you every step of the way, we offer consultation, design and management of projects. Our dedicated team collaborate with architects, builders and construction experts to configure bespoke patient transfer solutions. We are involved across the project deliverables, from design to after sales support and servicing. Once we have determined your needs our in-house installation team will install the systems. See page 34 for the different types of hoists.

Ceiling hoist systems



Pool hoist systems



Education



Consult · Design · Install

Lift your space with a premium patient transfer solution from Active Healthcare. We work with your project team to deliver bespoke solutions on budget and on time.



Consult design and select



Quotation and proposal



Ordering and manufacturing hoist system



Delivery & installation

Expert servicing with us

Extend the life span of your product and protect against the risk of breakdowns with regular servicing support. We help our customers with servicing equipment to maintain equipment and repair. We will work with you to ensure your equipment is kept as safe as possible. When you choose Active Healthcare, know that you will be guaranteed ongoing servicing support. Our team stays ahead of the learning for you, collaborating with our global suppliers to bring international skills to our locals.



Sustainability

Premium equipment, built to last

Reducing Waste

By sourcing premium healthcare equipment that exceeds the expected lifespan we can create a more sustainable future for healthcare. Our healthcare brands elevate your sustainable practices by investing once and therefore reducing waste. We acknowledge the ongoing challenge within the healthcare industry which has a largely unavoidable high amount of consumables.

Lowering Costs

Premium healthcare equipment may have a higher one-off investment, but in the long run, will save money. By investing in high-quality equipment, the reduction of harm to staff by poor functioning equipment is minimised and efficiency is maximised. Our aim is to eliminate the need to constantly replace and fix low quality equipment.

Improving Patient Care

High-quality equipment can contribute to better patient outcomes. We problem solve with you to help you decide what equipment would be best suited to your patients and your environment.

Kaitiakitanga & Protecting Papatūānuku

Whatungarongaro te tangata, toitū te whenua - people pass on but the land remains.

As kaitiaki we have a responsibility to protect our whenua. We do that by reducing waste, lowering costs, improving patient care, and building trust. We believe through premium solutions we can create a more sustainable system that encompasses a tikanga Māori approach to sustainability.

Central to tikanga Māori is kaitiakitanga, which is the responsibility for us to be guardians of our natural environment. In this context, sustainability is an essential component to the relationship between Māori and the land (whenua) and the wider natural world (papatūānuku).

Active Healthcare acknowledges these priorities and is inclusive of all cultures that live within New Zealand.

“By selecting and investing in high-quality equipment, we can create an improved healthcare system that benefits patients, healthcare providers, and the environment.”

Mark Bishop,
Managing Director Active Healthcare



PATIENT TRANSFER EQUIPMENT



Falls Solutions	12
› Raizer II	14
› Elsi Smart Floor	15
› Invisabeam	16
HoverTech	18
Guldmann Ceiling Hoists	34
› Rail Systems	46
› Free Standing Hoists	48
› Guldmann Accessories	52
Pool Hoists	54
Mobile Patient Lifters	57
Mobile Sit to Stand Lifters	63
Slings	66
› Guldmann	66
› Allegro	78
› Supersling	82
Stepless Ramps	88
Powered Stairclimber	91

PRESSURE CARE



Active Air Mattresses	96
Static Air Mattresses	105
Foam Mattresses	107
Pressure Relief Aids	110

MEDICAL DEVICES



Prone Face	116
ICU Kits for Prone Position	118
Posey Range	119

BEDS AND BEDROOM FURNITURE



Hospital Beds & ICU Beds	122
Stretchers	132
Hospital & Specialist Chairs	134
Paediatric Beds & Accessories	138
Long Term Care Beds	144
Bedside Cabinets	156
Over Bed Tables	158
Powered Movers	159

CHAIRS



Manual Recliners	162
Electric Lift Recline Chairs	164
Care Chairs	170
Day Chairs	180

HYGIENE



Mobile Shower Commodes	186
Bath Lifters	191
Bathroom Aids	192
Change Tables	194
Shower Trolleys	195
Freestanding Shower Cubicle	196
Privacy	197

CONVERSION CHARTS




View this New Zealand
Campus of Innovation
and Sport project online



PATIENT TRANSFER EQUIPMENT



Falls Solutions	12
› Raizer II	14
› Elsi Smart Floor	15
› Invisabeam	16
HoverTech	18
Guldmann Ceiling Hoists	34
› Rail Systems	46
› Free Standing Hoists	48
› Guldmann Accessories	52
Pool Hoists	54
Mobile Patient Lifters	57
Mobile Sit to Stand Lifters	63
Slings	66
› Guldmann	66
› Allegro	78
› Supersling	82
Stepless Ramps	88
Powered Stairclimber	91



Falls Solutions

We take falls seriously, and have developed solutions in prevention and recovery that help minimise the impact of falls.

Recover fallen individuals with care and maintain dignity with our leading solutions.

Discover how we are working to help you address falls.



Elsi® Smart Floor

See page 15

Underfloor monitoring to alert you of patient movement and prevent falls before they happen. The Elsi is a one-of-a-kind proven way to reduce falls and improve safety in care environments. Ideal for those in senior care and people with mobility issues, the Elsi system provides security and reliability when you need it most.



INVISIBLE-BEAM: Prevention

See page 16

INVISIBLE-BEAM falls prevention monitors use invisible infrared beams to monitor the bed or chair of people at risk of falling. The patient is not disturbed by these beams and not restricted by them. If the patient starts to move from the bed or chair, the invisible beam is broken and the alarm triggered. Invisi-Beam warns the carer before the patient falls. Perfect for aged care facilities, hospitals and home care.



Falls Prevention and Retrieval

HoverMatt – see page 22

HoverMatt Air Transfer System is a revolutionary new way to move patients. HoverMatt reduces the pull force required to move a patient by 80-90%, requiring fewer caregivers and reducing the risk of injury to staff. It lifts the mattress – and the patient – off the floor, so caregivers can safely transfer, boost, turn and reposition patients without lifting or straining.

HoverJack – see page 28

The HoverJack inflates to lift patients from the floor to bed or stretcher height in a supine position, maximising patient comfort and minimising the risk of injury to the patient and their caregiver.

Once the HoverJack is inflated, the HoverMatt air transfer mattress can be used with the same air supply unit for safe and easy lateral patient transfer to a bed or stretcher.



Raizer II

See page 14

Raizer is a state of the art battery operated mobile lifting chair that helps a fallen person up to an almost standing position within a few minutes. Automatically lifting people up to standing. It can easily be assembled and operated by one assistant and does not require any physical effort besides a supportive hand.



Slings

See page 66

We have a wide selection of slings including disposable single patient use, walking harnesses, sit to stand slings, basic slings and hygiene slings.

We also offer a sling customisation service so you can get the right fit for your client every time.



Raizer II

Battery-operated mobile lifting chair

Raizer II is an optimized version of the Raizer, with a new design and with new functions. The battery-operated mobile lifting chair helps a fallen person up to an almost standing position in a few minutes. The aid can be operated by only a single assistant, and it requires only limited physical effort from the operator aside from a helping hand. The easy handling is ensured by ergonomic and intuitive controls.

New ergonomic benefits

Raizer II is easily assembled under a fallen person, and the lifting process is swiftly initiated by a push of a button. The simple falls recovery chair operates to lift fallen people and is designed to be operated with only one caregiver.

Comfortable and safe lift

All the materials have been carefully selected with special attention to stability and durability and considering both the helper and the fallen person.

Raizer II is fitted with safety belts that are to be attached to both backrests to make sure that the fallen person feels secure and comfortable during the lifting process. It is possible to attach additional safety belts on the backrests of Raizer II. Thus, the torso of the fallen person can be secured in several positions for increased comfort.

Easy-to-clean design

Raizer II offers user-friendly design with intuitive sound and light indicators making it easy to quickly assemble the Raizer II at any location. The two backrests are alike, and the four identical legs can be swiftly fitted in any sequence thus making the Raizer II quick and easy to assemble under the fallen person.

All surfaces of Raizer II have been developed to be easy to clean as regards choice of materials and surface structure, and the surfaces of Raizer II may also be disinfected.

Mobile solution

The lifting chair is battery-powered and therefore must not be connected to a power outlet. Raizer II is easily operated with a remote control which is kept on the side of the seat when not in use. Raizer II will emit a warning if the remote control is not returned to its place after use.

Easy to transport

When disassembled, Raizer II is carried in two bags to the location; backrests and legs are carried in a bag with ergonomic carrying straps for hand or back (long strap for shoulders or two straps as a backpack). The motor unit/seat is carried separately in a protective cover with a soft handle ergonomically designed to make sure that it is carried close to the body.



ORDER CODE: 0254-1206

Features & Benefits

- > Mobile auxiliary aid to lift a fallen person
- > Comfortable and secure for the fallen person
- > Lifts up to 150 kg
- > Easily assembled in just a few minutes
- > 2 identical backrests and 4 identical legs make assembly easy
- > No risk of overload for the helper
- > The fallen person and the helper can both feel safe
- > Improved cleanability: Can be disinfected
- > Battery indicator on control panel
- > Intuitive sound and light indicator for smooth assembly
- > Easy transportation in two bags
- > Alert on control panel for service inspection
- > Battery capacity: Approx. 80 lifts per charge
- > Seat dimensions: W: 68,6cm / D: 25,7cm / H: 19cm

Specifications

Maximum Lifting Capacity	150kg
Lifting Time	20-30 seconds
Weight of Seat	8.5kg
Weight of Backrest & Legs	4.5kg
Total Weight	13kg
Charger (2pcs)	USB charger and 15W charger for standard power socket
Number of lifts on a full charge	40 with max. load Approx. 80 with average load
Charging Time	Max. 6 hours
Charging of empty battery	10-15min = 1 transfer

Elsi[®] Smart Floor

Safety · Security · Savings

Under floor sensor system for Nursing and Senior Homes, Hospitals, Rehab Centers and Private Homes.



The technology around Elsi[®] Smart Floor is similar to today's touchpads and tablet computers; so it's reliable and safe.

Elsi[®] Smart Floor is the operating system; it tracks the motion and position of human bodies relative to their positions on the floor, e.g., in elderly care homes or senior care home apartments, etc.

Being proactive, Elsi[®] Smart Floor helps the right nurses to be at the right place at the right time.

Various alarm and notifications can be activated in the unique Elsi[®] UI (User Interface), using different criteria: nurses, individual residents and special times during 24 hours, and are also relayed to Smart Phones or DECT Phones.



Elsi[®] Smart Floor is “Easy and Quick” to install either in existing or in new facilities.

The installation of the Elsi[®] Smart Floor is similar to the installation of traditional linoleum carpets, i.e., it is installed in the same way as the traditional top floor carpets are installed. It is easily and quickly laid, and is fully protected by the top floor carpet, giving it a long life time.

INVISA-BEAM[®]

Falls Prevention

Invisa-beam is an early warning monitoring device that prevents falls via immediate positive detection.

Precise invisible beams continuously monitor a bed or chair constantly monitoring patient movement. When a high-risk falls patient attempts to leave the bed or chair, an alarm is transmitted to alert the carer via an alarm (or nurse-call system) with immediacy in real-time. Patients are not disturbed by the beams, and are not restricted by them.



Dual Beam (Bed Monitor)

- › Fixed Beam Length – 1.8m ~ 2m
- › Monitors both sides of the bed simultaneously
- › Width Adjustable to accommodate Single/King Single Beds
- › Height adjustable Stand
- › Runs on Mains Power – (Not battery powered)
- › Wall mountable with additional bracket



Adjustable Beam (Beds or Chair Monitor)

- › For use with Beds, Chairs and Doorways
- › Adjustable Beam Length – from 500mm to 3000mm
- › Monitors one single side of the bed
- › Low Height adjustable Stand
- › Runs on both Li-Ion Rechargeable Battery AND Mains Power



Multi Purpose Monitor (Bed Monitor)

- › For use with Beds
- › Fixed Beam Length – 1.8m ~ 2m
- › Monitors one single side of the bed
- › Height adjustable Stand
- › Runs on Mains Power – (Not battery powered)
- › Wall mountable with additional bracket



Chair Monitor

- › For use with Chairs and Doorways
- › Fixed Beam Length – 1.2m
- › Fixed Height Stand
- › Runs on both Li-Ion Rechargeable Battery AND Mains Power

Measurements

Beam Length	1.8m
Stand Height Min	470mm
Stand Height Max	800mm

Beam Length	Adjustable from 500mm to 2m
-------------	-----------------------------

Stand Height Min	310mm
------------------	-------

Stand Height Max	490mm
------------------	-------

Beam Length	1.2m
-------------	------

Stand Height Min	310mm
------------------	-------

Stand Height Max	490mm
------------------	-------




Perfect for aged care facilities, hospitals and home care.

Save time, costs, and injuries.

Compatible with remote alarm



Compatible with nurses station





Picture: HoverJack in use with the reusable HoverMatt, and the HoverTech Air Supply at the end of Linet Multicare X ICU bed.



Move & Lift on Air

Lateral Transfers · Boosting
Turning · Positioning · Proning ·
Falls Retrieval

Innovative solutions to meet your safe patient handling needs

HoverTech International is the world leader in air-assisted safe patient handling. As the exclusive supplier for HoverTech in New Zealand, Active Healthcare is committed to providing innovative solutions to meet your safe patient handling needs.

HoverMatt is the number one choice of hospitals for lateral patient transfers and patient repositioning.

Facilitate all-day patient care with Hovermatt

The HoverMatt Air Transfer System - including the Reusable, Single Patient Use, Half-Matt, Split-Leg and HoverSling - makes patient transfers, boosting, positioning and proning easier, while protecting caregiver safety.

A cushion of air beneath the inflated HoverMatt reduces the force required to move a patient by **80-90%**, enabling caregivers to safely transfer patients without lifting or straining.



Improves Patient Comfort & Safety

Inflated mattress cradles the patient while moving them in a stable position, eliminating skin shear and bruising soft nylon provides ultimate comfort.

Reduces Cost

Air-assisted technology is proven to reduce workplace injuries and associated costs by 50-100% when implemented into a Safe Patient Handling Program.

Supports Wound Care Management


The Single Patient Use HoverMatt can be left underneath a patient for their entire hospital stay. Pressure mapping results conclude that there is no increase in risk of pressure ulcers with the use of the HoverMatt with zero shear.

Radiolucent and MRI Compatible

- › The HoverMatt is radiolucent and can be left underneath patients for all x-rays. It is also safe to use in an MRI environment.
- › In addition to this, the HoverMatt has a tapered head end allowing for transfers onto the narrow CT scanner table.



Baseline Measurement: Low air loss mattress, sheet, pressure mapping device, 90kg patient



Low air loss mattress, sheet, pressure mapping device, deflated heat-sealed HoverMatt, 90kg patient

Minimises Infection Control Risk

- › Heat-sealed technology eliminates needle holes to keep microorganisms out and prevent cross contamination.
- › Independent studies in Australia and the US, have determined that in over 20 years of use in Operating Theatres, there has never been any reported cases of contamination associated with the use of HoverMatt anywhere in the world. HoverMatt is coated with Micropel which is an anti-microbial additive that is included in the construction of all reusable HoverMatts as part of HoverTech's commitment to infection control.

Enhanced Breathability

- › The full HoverMatt Single Patient Use range now has enhanced breathability properties. When considering the ideal conditions for pressure injury prevention, the local temperature and moisture or relative humidity (microclimate) at the interface of body and support surface are often linked. Breathable fabric assists in creating an optimal microclimate by allowing air to circulate at that interface and moisture to evaporate. This enhancement protects the integrity of the patient's skin and minimizes the potential for pressure and moisture related injuries. The improved range is 23% above the entry threshold for breathability.



HoverTech Air Supply 2300

The HoverTech Air Supply 2300 offers both efficiency and cost-effectiveness with six airflow options in one convenient piece of equipment. The HoverTech Air Supply allows you to safely transfer, lift and position patients with the addition of a variable speed option that offers four slower speeds for use with all HoverTech positioning devices.

ORDER CODE: 0251-0442

Features & Benefits


- › Slower, quieter operating system offers improved patient comfort, including slower inflation for agitated patients
- › Variable speed inflation with six airflow options means only one device is needed to inflate all HoverMatt and HoverJack models, as well as HoverTech's new positioning devices
- › The patented handle design combines handgrip and hanger in one
- › A flexible connection between the hanger and the body of the air supply prevents damage to furnishings and equipment
- › The expandable hose is snapped into a built-in channel with attached fluid prevention cover to stay out of the way

Specifications

230V

One device
inflates all
HoverTech
devices





HoverMatt Reusable

The HoverMatt Reusable air transfer system is the number one choice for hospitals for lateral patient transfers and patient repositioning. Available in heat sealed or double coated construction. Double coated construction offers fluid and stain resistance, making it ideal for the OR and labour delivery.

ORDER CODES:

Heat Sealed Construction:

0251-0427: 28"
0251-0428: 34"
0251-0429: 39"
0251-0430: 50"

Double Coated Construction:

0251-0431: 28"
0251-0432: 34"
0251-0433: 39"
0251-0434: 50"

Specifications

Weight Limit	544kg
To be used with	HoverTech Air Supply 2300
Size options	71cm W x 198cm L (28") 86cm W x 198cm L (34") 99cm W x 198cm L (39") 127cm W x 198cm L (50")

Criteria/Indications for use of HoverMatt

Reusable HoverMatt

Any patient who is unable to assist with lateral transfer or bed repositioning

Suitable for any patient who has increased moving and handling risk due to: Size, Shape, Weight, Girth, Height, Medical Condition.	
Remove after transfer.	Designed to stay under patients for their entire hospital stay.
Patient surface is made of nylon and is not breathable, therefore is not designed to be left under patients for more than 8 hours.	Patient surface is made up on two layers; a nylon layer with breathable non-woven polyester on top. This top layer has high moisture evaporation properties which will help facilitate the drying of the HoverMatt should it become wet and in addition helps wick away surface moisture from the patient's skin.
Can be wiped with the same cleaning products used to disinfect medical equipment and can be machine laundered.	Cannot be laundered and must be discarded upon patient discharge or if the unit becomes heavily soiled.
Beneficial for patients who: <ul style="list-style-type: none"> > Are frail > Debilitated > Having pain with movement > Have the potential for skin tears or pressure injuries 	Beneficial for patients who: <ul style="list-style-type: none"> > Will be admitted to the hospital for an extended period > Have had extensive surgery or trauma > Are infectious > Are heavily sedated and will need to be transferred or repositioned frequently. > Have had a decline in medical status > Are bedridden or on ventilator support



HoverMatt Single Patient Use

Popular in hospitals worldwide, HoverMatt Single Patient Use air transfer system addresses infection control and reprocessing concerns. This inflatable transfer mattress works just like the reusable HoverMatt and can be used multiple times with one patient – staying with them throughout their hospital journey.

ORDER CODES:

0251-0401: 34" Box of 10
0251-0402: 39" Box of 10
0251-0403: 50" Box of 5
0251-0409: 34" 1 piece
0251-0410: 39" 1 piece
0251-0411: 50" 1 piece

Specifications

Weight Limit	544kg
To be used with	HoverTech Air Supply 2300
Size options	86cm W x 198cm L (34") 99cm W x 198cm L (39") 127cm W x 198cm L (50")

Single Patient Use (disposable) HoverMatt

Transforming transfers with HoverMatt T-Burg

Keep patients stable from O.R. through to recovery with the new T-Burg solution.

The T-Burg offers clinical teams a quick and safe transfer system that enables the patient journey from emergency, operating theatre through to recovery. Quickly inflates in less than 60 seconds to respond to the immediacy of the situational demands.

Performs under pressure, and provides a stable surface with no unwanted patient movement, allowing the ultimate in patient safety.



Patient stabilisation · Patient comfort · Staff safety



Trendelenburg Positioning

With or without Lithotomy



Reverse Trendelenburg Positioning

Safe for use

During Surgery

- > Breathable HoldFast fabric prevents unwanted movement
- > Efficiently attached to OR table
- > Supports microclimate that contributes to skin integrity or the duration of the patient's stay
- > Safe option for steep trendelenburg and more

Post-Surgery

- > Gentle on patients
- > No unnecessary movement, for patient comfort and confidence
- > No log rolling required, minimising potential injury

Compatible with the HoverTech air supply unit.

Lateral Transfer

From O.R. table to a bed or stretcher



HoverMatt Single Patient Use Link

The breathable SPU Link features all of the trusted benefits of the original HoverMatt SPU combined with unique connecting straps that attach to the bed, reducing the need for boosting and improving patient comfort.

ORDER CODES:

0251-0407: 34" Box of 10
0251-0408: 39" Box of 10

Specifications for both the Reusable and SPU

Material Specs	Sewn construction Top: Non-woven polypropylene fiber Bottom: Nylon fabric Latex free
Available Sizes	34" W x 78" L 39" W x 78" L
Weight Capacity	544kg
Packaging	10 per box

HoverMatt Split-Leg

The Split-Leg Matt has a patented design that separates the bottom half of the transfer mattress into two individual segments, or "legs". These legs snap together for effortless patient transfers and are then unsnapped for convenient positioning on the procedure table.

ORDER CODES:

0251-0406: Single Patient Use. 34" Box of 10

Specifications

Sewn Construction	<ul style="list-style-type: none"> > Top: Non-woven polypropylene fibre > Bottom: Nylon Fabric > Latex free > Water soluble perimeter thread (120 degrees) > Thread in sewn handles NOT water soluble
Size	86cm W x 198cm L (34")
Weight Limit	544kg





HoverMatt Half-Matt

The HoverMatt Half-Matt delivers the same effortless lateral transfers and positioning as the standard HoverMatt Air Transfer System, but in a shorter length. Specifically designed for use in the OR with specialty tables as well as in Labour and Delivery. The Half-Matt is available in both reusable and single-patient use models. The reusable Half-Matt with a double-coated finish is often preferred when excessive fluids make stain resistance a priority. Ideal for use during arthroscopy, gynaecological or urological procedures.

ORDER CODES:

Single Patient Use Half:

- 0251-0404 : Single Patient Use 34" Box of 10
- 0251-0405: Single Patient Use 39" Box of 10
- 0251-0412: Single Patient Use 34" 1 piece
- 0251-0413: Single Patient Use 39" 1 piece

Reusable Half:

- 0251-0435: Reusable Half Heat Sealed 34"
- 0251-0436: Reusable Half Double Coated 34"

Specifications

Single Patient Use Material Specs

Sewn Construction	Top: Non-woven polypropylene fibre Bottom: Nylon fabric, water soluble perimeter thread (120°), Thread in sewn handles is not water soluble Latex free
Heat Sealed Material Specs	
Heat-Sealed Construction	RF welding in all seams Material: Nylon twill Latex free
Double Coated Material Specs	
Nylon twill with silica polyurethane coating on patient side	Seams: RF welding on all seams
Available Sizes	86cm W x 114cm L (34") 99cm W x 114cm L (39")
Weight Limit	544kg

HoverSling Split Leg

The HoverSling is a lift and transfer device combining the benefit of a HoverMatt and a patient lifting sling in one. HoverSling has been designed to streamline patient handling tasks by reducing the amount of time and money spent on multiple lift transfer products. With the HoverSling, caregivers can now use one, disposable product for nearly all patient handling tasks, including; lateral transfers, repositioning, turning and vertical lifting.


ORDER CODES:

- 0251-0415: 34" Box of 10
- 0251-0416: 39" Box of 5
- 0251-0417: 50" Box of 5
- 0251-0420: 34" 1 piece
- 0251-0421: 39" 1 piece
- 0251-0422: 50" 1 piece

Specifications

Material Specs	Sewn construction
Top	Non-woven polypropylene fibre
Bottom	Nylon fabric
	Latex free Water soluble perimeter thread (120°) – thread in sewn handles is not water soluble
Dimensions	Sling: 86cm x 162cm (34") Sling: 99cm x 162cm (39")
Weight Limit	317kg (34") 453kg (39")





HoverSling Repositioning Sheet

The HoverSling Repositioning Sheet is a combination air-assisted transfer mattress and repositioning sling. This combination allows for seamless transitions between lateral transfers, overhead lift transfers, and repositioning, utilizing one product that can stay with the patient.

The HoverSling Repositioning Sheet simplifies the decision-making process by reducing the costs associated with providing multiple products per patient, and saving caregiver time while protecting staff from injuries.

ORDER CODES:

- 0251-0418: 39" Box of 5
- 0251-0419: 50" Box of 5
- 0251-0423 : 39" 1 piece
- 0251-0424: 50" 1 piece

Specifications

Material Specs	Sewn construction
Top	Breathable polyester knit fabric
Bottom	Breathable nylon
	Latex free
Dimensions	39" W x 78" L 50" W x 78" L
Weight Limit	454kg

HoverTech Q2Roller Lateral Turning Device

Frequent turning and positioning is critical for bed-bound patients, yet it is often challenging for caregivers to manage these patient handling tasks that require significant time and physical effort. To address these concerns, HoverTech designed the Q2Roller for easy and efficient lateral patient turning.

The Q2Roller comprises two inflatable chambers that are controlled by the clinician to achieve optimal positioning for patient care and pressure relief from bony prominences. By eliminating the need for manual lifting, the Q2Roller protects both the staff from injury and the patient from friction and shearing associated with traditional repositioning methods.

ORDER CODES:

- 0251-0425: Box of 5
- 0251-0426: 1 piece

Specifications

Material Specs	Non-woven polypropylene fibre RF welding on all seams Latex free
Dimensions	Chambers: 112cm L x 112cm W Apron: 112cm L x 178cm W
Weight Capacity	272kg
Packaging	5 per box Each Q2Roller comes with one pack of 5 Q2R Pads





HoverTech Intubation AirWedge Positioning Device

The HoverTech Wedge adjustable positioning device inflates to lift and position the head and chest of a supine patient for convenient, efficient positioning in any patient care department. The dual chamber design allows the patient's head and chest to be adjusted separately, making it easier to achieve ear to sternal notch positioning regardless of the patient's body type.

ORDER CODE: 0251-0440

Features & Benefits

- › Two chamber design provides maximum adjustability of head, neck and chest
- › Low profile when deflated allows products to be left underneath the patient in between uses
- › Inflation/deflation valves located on either side of the head chamber offer easy access for inflation and adjustment of the head and chest chambers
- › Heat-sealed construction and microbial-controlling nylon fabric facilitate easy cleaning and minimise infection control risk
- › Air supply delivers variable speed inflation for optimal patient positioning and efficiency, inflating in seven seconds and deflating in fifteen seconds
- › Variable speed air supply allows caregiver to control inflation for patient safety and comfort

To be used with: HoverTech Air Supply 2300

Specifications

Material Specs	Double-coated material Nylon twill with silica polyurethane coating RF welding on all seams Latex free
Dimensions	Deflated: 79cm L x 56cm W Inflated: 76cm L x 58cm W x 28cm H
Weight limit	363kg



HoverTech SitAssist

The HoverTech SitAssist gently lifts or lowers patients who need assistance mobilising to a seated or supine position in a diagnostic imaging or treatment setting. The SitAssist is radiolucent and MRI compatible, offering a safe and convenient tool for mobilisation that reduces the risk of injury for both the caregiver and the patient.

ORDER CODE: 0251-0441


Features & Benefits

- › Two-stage inflation system provides stability while lifting or lowering patient
- › Hands-free valves allow caregiver to focus on the patient during inflation and mobilisation
- › Radiolucency and MRI compatibility allow product to stay in place during diagnostic imaging
- › Coated nylon fabric provides durability and facilitates easy cleaning of device
- › 272kg weight capacity accommodates a large range of patients, including bariatric
- › Centre indicator assists caregiver to easily center the device on procedure table

To be used with: HoverTech Air Supply 2300

Specifications

Material Specs	RF welded 400 denier nylon TPU lamination Latex free Do not launder
Dimensions	Deflated: 86cm L x 121cm W Inflated: 81cm L x 119cm W x 45cm H
Weight limit	272kg



Gold Standard in Falls Recovery

The HoverMatt Air Transfer System and HoverJack Air Patient Lift Provide a No-Lift Solution for Patient Falls.

In the event of a patient fall, the HoverJack Air Patient Lift and the HoverMatt Air Transfer Mattress can be used together for safe and easy air-assisted patient lifts and lateral transfers.

Using the same air supply, the HoverMatt and HoverJack work as a system to assist caregivers: the HoverMatt is inflated to laterally transfer the patient onto the deflated HoverJack; the HoverJack chambers are inflated to lift the patient from the floor; and finally, the HoverMatt is inflated to transfer the patient to the bed or stretcher.

The HoverMatt and HoverJack offer a unique and versatile solution that can be used wherever a fall occurs, including small, confined areas, while providing the patient with a safe, comfortable and dignified experience.

Minimum Crew, Maximum Safety.

- › Increased completed calls per shift generates more revenue due to faster transport times
- › Readily available bariatric equipment eliminates waiting time for additional personnel
- › Tapered head end, adjustable inflation chambers and steering straps improve maneuverability around corners and down most stairwells
- › Removable support skirt with replaceable Teflon bottom allows device to be used across most surfaces
- › Dimensions: 32" W x 72" L
- › Evacuation HoverJack also available for emergency services use down stairs



Pictured: HoverJack in use with the reusable HoverMatt, and the HoverTech Air Supply.



HoverJack Air Patient Lift

The HoverJack Air Patient lift allows caregivers to safely lift patients who have fallen without gathering a lift team and is recognised as the industry standard for safe patient lifting. The HoverJack inflates to lift patients from the floor to bed or stretcher height in a supine position, maximising patient comfort and minimising the risk of injury to the patient and their caregiver. Once the HoverJack is inflated, the HoverMatt air transfer mattress can be used with the same air supply unit for safe and easy lateral patient transfer to a bed or stretcher.

ORDER CODES:

0251-0437: 32"

0251-0438: 39"

Features & Benefits

- › Minimise staff members needed to safely lift patients who have fallen
- › Control height through individual chamber inflation
- › Self-sealing inflation valves for ease of use
- › Four inflation chambers with self-sealing valves
- › Quick release deflation valves to lower patient if needed
- › Teflon bottom allows for easy movement across all surfaces
- › Available in two widths with a weight capacity of 545kg to accommodate most patients
- › Maintains patient dignity and minimises risk of injury by creating a no-lift environment

To be used with: HoverTech Air Supply 2300

Specifications

Topside Material	Nylon Oxford
Underside Material	Teflon impregnated polyester Latex free
Available in two sizes	(32") 81cm W x 198cm L (39") 99cm W x 198cm L
Weight Capacity	545kg





HoverMatt T-Burg

The HoverMatt T-Burg provides air-transfer technology like no other providing a solution for both patient stabilisation and transfer. Designed as two products in one, the T-Burg is your complete positioning aid to eliminate any patient movement on the operating table. When inflated, the T-Burg works to gently and safely move patients like a standard HoverMatt – removing any manual handling. The ultimate solution to all operating environments requiring safe patient positioning and transfer.

ORDER CODE: 0251-0439: 32”

Features & Benefits

During Surgery

- > Prevents unwanted patient movement in steep Trendelenburg
- > Efficiently attaches to the OR Table in < 60 seconds
- > Safe & Efficient patient air-transfer technology in the OR
- > Breathable HoldFast™ fabric supports a microclimate that contributes to skin integrity while remaining under the patient for their entire stay

After Surgery

- > Gentler on the patient
- > No unnecessary patient movement compared to other stabilization pads
- > No patient “log rolling” required after surgery to move from the OR table to PACU
- > No pad or chux required after surgery

Specifications

Material Specs	Sewn construction
Top	Breathable open celled elastomeric foam
Bottom	High MVTR Nylon twill. Latex Free. This is a disposable product, a single patient use device and should not be laundered
Available Size	86cm W x 114cm L
Weight Capacity	Enquire





Evacuation HoverJack II

The Evacuation HoverJack II device was specifically developed to meet the demands of EMS professionals. The Evacuation HoverJack II can lift and transport bariatric patients, as well as assist in extractions from the home environment, including down stairs.

Four air chambers inflate to lift the patient from the floor in a seated or supine position, maintaining patient dignity and minimising risk of injury to the crew by creating a no-lift environment. When used in conjunction with the HoverMatt Air Transfer System, a seamless solution is presented for lateral transfer from bed or floor to the Evacuation HoverJack II, and on to the ambulance stretcher in preparation for transport.

ORDER CODE: 0251-0439: 32"

Features & Benefits

- › Air chambers inflate to lift the bariatric patient from the floor in a supine or seated position, creating a no-lift environment for the crew
- › Tapered head-end, adjustable inflation chambers, and steering straps improve maneuverability around corners and down most stairwells
- › Quick-release valves expedite deflation to lower patient when needed
- › Support skirt with replaceable Teflon coated bottom allows device to be used across rough terrain
- › Weight capacity of 318kg for stairwell evacuations or 545kg for vertical lifts accommodates most patients
- › Creates a safe and secure evacuation method for non-ambulatory patients who must be moved in a supine position
- › Reduces force needed to move the patient by 80-90%, while also reducing patient skin shear and bruising
- › Maintains patient dignity and minimises risk of injury by creating a no-lift environment
- › Personal belongings compartment built into the device for added convenience

To be used with: HoverTech Air Supply 2300

Specifications

Material Specs	
Top	Nylon Oxford
Bottom	Teflon impregnated polyester
Construction	RF Welded
Straps	Condura fabric
	Latex free
Available Size	81cm/ 32" (W) x 198cm (L) x 76cm (H)
Chamber Height	19cm
Weight Capacity	318kg for stairwell evacuations 545kg for vertical lifts



Accessories



Universal HoverMatt Cart

The Universal HoverMatt Cart is conveniently designed to carry your Air Supply and both Reusable and Single Patient Use HoverMatts. 100% stainless steel construction featuring an ergonomic handle, and 360° rotating castors.

ORDER CODE: 0251-0443

Features & Benefits

- › Access safe patient handling equipment faster and easier
- › Designed to hold any HoverTech Air Supply model and one box of Single-Patient Use HoverMatts or several reusable HoverMatts
- › Streamlined construction provides a sturdy design while making it easier to clean for optimal infection control



Disposable Cover Sheet

The Disposable Cover Sheet can be placed on top of the HoverMatt to add extra protection. It features an absorbent top and impervious underside material. Disposable Cover Sheets are available in perforated or absorbent options and both can be effectively used with the HoverMatt Transfer Technology System.

ORDER CODES:

0251-0444: Pack of 5

0251-0445: Pack of 100



HoverJack Cart

The HoverJack® Cart is a rolling storage system that allows caregivers to respond with the right equipment in the event of a patient, staff or visitor fall. With a standard size top basket and larger bottom basket, this cart holds the HoverJack® Air Patient Lift, Air Supply and a HoverMatt® Air Transfer Mattress.

Keeping all vital components together in the HoverJack Cart will ensure that your safe patient handling equipment can be located easily and rolled quickly to the site of the fall.

ORDER CODE: 0251-0448

Active Educator



Webinar Series

Active Educator has on-demand videos that are designed to educate, inform and explain. Our product range is extensive, and it is not always easy to navigate, so we have created these videos to help you in your product selection and professional development.

Upon request, we will issue you a certificate of completion that you can use to demonstrate your commitment to ongoing learning and development.

From Nurse Educators through to Occupational Therapists, our Active Educator platform has something for everyone. Start exploring our platform today and discover the power of educational videos to transform your product knowledge!

Want to learn more about our products?
Visit us online to get tips and tricks from
the Active Healthcare team.



*Active Healthcare
installed the very first
ceiling hoist system
in New Zealand
back in 1996!*



Guldmann two point hanger bar used in conjunction with Guldmann Basic High Sling


Guldmann[®] Ceiling Hoist Systems

Giving you more time to care




Lifting modules

Guldmann lifting modules are powerful, efficient and user-friendly – and they're designed for heavy lifting, with capacities of 175–500 kg.



GH3 Lifting module



GH3+ Lifting module




Class III Scale module for GH3+




Trainer Module for GH3+



GH3 Twin module



GH1 Lifting module



GH1 Q Lifting module



GH1 F Lifting module



GHZ Lifting module



Installed by
Active Helathcare

Guldmann

Guldmann GH3 Ceiling Hoist System

The GH3 ceiling hoist system is a state-of-the-art system for dealing with the full spectrum of demanding lifting and moving needs encountered in professional care environments.

This system has the big advantage that it is always ready for use – the lifting modules recharge while mounted on the rail. These lifting modules move near-silently using only a minimum of current. Transitions between rail sections are virtually unnoticeable for maximum comfort.

Advanced digital systems provide numerous additional functionalities, including an integrated weighing system, service management and documentation for use.

All these capabilities combine to make the GH3 ceiling hoist system the most cost-effective solution currently available for heavy-duty use in any professional care environment.

Features & Benefits

- › GH3 rails can be mounted on ceilings, walls or supporting pillars, with unsupported spans of up to 8 metres. Interconnecting elements make it easy to configure rail set-ups for virtually any building, space or requirements
- › The discreet, modern design can be made to blend into any style of architecture, interior or décor – either in new structures or as a retrofit.
- › GH3 lifting modules can lift users weighing up to 350kg with one lifting strap and 500kg with two straps
- › Lifting speed up to 60mm/sec, depending on configuration.
- › Batteries in GH3 lifting modules are recharged continuously on the rail
- › Lifting modules available with an integrated drive motor and integrated weighing system
- › Cordless remote control available
- › Optional CareLift Management software provides data on how the system is being used
- › Available with Yoke or Pivot attachment



Optional Extras

GH3/GH3+ with drive motor

For horizontal movement of the lifting module in the rail system the GH3 and GH3+ are available with a drive motor. They can be operated with standard hand control (with cord) or with optional infrared remote control.

Scales module for GH3+

The optional built in scales module for the GH3+ is ideal for monitoring changes in users' weight. Because the scales module is part of the hoist, it frees up as much as 30cm of lifting height compared to solutions where scales are separate. The module provides weighing that is just as accurate as medically certified scales.

CareLift Management (CLM) module for GH3+

The optional CLM module for the GH3+ ceiling hoist provides reliable data about the number and types of lifts over a given period. This data is available as a downloadable text file for use in standard types of spreadsheet software, and as documentation for how the hoist has been used.

Service module for GH3+

The optional GH3+ Service module provides information on service details of the ceiling hoist system, including when the last safety inspection/service was carried out and when the next safety inspection/service is due. The LCD display on the hand control shows when the lifting strap, toothed belt or battery is due for replacement. The module can be used to vary the desired service intervals between 3–24 months for individual reasons.





Guldmann™


Guldmann GH3 Ceiling Hoist System Lifting Module Options

GH3 Lifting module

The GH3 ceiling hoist is a stationary lifting module that is user-friendly and powerful enough to handle lifting and moving procedures in almost all professional care settings. The lifting module is easy to operate and helps make lifting and moving procedures safe, simple and comfortable for user and care staff alike.

- › Ensures effective lifting and moving
- › Lifting capacity up to 250 kg
- › Powerful and user-friendly





GH3+ Lifting module

The GH3+ is a faster, sturdier and more powerful version of the standard GH3 lifting module. It is designed for use in almost all professional care settings, and with a lifting capacity of up to 400 kg on a single strap, it is ideal for use in bariatric care. The GH3+ ceiling hoist can be fitted with one or more modules from the Guldmann Care Lift Management (CLM) system, which streamlines everyday use of the ceiling hoist system and helps make it more efficient. These CLM modules can be used for monitoring and improving procedures for safe patient handling, and for optimising resource planning.

- › Allows even faster lifting and moving
- › Very high lifting capacity of up to 400 kg
- › Option to add on Care Lift Management modules



GH3 Twin Lifting module

The GH3 Twin ceiling hoist comprises two GH3 lifting modules and uses two lifting straps. This module is designed for lifting and moving heavy bariatric people, and is also ideal for horizontal lifts in combination with Guldmann Horizontal Lifters.

- › Heavy-duty lifting module
- › Lifting capacity up to 500 kg
- › Powerful and user-friendly





Guldmann®

Trainer Module for GH3+

Improve mobility with the freedom to perform rehabilitation exercises as well as assisted body transfers.

A GH3+ hoist equipped with the Trainer Module is not only a perfect lifting and transferring solution. It is also providing you with the possibility to offer patients dynamic mobility support and progressive mobility activity accomplished through safe and assisted exercise, functional transfers, standing and beginning ambulation in their room. Improve mobility and physical function through training with dynamic body weight support.

The Trainer Module adds another option to the many application possibilities that the Guldmann GH3+ ceiling hoist offers besides lifting up and down. The Trainer Module is integrated into a GH3+ and provides weight relief for physically challenged patients.

A GH3+ hoist equipped with the Trainer Module is not only a perfect lifting and transferring solution, but it also provides the possibility to improve patient mobility and physical function through safe and assisted rehabilitation exercises. This supports early mobilization and training opportunities.

With the Trainer Module, it is possible to start rehabilitation with dynamic weight relief already in the patient's room. Typical rehab exercises with dynamic weight relief in the Trainer Module could be: Gait training, balance, sit-to-stand, squat exercises, steps on/over obstacles etc.

In Trainer Module mode the GH3+ will dynamically unload the patient's body weight with up to 100 kg. The caregiver selects the amount of weight needed to be unloaded for the patient and the Trainer module will do the rest. The caregiver can focus on the patient and the quality of the exercise/activity.

The Trainer Module is initiated, controlled and monitored through the digital hand control. Level of weight relief and training time left are displayed on the screen while the Trainer Module is activated.

The Trainer Module has a capacity of up to 30 minutes use when the hoist battery is fully charged. Capacity will be reduced if the hoist has been in normal use before initiation of training. After 30 minutes of unloaded training, the Trainer module will automatically switch from training to transfer mode. In transfer mode the GH3+ is immediately ready for lifting and moving and charging will automatically continue as normal. 1 hour of charging = 10 minutes of training time.

The Trainer Module can only run on GH3+ hoists with a Scale Module. The Scale Module functions as a normal Scale Module when not used in cooperation with the Trainer Module.

Use with the Gait Trainer sling for improved support of the torso and thighs.

Watch how
this amazing Gait
Trainer works online



Compatible
with the
Guldmann Gait
Trainer Sling

Features & Benefits

- › Up to 100kg weight relief in steps of 1kg
- › Training sessions of up to 30 minutes
- › Fall prevention
- › Easy to use and monitor
- › Lifting module serves as a normal hoist when not used for training
- › Handsfree, to focus on quality in the training
- › Ability to use for rehab exercises with dynamic weight relief, for example:
 - › Stairs and steps
 - › Gait training
 - › Balance
 - › Sit-to stand
 - › Squat and lunges
 - › Active range of motion



Transfer Treatment Training





Pictured: Guldmann Ceiling Hoist

Guldmann®

Guldmann GH1 Ceiling Hoist System

The Guldmann GH1 Ceiling Hoist System is designed to meet the full range of day-to-day lifting needs in private homes and care homes, allowing carers to lift and move users weighing up to 255kg without risking back strain.

Save time, as everything you need for lifting and moving is always in place, charged and ready to use as soon as it is needed. The result – more time for the care that really counts.

Features & Benefits

- › Ceiling and wall-mounted rails are available in a number of options designed for particular spans and lifting weights
- › Quickly and safely lifts users weighing as much as 255kg, operated by an easy-to-use hand control
- › The lifting module is quickly recharged by placing the hand control in the recharging dock
- › A fully charged lifting module can cope with more than 55 lifts of 85kg
- › Both the GH1 lifting module and the rail systems blend easily into the decor of any space
- › The lifting module is delivered with two different set of covers as standard
- › Available with Yoke or Pivot attachment
- › Pair with the telescopic swing away curtain rails and curtains (page 197) for the perfect bathroom solution.



Guldmann®

Guldmann GH1 Ceiling Hoist System Lifting Module Options

GH1 Lifting module

The GH1 lifting module has been designed to deal with day-to-day lifting needs typically encountered in private homes, sheltered accommodation and nursing homes. It takes up little space, is easy to operate and helps make lifting and moving processes safe, simple and comfortable for user and care staff alike.

- › Meets most lifting needs and requirements
- › Lifting capacity up to 255 kg
- › User-friendly and reliable

Active Healthcare has been supplying and installing ceiling hoist and track systems for more than 20 years.

Contact us today for an obligation-free consultation.






GH1 Q Lifting module

The GH1 Q lifting module is a variation of the GH1 model, supplied with a click system that makes it simple to fit the lifting module to the rails and remove it again if it is necessary to move the module to a different room or apartment. The lifting module can be removed without tools.

- › Meets most lifting needs and requirements
- › Lifting capacity up to 255 kg
- › Moveable with quick-release system



Portable Hoist

GH1 F Lifting module

The GH1 F is a versatile lifting module that is simple to move from one room to another using the associated transport and storage trolley. The module automatically fits itself to and removes itself from the rail system, which means that carers avoid lifting, stretching and bearing heavy loads when moving and fitting the ceiling hoist.

- › Meets most lifting needs and requirements
- › Lifting capacity up to 255 kg
- › Auto-fit lifting module





Guldmann®

Guldmann GHZ Ceiling Hoist

The Guldmann GHZ Ceiling Hoist is a discreet and almost invisible ceiling hoist system. GHZ offers a safe, comfortable and efficient solution for lifting and transferring people with loss of function as well as an ergonomically safe working environment for healthcare staff.

The GHZ lifting module runs inside the traverse rail. This minimizes the built-in dimensions and adds to the lifting height which is often a crucial factor in rooms with lower ceiling heights.

Features & Benefits

Discrete and Elegant

- › The GHZ ceiling hoist blends perfectly into the room and is almost invisible when not in use – the lifting module runs inside the traverse rail

Improved Lifting Height

- › Compared with other ceiling hoists the GHZ offers even more valuable lifting height through its low built-in height

Simple and Flexible

- › Complete coverage and effective transfer from room to room
- › Consecutive, comfortable and smooth movement
- › The GHZ can also be used for gait training, balance training and personal care tasks

Easy and Efficient

- › Easy and economical to install in both new and existing buildings
- › Easy to remove and re-install
- › Installation directly on all kinds of walls
- › Flexible traverse rail automatically compensates for non-aligned (oblique) walls with up to 80 mm
- › Easy to clean due to the sleek and simple design
- › Max lifting capacity: 255 kg



Active Healthcare has been supplying and installing ceiling hoist and track systems for more than 20 years.
Contact us today for an obligation-free consultation.

Guldmann® Rail Systems




Rail System Components

Mono - Single track


Undermount - Rails suspended under the ceiling

Room covering - Transverse rail runs between parallel rails

Recessed - Integrated into ceiling



ABC Rails




Wall Rails



Combi-lock




Switch Track




Turnable



Positioning Lock



Upright Support Bracket



Rail Crossing Module



Guldmann®

Pontus 4 Post Free-Standing Room Covering System

The Pontus 4 Post Free-Standing Room Covering System is a mobile rail system which is easy to install and take down, enabling use in different places. It can be installed and taken down by one person without using special tools.

ORDER CODES:

- 0305-0002: 175kg (Length and Height Adjustable)
- 0305-0003: 255kg (Length and Height Adjustable)
- 0301-0902: 350kg (Only Height Adjustable)

Features & Benefits

- › Portable system which can be set up practically anywhere and requires no mounting on walls or ceilings
- › Height adjustable
- › Always within reach, ready for use
- › Does not take up floor space, ensuring optimum comfort for the user and care-giver
- › Easy to install and take down
- › Does not require modification of the building
- › Suitable for re-installation
- › Available with Yoke or Pivot attachment



Specifications

Max Capacity	350kg
Height Min	2040mm
Height Max	2840mm
Length, 3 x 3m	3200mm
Width, 3 x 3m	3200mm
Length, 4 x 4m	4200mm
Width, 4 x 4m	4200mm

Guldmann®

Pontus 2 Post Free-Standing Mono Rail System

The Pontus 2 Post Free-Standing Mono Rail System is a quick, simple, cost-effective equipment solution that offers all the features and benefits of a rail system, in a portable free-standing unit.

The system has no fixings or structural requirements and can be easily set up in any room.

ORDER CODE: 0305-0001


Features & Benefits

- › Designed for use in private homes, rental properties, temporary accommodation etc
- › Trained installers will install onsite and uninstall when required
- › No fixings or attachments required, meaning no damage to the environment
- › The perfect solution where fast service is required.
- › Length and height adjustable
- › Provides the benefit of an overhead ceiling track system
- › Lifting capacity of 175kg (205kg and 255kg also available)
- › Length and height adjustable, max height: 2820mm, max length: 3890mm
- › Also available in 4 post room covering system
- › Available with Yoke or Pivot attachment

Specifications

Lifting Capacity	175kg
Also Available In	205kg and 255kg
Free-standing single rail system, adjustable	52kg
Top Brackets and Rail	25kg
Vertical Poles With Feet	13.5kg each
Rail and Poles	Anodised aluminium
Feet	Powder varnished steel
Brackets	Powder varnished steel
Max Height	2820mm
Max Length	3890mm





Easytrack 2 Post System

The Easytrack 2 Post System is a unique overhead portable track designed for portable and fixed hoists. It does not require permanent fixings or structural alterations and can be assembled in as little as 30 minutes by just one person.

The Easytrack is ideal for a simple lift in or out of a bed and requires no professional installation. The portable system can easily be taken down and moved to another location in the home or facility without tools and in minutes. Available with a bath bracket which allows one post to be mounted on to a bathtub ledge and compatible with the Monarch Portable Ceiling Hoist and the Guldmann GH1 Lifting Module.

ORDER CODES:

0301-1001: 2 Post

0301-1004: 2 Post with Bath Base

Features & Benefits

- › **Simple installation:** The unique floor-to-ceiling design eliminates the need for specialist fixings, alterations or electrical installations. This allows the system to be used permanently, semi-permanently or temporarily. The Easytrack is the ideal solution for an environment in which a fixed ceiling track cannot be installed.
- › **Portable:** The lightweight aluminium Easytrack comes in portable kit form that can be easily transported.
- › **Safety Systems:** A multitude of unique safety systems have been incorporated into the Easytrack to ensure safety. These systems prevent the post losing grip if the floor or ceiling flexes, preventing the post being lowered if the rail is still connected, or the rail disconnecting from the post.
- › **Features:** Easy set-up: The lightweight components and design allow for quick easy set-up by a single person in less than 30 minutes.
- › **Non-permanent Installation:** The unique floor-to-ceiling spring-loaded design does not require permanent installation or alterations to the ceiling or electrical, thus saving the homeowner considerable money while maintaining the decor of the home.
- › **Easy-glide, Telescopic Rail:** The design of the telescopic rail allows caregivers to smoothly glide the person being transferred without strain or risk of back injury. The Telescopic Post allows the Easytrack to be used with ceiling heights from 7 ft – 9 ft.
- › **Small Footprint:** The small feet of the Easytrack allow use even in the smallest bedroom or bathroom where a conventional floor lifter could not be manoeuvred.
- › Available with a bath bracket which allows one post to be mounted on to a bathtub ledge.



2 Post System with Bath Mount



Compatible with the Easytrack 2 Post System

Monarch Portable Ceiling Hoist

The Monarch Portable Ceiling Hoist is one of the lightest on the market weighing only 5kg, whilst lifting 200kg.

Available with the portable Easytrack 2 post pressure-fit system and optional bath adaptor for easy bath access.

Perfect for rental properties, multi-room, temporary or short-term use, the Monarch Portable Ceiling Hoist and Easytrack 2 post pressure-fit system can be used as a flexible alternative to fixed overhead hoists.

ORDER CODE: 0301-1003

Features & Benefits

- › Ideal for occasional or multiple room use, the Monarch is robust and charges with an AC Charger
- › The unique spreader bar includes a Secure Sling Mechanism designed to ensure loop attachments cannot be unintentionally removed
- › Ultra light-weight, with the motor weighing only 5kg
- › Increased battery capacity
- › Carry handle
- › Express recharge
- › 200kg safe working load
- › Ideal for transporting with the user, for rental properties or hotels for non-permanent use



Specifications

Total weight (motor)	5kg
Safe working load	200kg
Lifts per charge	30 to 40 cycles
Travel	4.5cm/s
Emergency stop/lower	Yes
Soft start/stop	2300mm
Track compatibility	Compatible with the Easytrack 2 Post System

Lifting Hanger



Suitable for use with all Guldmann ceiling hoists and mobile lifters.

ORDER CODES:

0304-0522: Small

0304-0499: Medium

GH Cross Hanger 250kg



Suitable when larger spacing between back and leg straps of the lifting sling is required. To be used when lifting with GH3+ and GH3 Twin ceiling hoist.

ORDER CODE: 0304-0476

GH Cross Hanger 500kg



Suitable when larger spacing between back and leg straps of the lifting sling is required. To be used when lifting with GH3+ and GH3 Twin ceiling hoist.

ORDER CODE: 0304-0479

Horizontal Lifting Stepless/ Stepped Weight Adjustment



The Horizontal lifting support with stepped weight adjustment is a lifting tool used with a horizontal lifting sling and a ceiling hoist or mobile lifter moving people who have to be kept in horizontal positions.

ORDER CODES:

0304-0504: Support with weight adjustment

0304-0503: Horizontal lifting support with 10 different lifting positions

Bath Stretcher – Rustproof 150kg



Suitable for lifting a person in or out of swimming pools or similar places, while maintaining a stable, flat position.

ORDER CODE: 0304-0435

Bath Chair – Rustproof 150kg



Suitable when a stable lift into a swimming pool is required.

ORDER CODE: 0304-0434


Auxiliary Straps



Ultimate accessory to prevent back strain hoisting over lazyboy/powerchairs. Suitable to pull the user back in a wheelchair when other methods are not possible.

ORDER CODE: 0812-9710: 2 pieces

Extension Straps



Enables different lift angles for caregivers. Suitable when larger spacing between back and leg straps of the lifting sling is required. Can be used on any slings with loop attachments, SWL 500kg.

ORDER CODES:

0812-9721: 20cm 2 pieces

0812-9720: 30cm 2 pieces

Digital Scale 300kg



Battery operated digital scale. Max lifting capacity 350kg. Approved for medical use.

ORDER CODE: 0304-0512

Neck Support



The Neck Support is intended for situations in which it is necessary to secure and stabilise the user's head while he/she is moved in a sling.

ORDER CODE: 0253-0683

Active Weigh Scales



Convenient scales with a SWL 1000kg, this scale is a great option for larger weights and compatible with all hoist models. Easy to read LCD screen.

ORDER CODE: 0252-2300


Training Kit for Positioning Lock



See Trainer Module for GH3+ Pg 40

Fitting the training tubes gives patients the opportunity to train their arms, shoulders and legs while lying in bed.

ORDER CODE: 0812-9722



Handi-Move Mobile Pool Lift

The Handi-Move Mobile Pool Lift is compact, ergonomically designed and easily transportable on its four wheels. Move directly from wheelchair to pool with only one assistant.

ORDER CODE: 0252-1401

Features & Benefits

- > Compact, convenient mobile operation with four castors
- > Operates on rechargeable batteries and utilises a waterproof hand control, making it safe to use around the water
- > Made from sturdy stainless steel yet lightweight
- > Quick to set up, easy to position ergonomic design
- > Emergency stop button halts all motion of the lifting arm
- > Transfers directly from wheelchair to water and rotates 360 degrees
- > Maintenance free
- > Accommodates both the Body Support and slings

Specifications

Safe Working Load	135kg
Batteries	2 x 12 Vdc: 6,5 – 7,2 Ah
Charger	Separate
Diameter of Castors	100mm
Construction	Stainless steel 316
Hand Control	Electrical
Width	4200mm



SureHands® Body Support

The HandiMove SureHands® body support is a hinged, stainless-steel mechanism that automatically grips your upper body as result of pressure on the leg supports.

A SureHands® Body Support is helpful for toileting independently because the fully unencumbered bottom and back region allows for easy access to clothing.

The patented thigh support fix supports a sustained good and comfortable position in the body support.





Pictured: Hand-Move in a private home pool.



REVAL Aqualev Movable Pool Lift

The REVAL Aqualev swimming pool lift is a portable device which enables disabled users to access swimming pools without any effort for the caregiver and safely for the swimmer.

ORDER CODE: 0252-2000

Features & Benefits

- › Large lifting range
(allows coupling with an immergeable armchair)
- › Electric rotation on 360°
- › Movable hoist equipped with 2 wheels
- › Ultrasilent and secure motorization
- › Hoist is detachable and portable with wheels for storage when not in use
- › Manual or powered rotation
- › Removable battery pack and built-in battery charger
- › Lightweight design (-25kg)
- › Emergency Stop function

Specifications

Safe Working Load	130kg
Materials	T6 aluminium structure
Surface Treatment	Epoxy painted coating
Sleeve	316l stainless
Wheels	2 x Ø125mm
Power	24V dc up and down electric actuator, power 10000N 24V dc rotation motor integrated into mast 24V dc battery set
Hand Control	IPX7



Guldmann®

Guldmann Swing Lift II

The Guldmann Swing Lift II is designed for the swimming facility, the outdoor pool and the quay in the harbour, and makes it possible for all – irrespective of their physical capability – to participate in activities in and around the water.

ORDER CODE: 0252-0809

Features & Benefits

- › Designed and constructed of materials that protect against the elements, both indoor and outdoor
- › Can be mounted on the shore but also be mounted directly on larger boats, to provide easy access at every port
- › Can be mounted with a lifting module with external recharging in the hand control or with the GH1 F lifting module
- › Max lifting capacity: 205kg

Specifications

Max. Lifting Capacity	205kg
Length	2500mm
Swing Lift II Weight	107kg (235lbs)
Swing Structure Weight	42.5kg (93lbs)
Materials	ST37
Surface Treatment	Hot dip galvanized
Colour	Grey

Mobile Patient Lifters




Innovation in patient handling

A family owned and operated company located in Australia. Allegro specialise in the design and manufacture of Patient Lifting and Handling Equipment. Quality is one of the key features of their product range. All mechanical lifts are tested to the Australian standard AS ISO 10535-2002 by an independent NATA approved testing laboratory.



Hoists Specifications

	Micros 130 Pivot	Micros 130 Yoke	Sonata 150 Pivot	Sonata 150 Yoke	Alto 200 Pivot	Alto 200 Yoke	Forte 320 Yoke	Forte 320 Yoke
Product code	0252-0009	0252-0008	0252-0001	0252-0002	0252-0010	0252-0011	See page 61	See page 61
Weight limit kgs	130	130	150	150	200	200	320	320
Weight of hoist kgs	31	31	41	41	46	46	63.5	63
Full body hoist	✓	✓	✓	✓	✓	✓	✓	✓
Yoke & pivot interchangeable	✓	✓	✓	✓	✓	✓		
Width of internal base closed	474	474	510	510	600	600	590	600
Width of internal base open	842	842	975	975	1030	1030	1080	1080
Width external closed	57.6	57.6	605	605	700	700	320-715	320-715
Length of base	104	104	1005	1005	1150	1150	1433	1420
Height of base	112	112	130	130	130	130	155	155
Boom lifting range	300-1510	300-1510	420-1735	420-1735	300-1920	300-1920	260-1955	245-1940
Lift from the floor	✓	✓	✓	✓	✓	✓	✓	✓
Leg spreader option – manual	✓	✓	✓	✓				
Leg spreader option – electric					✓	✓	✓	✓



Micros 130 Full Body Patient Hoist

The Micros 130 Full Body Patient Hoist is a lightweight, compact, portable aluminium mobile patient hoist for users up to 130kg. Ideal for use within Aged Care Facilities or in the home where space is limited. The unique quick release pin structure enables quick and compact dis-assembly allowing the hoist to be transported in three lightweight parts easily.

ORDER CODES:

0252-0009: Pivot Attachment

0252-0008: Yoke Attachment

Features & Benefits

- > Aluminium lift with a Safe Working Load of 130kg
- > Linak powered lifting function
- > Foot pedal control for base width adjustment
- > Strong and comfortable handles for easy manoeuvring
- > Equipped with 75mm front castors and 75mm lockable rear castors
- > Jumbo Care diagnostic control and service monitor system
- > Easy access emergency stop button
- > Electric and manual emergency lowering devices
- > Anti-entrapment feature – lowering of boom stops on resistance



Pivot Attachment

Specifications

Max Load	L		A		B	B1	C	D	E	F	F1	G	NW	Turning Radius
	MAX	MIN	MAX	MIN										
130	151	30	173	103	104	82	57.6 - 94.2	47.4 - 84.2	94.5	11.2	5.4	89.5	31kg	117

All measurements are shown in centimetres

See page 57 for our hoist comparison chart

Sonata 150 Mobile Patient Lifting Hoist

The Sonata 150 Patient Lifting Hoist is designed primarily with domestic usage in mind or as a lightweight compact institutional patient lifting hoist for patients up to 150kg. Whilst being compact, it provides superior patient space through the use of Space Link technology. The Sonata 150 in fact offers more patient space than most other larger size lifters. The unique feature of Space Link allows a patient to be rotated through 360° at full lift height and makes the carers job easier and safer.

ORDER CODES:

0252-0001: Pivot Attachment, Manual Base
0252-0002: Yoke Attachment, Manual Base
0252-0006: Pivot Attachment, Electric Base
0252-0007: Yoke Attachment, Electric Base

Features & Benefits

- › Lightweight and compact
- › Easy to use
- › Unique Space-Link technology
- › Enhanced floor lift capacity
- › Emergency stop and lowering functions
- › High capacity battery with long service life
- › Available with Yoke or Pivot Attachment



Specifications

Safe Working Load	150kg
Base Length	1005mm
External Base Width Closed	605mm
External Base Width Open	1070mm
Internal Base Width Closed	510mm
Internal Base Width Open	975mm
Base Width Adjustment	3 Position Manual
Under Bed Clearance	130mm
Minimum Height Yoke	420mm
Maximum Height Yoke	1735mm
Average Lift Range	870mm
Lifter Weight	41kg
Minimum Storage Height	1260mm
Under Base Height	55mm
Maximum Hoist Reach	875mm
Minimum Hoist Reach	555mm
Hoist Reach at Maximum Height	555mm
Mass of Heaviest Part	22kg (Mast assembly)

Alto 200 Mobile Patient Lifter

The Alto 200 Mobile Patient lifter is a medium sized, heavy duty mobile patient hoist for patients up to 200kg. This is the lifter of choice in institutional use or home care where a higher weight capacity lift is required. Whilst compact, the Alto 200 provides superior patient space through the use of Space Link technology which allows a patient to be rotated 360 degrees at full lift height, making the carers job a lot easier and safer.

ORDER CODES:

0252-0010: Pivot Attachment

0252-0011: Yoke Attachment

Features & Benefits

- > Compact ergonomic design
- > Easy to use
- > Unique Space Link technology
- > Emergency stop and lowering functions
- > High capacity battery with long service life
- > Available with Pivot or Yoke attachment



Specifications

Safe Working Load	200kg
Base Length	1150mm
External Base Width Closed	700mm
External Base Width Open	1130mm
Internal Base Width Closed	600mm
Internal Base Width Open	1030mm
Base Width Adjustment	Electric
Under Bed Clearance	130mm
Minimum Height Yoke	300mm
Maximum Height Yoke	1920mm
Average Lift Range	1620mm
Lifter Weight	46kg
Minimum Storage Height	1350mm
Under Base Height	55mm
Maximum Hoist Reach	1060mm
Minimum Hoist Reach	610mm
Hoist Reach at Maximum Height	515mm
Mass of Heaviest Part	24kg (Mast assembly)

Forte 320 Mobile Patient Hoist

The Forte 320 Mobile Patient Hoist is the newest addition to the Allegro Concepts range of steel lifters. The Forte 320 provides superior patient lift space through the combination of the recessed actuator and the use of SPACE LINK™ technology. The aesthetic design of the concealed electric leg mechanism provides infection control advantages. With a safe working load of 320kg this extremely heavy duty mobile patient lifting hoist provides full bariatric capability whilst remaining a compact and ergonomic design. Manoeuvrability and exceptional under bed clearance are key design features.

ORDER CODES:

- 0252-0044: Forte 320
- 0252-0047: Forte 320 with Bariatric 4PT Yoke
- 0252-0048: Forte 320 with Bariatric 4PT Yoke & integrated Scale


Features & Benefits

- › Class leading lift height against comparable lifters
- › SPACE LINK technology – breakthrough for optimized patient space, enhances floor lift capacity.
- › Extra low base height for better access
- › Twin mast allows for the LA44 actuator to be ‘recessed’ in between the masts which maximises patient lift space
- › Open boom pivot helps prevent any form of trapping
- › Twin wheel castors
- › Electric leg spread mechanism fully encased in the chassis to prevent exposure to damage
- › Extra width 4 point yoke with integrated weigh scale as a standard option



Specifications

	100mm Front Castor	Twin 75mm Castors
Safe Working Load	320kg	320kg
Base Length	1433mm	1420mm
External Base Width Closed	715mm	715mm
External Base Width Open	1205mm	1200mm
Internal Base Width Closed	590mm	600mm
Internal Base Width Open	1080mm	1080mm
Base Width Adjustment	Electric	Electric
Under Bed Clearance	126mm	111mm
Minimum Yoke Height	260mm	245mm
Maximum Yoke Height	1955mm	1940mm
Overall Height (Boom Raised)	2248mm	2243mm
Lifter Weight	63.5kg	63.0kg
Minimum Storage Height	1460kg	1445mm
Under Base Height	31mm	15mm
Maximum Hoist Reach	810mm	810mm
Mass of Heaviest Part (Chassis)	37kg	37kg



Neos 150 Portable Folding Hoist

The Neos 150 a portable folding aluminium lifter designed for convenient storage and transfer.

ORDER CODE: 0252-0022

Features & Benefits

- › Folding design for convenient storage and transfer
- › Aluminium lift with a safe working load of 150kg
- › Linak powered lifting function
- › Foot pedal control for base width adjustment
- › Strong and comfortable handles for easy manoeuvring
- › Equipped with 75mm front castors and 100mm lockable rear castors
- › Jumbo Care diagnostic control and service monitor system
- › Easy access emergency stop button
- › Electric and manual emergency lowering devices
- › Anti-entrapment feature – lower of boom stops on resistance

Specifications

Safe Working Load	150kg
Base Length	1290mm
External Base Width Closed	615mm
External Base Width Open	965mm
Internal Base Width Closed	550mm
Internal Base Width Open	890mm
Base Width Adjustment	Manual
Under Bed Clearance	135mm
Minimum Height Yoke	410mm
Maximum Height Yoke	1650mm
Average Lift Range	1240mm
Lift Weight	35kg
Minimum Storage Height	1370mm
Under Base Height	72mm
Maximum Hoist Reach	880mm
Minimum Hoist Reach	440mm
Hoist Reach at Maximum Height	450mm





ActivLift 180 Sit-To-Stand Lifter

The ActivLift 180 Sit-To-Stand Lifter is a mobile lift developed to assist the user when rising from a sitting to a standing position, as gently as possible. It's smaller size and safe working load of 180kg makes it perfect for homecare, acute care and residential use. When the ActivLift 180 is combined with appropriate lifting accessories, the user gets support under the feet, for the front of the lower legs and behind the back, which provides for a safe and secure, yet active sit-to-stand procedure. It has become an indispensable aid for patients in transfer, to standing walking.

ORDER CODE: 0252-1901

Features & Benefits

- › Unique solution – extremely comfortable, active sit-to-stand with natural movement patterns
- › Small and convenient, easy to manoeuvre – can be operated by one person
- › Ergonomic and easy-to-use hand control with 4 buttons
- › Quick guide on the lift
- › Grip-friendly handles with multiple options for hand placement
- › Soft, adjustable lower leg support
- › Low foot plate with anti-slip surface
- › Lockable rear castors
- › High capacity battery with long service life
- › Control box with diagnostics, e.g. lift counter and overload indicator
- › Electrical emergency stop readily available on the control box

Suitable for use with our SuperSling Bliss Band Sling, SuperSling Stand Fast Sling and the SuperSling MiniLift Seat Support Sling.



Footplate Raiser Block
 Complimentary aid for the ActivLift range to move patients onto higher surfaces.

Specifications

Safe Working Load	180kg
Recommended user height	1400-2000mm
Material	Powder-coated steel
Lifting height	830-1460mm
Height	910mm
Length	840mm
Width with open legs (inside)	840mm
Width with closed legs (outside)	520mm
Width with closed legs (inside)	430mm
Base widening	Electrical/Powered
Height of footplate, for user	950mm
Width of footplate	400mm x 350mm deep
Width of knee pad	450mm
Castor size, diameter	75mm
Lifting speed, without load	35 mm / 1.4" per sec
Emergency lowering	Manual and electrical



ActivLift 210 Sit-To-Stand Lifter

The ActivLift 210 Sit-To-Stand Lifter is a mobile lift which has been developed to assist the user when rising from a sitting to a standing position, as gently as possible. Perfect for healthcare facilities with a safe working load of 210kg. When the ActivLift 210 is combined with appropriate lifting accessories the user gets support under the feet, for the front of the lower legs and behind the back, which provides for a safe and secure, yet active sit-to-stand procedure.

ORDER CODE: 0252-1004

Features & Benefits

- › Unique solution – extremely comfortable, active sit-to-stand with natural movement patterns
- › Small and convenient, easy to maneuver
- › Ergonomic and easy-to-use hand control with 4 buttons
- › Quick guide on the lift
- › Grip-friendly handles with multiple options for hand placement
- › Soft, adjustable lower leg support
- › Low foot plate with anti-slip surface
- › Easy rolling, maintenance-free castors
- › Lockable rear castors
- › High capacity battery with long service life
- › Control box with diagnostics, e.g. lift counter and overload indicator
- › Electrical emergency stop readily available on the control box

Suitable for use with our SuperSling Bliss Band Sling, SuperSling Stand Fast Sling and the SuperSling MiniLift Seat Support Sling.

Footplate Raiser Block
Complimentary aid for the ActivLift range to move patients onto higher surfaces.



Specifications

Safe working load (SWL)	210kg
Recommended user height	1400-2000mm
User length, min-max	1400-2000mm / 55.1-78.7"
Material	Powder-coated steel
Height	1002mm
Length	1056mm
Width outside max legspread	874mm
Width outside min. legspread	480 mm
Weight	57kg
Clearance at base	109mm
Dimension of the footplate	398 x 352mm
Height at base	137mm
Clearance at base	109mm
Castor size, diameter	100mm
Lifting speed, without load	11 mm/s
Emergency lowering	Manual and electrical



Aspire Star Mover

The Aspire Star Mover offers a safe and comfortable solution for patients and carers doing sit to stand transfers. The compact and versatile design, is perfect for Homecare, Institutional and Aged Care environments.

Features & Benefits

- › Wide seat entry suits a larger range of body shapes.
- › Low footplate height makes patient entry and exit easier.
- › Large 100 mm rear locking castors have low rolling resistance and offer a smooth ride during transportation.
- › Narrow base improves access in tight spaces.
- › Height adjustable knee support ensures correct positioning for a larger patient height range.
- › Easy access seat pad handles provide reach-around access to carers.
- › Soft touch grab bar provides a comfortable patient support for improved stability and confidence during transfers.
- › Width adjustable legs with tapered close position allow access between and, or around chair legs.



Specifications

Knee pad height	205-495mm
Seat pad height	685-850 mm
Handle height	1030mm
External leg width	520
Internal leg width	740mm
Footplate height	60mm

Use Guldmann Lifting Straps to position users and guide them with ease.


See page 52 for Guldmann Accessories



Guldmann™

Guidelines to choosing the size of a Guldmann sling

Size of Sling	Age	Height	Width
Kids	4 - 6	45 - 60cm	25 - 30cm
Kids	6 - 10	55 - 70cm	28 - 35cm
Kids	10 - 14	68 - 80cm	33 - 38cm
XS		74 - 82cm	33 - 37cm
S		80 - 87cm	36 - 40cm
M		85 - 92cm	39 - 43cm
L		90 - 97cm	42 - 45cm
XL		95 - 102cm	45 - 49cm
XXL		95 - 102cm	48 - 52cm
3XL		95 - 102cm	54 - 58cm



Max lifting capacity for all slings 255kg. Basic and Basic High 3XL can lift up to 500kg.



Guldmann

Guldmann Basic Sling

The Guldmann Basic Sling supports the whole body excluding the head, lifting and transferring from half seated and seated positions such as a bed and wheelchair.

ORDER CODES:

- 0253-0619: Fabric Padded Legs X-Small
- 0253-0620: Fabric Padded Legs Small
- 0253-0621: Fabric Padded Legs Medium
- 0253-0622: Fabric Padded Legs Large
- 0253-0623: Fabric Padded Legs X-Large
- 0253-0624: Fabric Padded Legs XX-Large

Features & Benefits

- › Suitable for lifting those with head control and with or without body control
- › Lifting and transfers from all furniture and surfaces
- › Lifting from seated and half seated (bed and wheelchair etc)
- › Coloured loops ensure symmetry in the lift
- › Dirt repellent polyester fabric characterized by its strength and elasticity
- › Suitable for use of auxiliary straps
- › All slings with divided leg supports have inset foam pads on legs. Easier to put on – smoother on skin
- › Centre of sling marking
- › Padding in back section for added comfort on models with small back surface
- › All Basic slings are provided with a pocket to ease correct positioning of sling
- › Improved fit and more sizes to choose from for added comfort and safety
- › Capacity increased to 255/500kg
- › Easy handling, the sling can be washed at 80°C and tumble-dried at max. 50°C



Guldmann

Guldmann Basic Low Sling

The Guldmann Basic Low Sling is suitable for lifting people with head and body control. Lifting to and from a seated position, (chair and bed etc.) lifting and transfers from all patient furniture surfaces.

ORDER CODES:

- 0253-0645: Fabric Padded Legs X-Small
- 0253-0646: Fabric Padded Legs Small
- 0253-0647: Fabric Padded Legs Medium
- 0253-0648: Fabric Padded Legs Large
- 0253-0649: Fabric Padded Legs X-Large
- 0253-0650: Fabric Padded Legs XX-Large
- 0253-0651: Net X-Small
- 0253-0652: Net Small
- 0253-0653: Net Medium
- 0253-0738: Net Large
- 0253-0746: Net X-Large
- 0253-0656: Net XX-Large

Features & Benefits

- › Supports the body up to shoulder height
- › Coloured loops ensure symmetry in the lift
- › Dirt repellent polyester fabric characterized by its strength and elasticity
- › Suitable for use of auxiliary straps
- › All slings with divided leg supports have inset foam pads on legs. Easier to put on – smoother on skin
- › Centre of sling marking
- › Padding in back section for added comfort on models with small back surface
- › All Basic slings are provided with a pocket to ease correct positioning of sling
- › Improved fit and more sizes to choose from for added comfort and safety
- › Capacity increased to 255/500kg
- › Easy handling, the sling can be washed at 80°C and tumble-dried at max. 50°



Guldmann®

Guldmann Basic High Sling

The Guldmann Basic High Sling supports the whole body, including the head. Suitable for lifting people with little control over their head and body, lifting to and from a lying position (bed and floor etc.), lifting to and from a seated position, lifting and transfers from all patient furniture surfaces and the floor.

ORDER CODES:

- 0253-0628: Fabric Padded Legs X-Small
- 0253-0629: Fabric Padded Legs Small
- 0253-0630: Fabric Padded Legs Medium
- 0253-0631: Fabric Padded Legs Large
- 0253-0632: Fabric Padded Legs X-Large
- 0253-0633: Fabric Padded Legs XX-Large
- 0253-0634: Fabric Padded Legs XXX-Large
- 0253-0635: Fabric Padded Legs XXXX-Large
- 0253-0640: Net Small
- 0253-0641: Net Medium
- 0253-0642: Net Large
- 0253-0644: Net XX-Large

Features & Benefits

- > Coloured loops ensure symmetry in the lift
- > Dirt repellent polyester fabric characterized by its strength and elasticity
- > Suitable for use of auxiliary straps
- > All slings with divided leg supports have inset foam pads on legs. Easier to put on – smoother on skin
- > Centre of sling marking
- > Padding in back section for added comfort on models with small back surface
- > All Basic slings are provided with a pocket to ease correct positioning of sling
- > Improved fit and more sizes to choose from for added comfort and safety
- > Capacity increased to 255/500kg
- > Easy handling, the sling can be washed at 80°C and tumble-dried at max. 50°



Featuring pressure care fabric on lower half of this sling, and cupped legs spread weight evenly making this the ideal removable sling to protect users with skin and pain.



Guldmann®

Guldmann Basic Comfort High Sling

The Guldmann Basic High Sling supports the whole body, including the head. Suitable for lifting people with little control over their head and body, lifting to and from a lying position (bed and floor etc.), lifting to and from a seated position, lifting and transfers from all patient furniture surfaces and the floor.

ORDER CODES:

- 0253-2130: Fabric X-Small
- 0253-0732: Fabric Small
- 0253-0733: Fabric Medium
- 0253-0783: Fabric Large
- 0253-0739: Fabric X-Large
- 0253-0786: Net Medium
- 0253-0742: Net Large
- 0253-0789: Net X-Large
- 0253-0736: Net XX-Large

Features & Benefits

- > Coloured loops ensure symmetry in the lift
- > Dirt repellent polyester fabric characterized by its strength and elasticity
- > Suitable for use of auxiliary straps
- > All slings with divided leg supports have inset foam pads on legs. Easier to put on – smoother on skin
- > Centre of sling marking
- > Padding in back section for added comfort on models with small back surface
- > All Basic slings are provided with a pocket to ease correct positioning of sling
- > Improved fit and more sizes to choose from for added comfort and safety
- > Lifting capacity up to 255kg
- > Easy handling, the sling can be washed at 80°C and tumble-dried at max. 50°



Hygiene Sling

Guldmann

Guldmann Active Micro Plus Sling

The Guldmann Active Micro Plus sling is suitable for lifting people with head control, but reduced upper body strength. Perfect for situations where the sling needs to be put on and taken off easily, lifting to and from seated positions, lifting to and from a half-lying position and where toileting and hygiene access is required.

ORDER CODES:

- 0253-0693: Active Micro Plus Sling X-Small
- 0253-0694: Active Micro Plus Sling Small
- 0253-0695: Active Micro Plus Sling Medium
- 0253-0696: Active Micro Plus Sling Large
- 0253-0697: Active Micro Plus Sling X-Large
- 0253-0698: Active Micro Plus Sling XX-Large

Features & Benefits

- › Supports the upper part of the body (from the pelvis to under the shoulders) around the chest and upper thigh
- › Support belt can be adjusted
- › Coloured loops ensure symmetry in the lift
- › Dirt repellent polyester fabric characterized by its strength and elasticity
- › Suitable for use of auxiliary straps
- › All slings with divided leg supports have inset foam pads on legs. Easier to put on – smoother on skin
- › Centre of sling marking
- › Padding in back section for added comfort on models with small back surface
- › All Basic slings are provided with a pocket to ease correct positioning of sling
- › Improved fit and more sizes to choose from for added comfort and safety
- › Capacity increased to 255/500kg
- › Easy handling, the sling can be washed at 80°C and tumble-dried at max. 50°C

Handy hint: unzip/unfasten clothes before hoisting for easier lowering of garments.



Guldmann

Guldmann Active Trainer Walking Sling

The Guldmann Active Trainer is perfect for walking training, supporting standing and upright postures and early mobilisation. Suitable for people with reduced body balance, but who are able to bear weight on their legs.

ORDER CODES:

- 0253-0609: X-Small
- 0253-0610: Small
- 0253-0611: Medium
- 0253-0612: Large
- 0253-0613: X-Large
- 0253-0614: XX-Large

Features & Benefits

- › Provides support around the chest and shoulder areas
- › Detachable leg straps give support around the hip area and prevent the user from sliding out of the sling
- › Coloured loops ensure symmetry in the lift
- › Dirt repellent polyester fabric characterized by its strength and elasticity
- › Suitable for use of auxiliary straps
- › All slings with divided leg supports have inset foam pads on legs. Easier to put on – smoother on skin
- › Centre of sling marking
- › Padding in back section for added comfort on models with small back surface
- › All Basic slings are provided with a pocket to ease correct positioning of sling
- › Improved fit and more sizes to choose from for added comfort and safety
- › Max. Capacity increased to 255/500kg
- › Easy handling, the sling can be washed at 80°C and tumble-dried at max. 50°C



See Trainer
Module for
GH3+
Pg 40



Guldmann®

Guldmann Gait Trainer

The Gait Trainer is a walking sling for users who have sufficient leg strength to stand upright, but need support and to feel safe during training due to reduced balance. The Gait Trainer sling provides the needed support during walking and gait training and helps the user maintain standing.

ORDER CODES:

- 0253-0791: Small
- 0253-0792: Medium
- 0253-0793: Large

Features & Benefits

- › Use the Gait Trainer for:
 - › Transitions postures
 - › Standing balance
 - › Standing: reactions, reflexes
 - › Sitting: balance
 - › Sitting: reactions, reflexes, responses
 - › Protective responses
 - › Weight shifting
 - › Gait training
 - › Stair, steps, curbs training
 - › Partial weight-bearing
 - › Bodyweight supported treadmill training
- › The Guldmann Gait Trainer is available in several sizes and made from polyester material. It has a lifting capacity of up to 255 kg.
- › QR code that leads to a mobile site containing links to an instruction video and user manual

View how to
use this on our website



Guldmann®

Guldmann Custom Amputee Sling

The Guldmann Amputee sling is designed for lifting and moving people who have had one or both legs amputated above the knee, and for lifting people who have had both legs completely removed. The Amputee model supports the entire body up to and including the shoulders, with added support around the pelvis.

ORDER CODES:

- 0253-0666: Small
- 0253-0667: Medium
- 0253-0668: Large
- 0253-0669: X-Large

Features & Benefits

- › The sling can be used from a seated or lying position
- › During lifts from a lying position, the Guldmann Neck Support Cushion can be used to support the head
- › Lifting capacity of up to 255 kg
- › The sling can be used with all Guldmann ceiling hoists and mobile lifters



In-Situ Sling, No aperture and pressure maps as if it's not there!



Guldmann

Guldmann Sit-On Comfort High Sling

The Guldmann Sit-On Comfort High is a sling designed for lifting and moving users who need to stay sitting on the sling. Ideal for a specially designed wheelchair, or users who need to be lifted frequently. The head support can be adjusted to suit the user's needs and can be folded away whilst sitting in the wheelchair. The sling supports the thighs, back and head and is designed to prevent the thighs from rotating inwards during the lift.

ORDER CODES:

0253-0770: X-Small
0253-0771: Small
0253-0725: Medium
0253-0726: Large
0253-0745: X-Large

Features & Benefits

- › The sling is designed for lifts to and from sitting position from a bed or wheelchair
- › The sling provides added comfort during the lift and is suitable to stay under whilst seated
- › Made from Spacer material which provides extra comfort and is breathable allowing the air to circulate around the body, reducing the risk of heat and moisture forming
- › QR code leading to a mobile site containing links to instruction video and user manual
- › Lifting capacity of up to 255 kg
- › The sling can be used with all Guldmann ceiling hoists and mobile lifters

How to utilise the Guldmann Slide Sheet



Watch our video on how the slide sheet can help with wheel chair transfers




Guldmann Active Vest – Kids

The Guldmann Active Vest is tailored to each age and stage of children in the rehabilitation, to help maintain standing and provide support whilst walking.

ORDER CODES:

0253-0781: 2-4 Years
0253-0720: 4-6 Years
0253-0721: 6-10 Years
0253-0722: 10-16 Years




Guldmann Active Trainer – Kids

The Guldmann Active Trainer (gait trainer) is a walking sling for children with sufficient leg strength to stand upright, but who have difficulty balancing. The Active Trainer is a sling to help maintain standing and provide support whilst walking.

ORDER CODE:

0253-0606: 4-6 Years
0253-0607: 6-10 Years
0253-0608: 10-14Years



Guldman Basic High – Kids


The Guldmann Basic High sling is a general lifting sling suitable for a wide variety of users and lifting operations. The sling keeps the child comfortable while supporting the entire body including the head and neck.

ORDER CODE:

0253-0625: Fabric Padded Legs Kids 4-6 Years
0253-0626: Fabric Padded Legs Kids 6-10 Years
0253-0627: Fabric Padded Legs Kids 10-14 Years
0253-0636: Mesh 4-6 Years
0253-0637: Mesh 6-10 Years
0253-0638: Mesh 10-14 Years



Guldmann®




Guldmann Sit-On Comfort High Sling – Kids

The Guldmann Sit-On Comfort High – Kids is a sling designed for lifting and moving children who need to stay sitting on the sling. Ideal for specially designed wheelchairs, or children who need to be lifted frequently.

ORDER CODES:

- 0253-0625: Fabric Padded Legs 4-6 Years
- 0253-0626: Fabric Padded Legs 6-10 Years
- 0253-0627: Fabric 10-14 Years
- 0253-0636: Mesh Padded Legs 4-6 years
- 0253-0637: Mesh Padded Legs 6-10 years
- 0253-0638: Mesh Padded Legs 10-14 years



Guldmann Vest For Standing Shell – Kids

The Guldmann lifting vest for standing shell – Kids is designed specifically to be used in conjunction with the standing shell only. The sling supports the child's head, upper body and becomes part of the standing shell.

ORDER CODES:

- 0253-0730: 10-16 years



Guldmann®

Guldmann Leg Sling

Used when legs need lifting and support. Possible activities are dressing, apply therapeutic sock/hose, access to hygiene, support of leg to apply ROM devices. Packed in boxes of 10 slings.

ORDER CODE: 0253-0688



Guldmann®

Guldmann Multi Support Sling

The Guldmann Multi Support Sling supports and lifts limbs in conjunction with the hoist, avoiding unnecessary strain to the care provider.

The sling is used to lift or support specific parts of the body, such as torso, pelvis, legs or arms. Therapy procedures and tasks can be carried out, for example, placing wedges under the user, placing X-ray cassettes. Supporting limbs to carry out activities such as wound treatment, dressings or when carrying out personal hygiene procedures or getting legs back into bed.

It can also be used to carry out early mobilisation.

ORDER CODE: 0253-0605



Guldmann®

Guldmann Twin Turner – Bariatric

The Guldmann Twin Turner – Bariatric is used in conjunction with the hoist, to turn the user and position them on to their side avoiding unnecessary strain to the care provider.

The sling makes it possible to turn the user from side to side without removing the sling from under the user. It can assist to fit a general sling without having to manually roll or otherwise move the user.

The Guldmann Twin Turner Bariatric has a lifting capacity of up to 500kg, it is made of polyester a durable material that is easy to work with.

ORDER CODE: 0253-0604



Guldmann®

Guldmann Gait Trainer – Bariatric

The Guldmann Gait Trainer Bariatric Sling helps users maintain standing and provides support whilst walking.

The walking sling is ideal for gait training and early mobilisation of bariatric patients.

ORDER CODE: 0253-0615

SWL: 500kg



Guldmann®

Guldmann Pannus Support Bariatric Sling

The Guldmann Pannus Support Bariatric sling is used to provide assistance during personal hygiene and skin care procedures.

The sling is placed beneath the user's pannus (stomach area), holding and supporting it in a position that allows examination, treatment and care of the user's skin.

The sling is designed to eliminate heavy manual lifting of the patient's pannus, which often places an excessive physical strain on the carer, it also reduces the number of staff required to carry out the procedure.

ORDER CODE: 0253-0729



Guldmann®

Guldmann Basic High Bariatric

The Guldmann Basic High Bariatric sling is a general lifting sling suitable for bariatric users. The sling supports the entire body including the head.

The sling is a version of the Basic High model from the Guldmann ABC range, where the design has been adapted to accommodate bariatric people. In addition to having an increased lifting capacity, the bariatric sling is fitted with longer and wider leg straps and features broader dimensions for both upper and lower body. Positioning pockets on the back and on the inside of the leg straps, help to position and fit of the sling.

ORDER CODES:

0253-0634: XXX-Large

0253-0635: XXXX-Large

0253-0731: XXXXX-Large 500kg



Guldmann®

Guldmann Repositioning Sling

A sling for use as part of the linen make-up of the patient bed; leave positioned underneath patient, ready to use for care tasks.

Suitable for:

rolling to side lying, repositioning patient up in bed, sitting forward head and trunk, supine lateral transfers to another surface such as beds + stretchers, and full lift in supine off of bed to zero bed scale, stripe linen, or other. Packed in boxes of 10 slings.

ORDER CODES:

0253-0686: Box of 10 SWL 375kg

0253-0689: Single Unit

SWL: 375kg



Guldmann®

Guldmann Repositioning Sling – Bariatric

A sling for use as part of the linen make-up of the patient bed; leave positioned underneath patient, ready to use for care tasks.

Suitable for:

rolling to sidelying, repositioning patient up in bed, sitting forward head and trunk, supine lateral transfers to another surface such as beds + stretchers, and full lift in supine off of bed to zero bed scale, stripe linen, or other. Packed in boxes of 10 slings.

ORDER CODE: 0253-0744: Box of 5

SWL: 500kg




Disposable – Gait Trainer

The Disposable Gait Trainer is a single-patient walking sling for people with sufficient leg strength to stand upright, but who have difficulty balancing.

ORDER CODES:

0253-0751: Small Box of 10
0253-0752: Medium Box of 10
0253-0672: Large Box of 10
0253-0673: X-Large Box of 10
0253-0750: XX-Large Box of 10

SWL: 205kg



Disposable – High II

The Disposable High II sling is a general lifting sling suitable for a wide variety of users and lifting operations. The sling supports the entire body including the head.

The sling is ideal for lifting, moving and positioning users who have reduced control in their head, upper and lower body.

ORDER CODES:

0253-0760: Medium
0253-0765: Large

SWL: 205kg



Disposable – High – Bariatric

The Goldmann Disposable High Bariatric sling is a general lifting sling suitable for bariatric users. The sling supports the entire body including the head.

ORDER CODES:

0253-2126: L/XL, Box of 10
0253-2127: XL/XXL, Box of 10
0253-2128: XL/XXL, Box of 10

SWL: 500kg




Disposable – Leg Sling II

The Disposable Leg sling supports and lifts limbs in conjunction with the hoist, avoiding unnecessary strain to the care provider. The sling is used to lift arms or legs, and supports the limbs to carry out activities such as wound treatment, dressings or when carrying out personal hygiene procedures.

ORDER CODE:

0253-0674: Box of 10

SWL: 205kg



Disposable – High II – Kids

The Goldmann Disposable High II - Kids sling is a general lifting sling suitable for a wide variety of users and lifting operations. The sling supports the entire body including the head.

ORDER CODE:

0253-2129: 6-10 years, Box of 10

SWL: 205kg




Disposable – Multi Support

The Disposable Multi Support sling supports and lifts limbs in conjunction with the hoist, avoiding unnecessary strain to the care provider.

ORDER CODES:

0253-0748: Single



Disposable – Repositioning Sling

The Goldmann Disposable Repositioning Sling is ideal for lifting and positioning users in a supine position.

Supporting the whole of the body including the head, the sling lifts the user in a supine position to and from bed, stretcher or floor. It is often used when changing bed linen, rolling the user to carry out hygiene tasks or to reposition in bed.

ORDER CODES:

0253-0681: Single

SWL: 500kg

Allegro

Allegro slings are designed to be simple and safe to use both for home and clinical settings to enable patient lifting.

All slings are available in either polyester fabric or mesh (suitable for bathing) with internal padding in pressure areas and webbing attachment loops.



Allegro General Purpose Sling with Head Support

Allegro slings are a world leader in slings, with a focus on eliminating injuries that result from patient lifting. The general purpose sling comes in mesh and fabric options for different user requirements. Comfortable and durable, this is an excellent choice of sling.

Available in sizes X-Small through to XXL in either fabric or mesh. SWL 320kg.


Features & Benefits

- › Six sizes in fabric or mesh
- › Sling is easily fitted to a patient in bed or a chair, providing excellent upper body and head support
- › Recommended for lifting from the floor and general lifting of the less secure patient

Also available with no head support

Specifications

Yoke attachment (spreader bar)



	XS	S	M	L	XL	XXL
A	820	820	920	1110	1270	1360
B	210	230	240	260	270	290
C	750	780	920	1000	1020	1050
D	1310	1380	1410	1630	1680	1780



Allegro General Purpose Pivot Sling with Head Support

Allegro slings are a world leader in slings, with a focus on eliminating injuries that result from patient lifting. The pivot sling is most useful for transfers using the mobile patient mover option.


Available in sizes X-Small through to XXL in either fabric or mesh. SWL 320kg.

Features & Benefits

- › Comfortable, supportive sling with easily defined attachment points.
- › Recommended for general lifting especially for the larger patient
- › Angle adjustment via Pivot Frame
- › Six sizes in fabric or mesh suitable for bathing

Specifications

Pivot frame attachment (tilt frame)



	XS	S	M	L	XL	XXL
A	720	870	1000	1080	1170	1320
B	190	230	270	260	270	290
C	580	830	920	1010	1090	1180
D	870	1220	1310	1410	1540	1710



Allegro

Allegro Care Sling with Head Support

Allegro slings are a world leader in slings, with a focus on eliminating injuries that result from patient lifting. Lifting slings complement the Allegro Patient Lifters, Sonata 150, Sonata 150 ELS, Alto lift 200. The care sling with head support, helps to keep the neck and head stable while allowing carers to perform cares.

Available in sizes X-Small through to XXL in either fabric or mesh. SWL 200kg.


Features & Benefits

- > Sling provides easy removal of clothing or toilet transfers
- > Recommended for general toilet transfers for the less secure patient
- > Six sizes in fabric or mesh

Also available with no head support

Specifications

Yoke attachment (spreader bar)



	XS	S	M	L	XL	XXL
A	680	850	1020	1020	1200	1220
B	180	210	220	200	220	220
C	540	620	700	790	810	790
D	860	1180	1220	1380	1430	1460
T	970	1130	1220	1320	1420	1650

Allegro

Allegro Pivot Care Sling

Allegro slings are a world leader in slings, with a focus on eliminating injuries that result from patient lifting. The pivot care sling is ideal for users needing a mobile patient sling while performing cares. Comfortable and durable these slings provide exceptional support when you need it most.


Available in sizes X-Small through to XXL in either fabric or mesh. SWL 200kg.

Features & Benefits

- > Sling provide easy removal of clothing for toilet transfers
- > Recommended for general toilet transfers for the less secure patient
- > Six sizes in fabric or mesh suitable for bathing

Specifications

Pivot frame attachment (tilt frame)



	XS	S	M	L	XL	XXL
A	680	840	1020	1030	1220	1240
B	170	210	220	220	220	220
C	540	630	700	790	830	820
D	870	1220	1240	1360	1430	1480
T	980	1180	1220	1320	1440	1660



Walking Harness

The Walking Harness is used to encourage the patient in standing and walking. Worn like a belt with two clunk-click buckles for security and underarm rolls for comfort. Designed to provide maximum comfort during rehabilitation and gait training.

ORDER CODES:

- 0253-1208: X Small
- 0253-1209: Small
- 0253-1210: Medium
- 0253-1211: Large
- 0253-1212: X Large

Features & Benefits

- › Separate groin straps with faux sheepskin covers for user comfort
- › Quick to apply clunk-click buckles fix groin straps to the front of the harness
- › Patient must have good core stability and weight bearing ability
- › Available with adjustable loops with d-rings and sliders
- › Available in one material type: Polyester – Easy application. Glides and slides smoothly, dries quickly after washing
- › **Please Note:** Due to material changes product colours may vary from photography shown

Specifications

Transfer Type	Seated to standing Standing to seated Toileting
Support Type	Groin area Torso
Attachment Type	Loop fixing spreader bar (yoke)
User Physicality	Good head trunk and hip control Some weight bearing ability
Weight Limit	220kg
Material	Polyester
Laundering	Sling body – wash at 95°C Sling body – tumble dry low heat (max 50°C) Faux sheepskin covers – wash at 60°C Faux sheepskin covers – do not tumble dry



Silvalea Flotation Sling

The Silvalea flotation Sling was designed and developed to allow even the severely disabled to become familiar within a water environment. Whether in a swimming pool or hydrotherapy pool, the flotation sling reduces handling needs whilst fully supporting the user in the water. The sling is constructed to provide maximum buoyancy, security and support to a user in a horizontal position.

ORDER CODE: 0253-1242

Features & Benefits

- › The benefits of hydro, or aquatic therapy have long been understood for both rehabilitation, physical strengthening and sensory stimulation. The Silva Flotation Sling allows the therapist/caregiver to gently maneuver the end user through the water in a controlled way building confidence in the end user.
- › Featuring a foam neck roll for additional buoyancy to support the end users head, waist support with connecting groin strap for additional client security and soft padded roll at the base of the sling aids user comfort.
- › A specialist hydrotherapy swimming buoyancy aid such as this flotation sling should not be used without a full risk assessment and whilst it can be used to transfer an end user into and out of a pool it should only be used with an approved pool or wet environment hoist.

Support type:

- › Head
- › Pelvis
- › Thigh
- › Torso

Specifications

Sling Material	Mesh
Maintenance	Sling: Wash at 85°C Tumble dry low heat (max 50°C) Noodle: Wipe clean with a damp cloth






Supersling Elevate HS

A sling with head support for general lifting and transfers with a standard 'open-leg' design. Can be easily put on either in bed or in a chair. Suitable for people who have low muscle control and require full support.

Specifications

Material	Mesh, Fabric and Custom options
Attachment type	Available in loop for yoke attachment or clip for pivot attachment
Sizes	XXS to XXXXL
Safe working load	200kg standard 300kg and 500kg bariatric options available




(cm)	2XS	XS	S	M	L	XL	2XL	3XL
A	70.5	80.5	90.5	100.5	112.5	124.5	135.5	148.5
B	17	19	21	23	25	25.5	26	26
C	58	69.5	81	92.5	106.5	115	119.5	119.5
D	94	111.5	128	143	160	171.5	178	180.5
E	36	42	47	50.5	53.5	56.5	58.5	61

Supersling Elevate

A sling for general lifting and transfers with a standard 'open leg' design. Can be easily put on either in bed or in a chair. Suitable for people with relatively good muscle control as the sling stops at shoulder height.

Specifications

Material	Mesh, Fabric and Custom options
Attachment type	Loop for yoke attachment
Sizes	XXS to XXXXL
Safe working load	200kg standard 300kg and 500kg bariatric options available



(cm)	2XS	XS	S	M	L	XL	2XL	3XL
A	70.5	80.5	90.5	100.5	112.5	124.5	136.5	148.5
B	17	19	21	23	25	25.5	26	26
C	41	49	57	65	75	81	84	84
D	77	91	104	115.5	128.5	137.5	142.5	145
E	36	42	47	50.5	53.5	56.5	58.5	61




Supersling Dignity

A sling for dignified and safe toileting transfers. Thoughtfully designed, patients are unable to fall through the aperture, making it safe to use. Suitable for people with relatively good upper body control. The torso belt fastens with a double buckle system providing excellent support. Generously foamed pads provide support under the arms.

Specifications

Material	Mesh, Fabric and Custom options
Attachment type	Loop for yoke attachment
Sizes	XXS to XXXXL
Safe working load	200kg standard 300kg and 500kg bariatric options available




(cm)	2XS	XS	S	M	L	XL	2XL	3XL	4XL	5XL
A	57	66	75	84	93	102	111	120	129	138
B	15	18	20.5	23	25.5	28	30.5	33	35	38
C	16.5	20	24	28	32	35.5	39.5	41.5	41.5	41.5
D	35	51	68	84	101	118	130	136	140	143
E	22	34	47	59	72	84	93	97	100	103

Supersling Dignity HS

A sling for dignified and safe toileting transfers with head support. Thoughtfully designed, patients are unable to fall through the aperture, making it safe to use. Suitable for people who have less upper body control and require full support. The torso belt fastens with a double buckle system providing excellent support. Generously foamed pads provide support under the arms.

Specifications

Material	Mesh, Fabric and Custom options
Attachment type	Available in loop for yoke attachment or clip for pivot attachment
Sizes	XXS to XXXXL
Safe working load	200kg standard 300kg and 500kg bariatric options available



(cm)	2XS	XS	S	M	L	XL	2XL	3XL
A	57	66	75	84	93	102	111	120
B	14	16	18.5	21	23.5	25.5	28	30
C	16	20	24	28	32	35.5	39.5	41.5
D	36	52.5	69	85.5	102	118	130.5	136.5
E	20	32.5	45	57.5	70	82.5	91	95
F	19	22	25	28	31	34	37	40
G	25	31	36	42	50	53	51	48




Supersling Balance

A sling for general lifting and transfers with a standard 'cupped-leg' design. This style provides excellent support to the legs providing a very comfortable lift. Suitable for amputees and for people who need a simple sling for shorter-to-medium periods of time.

Specifications

Material	Mesh, Fabric and Custom options
Attachment type	Loop for yoke attachment
Sizes	XXS to XXXXL
Safe working load	200kg standard 300kg and 500kg bariatric options available



(cm)	2XS	XS	S	M	L	XL	2XL	3XL
A	64	74	84	94	106	118	130	142
B	15.5	18.5	21.5	25	28	31.5	35	38
C	33.5	41.5	49.5	57.5	67.5	73.5	76.5	76.5
D	61	74	87	100	115.5	126.5	134.5	140
E	47.5	53.5	59	65	70.5	76	81.5	87.5




Supersling Balance HS

A sling for general lifting and transfer operations with a standard 'cupped-leg' design and a head support section. This style provides excellent support to the legs providing a very comfortable lift. Suitable for people with low muscle control requiring full support, amputees.

Specifications

Material	Mesh, Fabric and Custom options
Attachment type	Available in loop for yoke attachment or clip for pivot attachment
Sizes	XXS to XXXXL
Safe working load	200kg standard 300kg and 500kg bariatric options available



(cm)	2XS	XS	S	M	L	XL	2XL	3XL
A	64	74	84	94	106	118	130	142
B	15.5	18.5	21.5	25	28	31.5	35	38
C	58	69.5	81	92.5	107	115	119.5	119.5
D	93	99.5	116	132.5	152	165.5	175	180
E	47.5	53.5	59	65	70.5	76	81.5	87.5




Supersling Cradle

A sling for general lifting and transfers in a 'hammock' design. Provides a more reclined lifting position. Suitable for amputees and for people with good upper body control as there are no straps at the front.

Specifications

Material	Mesh, Fabric and Custom options
Attachment type	Loop for yoke attachment
Sizes	XXS to XXXXL
Safe working load	200kg standard 300kg and 500kg bariatric options available




(cm)	2XS	XS	S	M	L	XL	2XL	3XL
A	59	71.5	84	96.3	108.5	121	129.5	133.5
B	65	73.75	82	93	103.7	114	125	137
C	45.75	53.75	61.75	69.75	83.75	85.75	93.75	101.75
D	11	13	14.5	16.75	18.7	20.6	22.5	24.4

Supersling Standfast

A sling for assisting people from a sitting to a standing position. A double buckle torso belt provides good security. Stiffening bars at the rear support the spine, while the non-slip fabric helps to keep the sling in place. The upper edge is padded to give comfort under the arms. Cuffs are available for arm support.

Specifications

Material	Mesh, Fabric and Custom options
Attachment type	Available in loop for yoke attachment or clip for pivot attachment
Sizes	XXS to XXXXL
Safe working load	200kg standard 300kg and 500kg bariatric options available



(cm)	S	M	L	XL	2XL	3XL
A	86	96	106	116	126	136
B	27	27	27	27	27	27
C	9.5	9.5	9.5	9.5	9.5	9.5



Supersling Bliss Band Sling

A standing aid sling designed to assist with the rehabilitation of patients progressing from sitting to standing. Fully padded band that offers good underarm support with a fully adjustable torso belt. Arm cuffs are available where the patient requires arm support.

Specifications

Material	Mesh, Fabric and Custom options
Attachment type	Loop for yoke attachment
Sizes	XXS to XXXXL
Safe working load	200kg standard 300kg and 500kg bariatric options available

Size	Approx Chest Size		To fit Shoulder Width	
	cm	inches	cm	inches
S	72-84	28.3-33.1	35-41	13.8-16.1
M	84-97	33.1-38.2	41-47	16.1-18.5
L	97-109	38.2-42.9	47-53	18.5-20.9
XL	109-121	42.9-47.6	53-59	20.9-23.2
2XL	121-134	47.6-52.8	59-65	23.2-25.6

Custom Slings

We can custom make your parasilk sling for you upon request.

This is usually based off the another sling but with requirements built around your patient's needs.



Sophia uses a custom Supersling in a Sonata Mobile Hoist.



Pro-Loop Sling

Disposable sling for safer patient handling.

This sling is ideal for long term patients as it gets named and dated and becomes their sling. The sling is also ideal for situations in which a high level of hygiene is required and where there is an elevated risk of contagion and infection, including infectious patients. Disposed when they are discharged or mobile, eliminating laundry costs.


ORDER CODES:

- 0253-2005: XS Box of 10
- 0253-2001: Small Box of 10
- 0253-2002: Medium Box of 10
- 0253-2003: Large Box of 10
- 0253-2004: XL Box of 10
- 0253-0632: Fabric Padded Legs X-Large Box of 10

Specifications

	Sling Size				
	Extra Small	Small	Medium	Large	Extra Large
Colour Code	Brown	Red	Yellow	Green	Silver
Weight Range	16-45kg	34-68kg	57-91kg	80-136kg	125-230kg
Measurements					
Top of head to sacrum	68-87cm	74-92cm	80-104cm	91-110cm	96-116cm
Shoulder width	31-39cm	34-43 cm	40-51cm	47-60cm	55-65cm

Weights shown here are for sizing purposes only and are not the safe working load (SWL) of the sling. When using the sling for the first time lift the patient a few centimeters to ascertain safety, comfort and suitability. Suitable for amputees but the weight of the patient would need to be extrapolated according to the nature of the amputation.



Guldmann

Stepless Lite Ramp

The Stepless Lite Ramp is one of the lightest on the market due to its unique composition of glass and graphite fibres. With a non-slip covering, single folding joint for ease of use, the Lite Ramp is an obvious choice for users/helpers who want minimal weight, or for the more active wheelchair user. Great for travel or a trip to town.

ORDER CODES:



- 0205-0210: (700mm Long)
- 0205-0211: (850mm Long)
- 0205-0212: (1250mm Long)
- 0205-0213: (1650mm Long)
- 0205-0214: (2050mm Long)

Features & Benefits

- > Constructed from glass and graphite fibre offering the same characteristics as a tennis racquet: strong and light
- > Lightweight design (700mm model weighs only 3.5kg)
- > Easy to unfold and position making it practical to handle
- > Handy wheelchair carrying bag – makes it easy to transport the small 70cm ramp on the backside of the wheelchair
- > Safe – non-skid surface
- > Available in different sizes

Specifications

Length (mm)	Inner Width (mm)	Outer Width Max (mm)	Width Folded (mm)	Max Load (kg)	Weight (kg)
700	730	730	365	300	3.5
850	780	780	390	300	4.0
1250	760	780	390	300	6.0
1650	760	780	390	300	7.5
2050	760	780	390	300	9.5



Guldmann

Stepless Doorstep Ramp

The Stepless Doorstep Ramp is designed for use in places where it is undesirable – or not possible – to remove an existing doorstep.

ORDER CODES:

0205-0220: (67cm)

0205-0221: (77cm)

Features & Benefits

- › Stepless doorstep ramps are easy to position on top of an existing doorstep. These ramps are made of aluminium, which means that they are extremely light.
- › They feature a non-skid surface and are available in two different widths.

Specifications

Dimensions (mm)	Max Load (kg)	Weight (kg)
670 x 600 x 25	350	3.4
770 x 600 x 25	350	4.3

Guldmann

Stepless Excellent Ramp Kits

Stepless Excellent Ramp Kits make it easy to negotiate doorsteps, both indoors and outdoors. Placing the doorstep ramps on either side of the step provides an even smoother solution to differences in height.

Excellent ramps are sold in kits that are simple to handle and install. The two upper layers are supplied unattached so they can be adapted to provide an exact match for the step height.

ORDER CODES:

0205-0241: Stepless Ramp Kit 0 (75 x 12.5 x 2.5cm)

0205-0242: Stepless Ramp Kit 1 (75 x 25 x 4.2cm)

0205-0243: Stepless Ramp Kit 2 (75 x 50 x 7.8cm)

0205-0244: Stepless Ramp Kit 3 (75 x 75 x 11.4cm)

0205-0245: Stepless Ramp Kit 4 (75 x 100 x 15cm)

0205-0247: Stepless Ramp Kit 100 (100 x 12.5 x 2.4cm)

0205-0248: Stepless Ramp Kit 101 (100 x 25 x 4.2cm)

0205-0249: Stepless Ramp Kit 102 (100 x 50 x 7.8cm)

0205-0250: Stepless Ramp Kit 103 (100 x 75 x 11.4cm)

0205-0251: Stepless Ramp Kit 104 (100 x 100 x 15cm)

Features & Benefits

- › A range of Stepless Excellent ramp kits are available to cope with height differences of up to 150 mm. The kits are supplied complete with the instructions and accessories for installation and individual adjustment. Depending on the situation, it usually takes 10–25 minutes to install a ramp kit.
- › Stepless Excellent ramp kits are available in two widths: 750 mm and 1000 mm. An outdoor version is also available with SlipStop – an extra non-skid layer to make outdoor ramps even safer.

Specifications

Ramp Description	W x L x H (cm)
Stepless Ramp Kit 0	75 x 12.5 x 2.4
Stepless Ramp Kit 1	75 x 25 x 4.2
Stepless Ramp Kit 2	75 x 50 x 7.8
Stepless Ramp Kit 3	75 x 75 x 11.4
Stepless Ramp Kit 4	760 75 x 100 x 15
Stepless Ramp Kit 100	100 x 12.5 x 2.4
Stepless Ramp Kit 101	100 x 25 x 4.2
Stepless Ramp Kit 102	100 x 50 x 7.8
Stepless Ramp Kit 103	100 x 75 x 11.4
Stepless Ramp Kit 104	100 x 100 x 15



Guldmann

Stepless Telescopic Ramp

The Stepless Telescopic Ramp is a versatile ramp designed for use in numerous places and to cover differences in level, where height and length may vary, and where low ramp weight is an important consideration.

ORDER CODES:

- 0205-0226: 100cm pair
- 0205-0227: 150cm pair
- 0205-0228: 200cm pair
- 0205-0229: 250cm pair
- 0205-0230: 300cm pair

Features & Benefits

- > Soft end caps that prevent the ramp from slipping during use and serve as shock absorbers during transport
- > Simple ramp lock prevents the sections from separating during transport
- > Softly rounded, folding handles that feel comfortable when lifting and carrying the ramp
- > High safety – can support heavy loads
- > Integrated non-skid surface that is extremely hard-wearing and provides sure footing in almost all conditions
- > Maintenance-free – anodised aluminium profiles for increased stability and strength
- > Attractive, functional design
- > Takes up little space when not in use
- > Stepless telescopic ramps are available in different lengths to accommodate different needs. It is simple to extend the ramp sections to the required length and to push them together again to create a shorter ramp as required. A simple locking mechanism makes sure the ramp remains fixed at the selected length both during transport and when in use.


We recommend using the longest ramp possible – the longer the ramp, the gentler the gradient and the easier the ramp is to negotiate. Generally speaking, we recommend the following ramp lengths in relation to the stated gradients:

User-operated manual wheelchair: maximum gradient 1:7.

Helper-assisted manual wheelchair and electric wheelchair: maximum gradient 1:5.

Specifications

Min/Max Length (mm)	Inner Width (mm)	Outer Width Max (mm)	Max Load (kg/pair)	Weight (kg/each)
1000/677	182	279	350	4.3
1500/927	182	279	350	5.7
2000/1177	182	279	350	7.2
2500/1427	182	279	200	8.6
3000/1677	182	279	200	10.1



Guldmann

Stepless Wide Folding Ramp

The Stepless Wide Folding Ramp is ideal for situations where the ramp is used in the same place.

It is suitable for both electric wheelchairs and mobility scooters because it features a wide driving surface with no raised edges to obstruct the wheels.

This model ramp takes up less space when not in use, as it can be folded in half.

ORDER CODES:

- 0205-0232: 150cm
- 0205-0233: 200cm
- 0205-0234: 250cm
- 0205-0235: 300cm

Features & Benefits

- > Soft end caps that prevent the ramp from slipping during use, and which serve as shock absorbers during transport
- > Softly rounded carrying handles – comfortable when lifting and carrying the ramp
- > Non-skid surface that provides sure footing in almost all conditions
- > High safety – high load
- > Stepless wide folding ramps are available in different lengths to accommodate different needs
- > We always recommend using the longest ramp possible – the longer the ramp, the gentler the gradient and the easier the ramp is to negotiate. Generally speaking, we recommend the following ramp lengths in relation to the stated gradients:

User-operated manual wheelchair: maximum gradient 1:7

Helper-assisted manual wheelchair and electric wheelchair: maximum gradient 1:5

Specifications

Min/Max Length (mm)	Inner Width (mm)	Outer Width Max (mm)	Max Load (kg/pair)	Weight (kg/each)
1500/780	770	880	325	17.5
2000/1030	770	880	325	22.2
2500/1280	770	880	200	26.9
3000/1530	770	880	200	31.7



Guldmann®

C-Max U1 Powered Stairclimber

C-Max U1 Powered Stairclimber, is a push wheelchair with stair climbing function providing access at home and on the road. The operator merely steers the c-max with very little physical effort. The C-Max's low weight and the fact that it can be easily and quickly dismantled make it possible to take everywhere.

ORDER CODE: 0205-0002

Features & Benefits

- › Push wheelchair with stair climbing function providing access at home and on the road
- › Compact dimensions and foldable foot rest makes the C-Max easy to maneuver even on very narrow stair cases or winding stairs
- › Automatic safety brakes stop at each stair edge
- › C-Max operates on all types of stair or floor coverings causing no damage whatsoever
- › Technology that you can trust
- › Removable arm rests make easy transferring from one chair to another possible
- › Ideal for use in public places and buildings, aged care and at home

Specifications


Max Lifting Capacity	120kg
Climbing Speed	8 – 23 steps per minute (continually adjustable)
Capacity with one charge of batteries	15 – 30 levels (depending on person's weight)
Width	485mm / 440mm (without arm rest)
Depth	915mm / 730mm (folded in foot rest)
Height	1090mm
Batteries	2 x 12V/5Ah
DC-Motor	24V
Weight of Battery Pack	4.4kg
Weight of Power Unit	17.2kg
Weight of Seat	4.6kg
Weight of Back	4.3kg
Weight of Arm Rests	1.2kg
Steps Height	21cm / 22.5cm extended



Scan to access
Pressure Care
Equipment online



PRESSURE CARE



Active Air Mattresses	96
Static Air Mattresses	105
Foam Mattresses	107
Pressure Relief Aids	110



Award Winning Pressure Care

2022 Active Healthcare received an award for our efforts in pressure care.

See page 101.



Together with caregivers, eliminate pressure ulcers.

This has been our goal since our start
in 1999 – to develop world-class tools for
the healthcare sector, making it possible
to take excellent care of patients,
and improve health economy.
Welcome to take part in our quest.

/Magnus Högberg, founder, owner and CEO

Pressure Ulcer Risk Assessment

Categorisation of pressure ulcers



Category 1

Intact skin with non-blanchable redness of a localized area usually over a bony prominence. Other signs of the area such as discolouration, oedema, warmer or cooler as compared to adjacent tissue may also indicate pressure injury. (Category 1 may be difficult to detect in individuals with dark skin tones. May indicate "at risk" persons.)



Category 2

Damage to the epidermis and/or dermis. The ulcer is superficial and may be visible as a blister or an abrasion of the skin.



Category 3

Involves damage to the full thickness of the skin and includes injury to, or necrosis of, the subcutaneous tissue layer, and may extend down to but not through the underlying fascia.



Category 4

Deep tissue damage, necrosis or damage to the muscle, bone or connective tissue with wound cavitations.

Risk assessment according to the Modified Norton scale

A. Mental condition			
4 Fully oriented	3 Occasionally confused	2 Cannot answer adequately	1 No contact
B. Physical activity			
4 Ambulant	3 Walks with help	2 Chair bound	1 Bedridden
C. Mobility			
4 Full	3 Slightly limited	2 Very limited	1 Immobile
D. Food intake			
4 1 portion and/or equivalent	3 ¾ portion and/or equivalent	2 ½ portion and/or equivalent	1 < ½ a portion
E. Fluid intake			
4 >1000ml/24 hours	3 700 – 1000ml/24 hours	2 500 – 700ml/24 hours	1 < 500 ml/24hours
F. Incontinence			
4 None	3 Occasional	2 Usually urine (catheter)	1 Urine and feces
G. Physical condition			
4 Good	3 Fair	2 Poor	1 Very poor

Count up the score.

20 points or lower = increased risk of pressure damage. Very active decubitus prophylaxis/tighter overall care!

Ek AC, Unosson M, Bjurulf P. The Modified Norton Scale and the nutritional intake, (1989) Scand J Caring Sci 3:4:183-187.
This modified Norton scale is translated by Anna-Christina Ek, Professor Em, Hälsouniversitetet, Linköping.

National Pressure Ulcer Advisory Panel, European Pressure Ulcer Advisory Panel and Pan Pacific Pressure Injury Alliance. Prevention and Treatment of Pressure Ulcers: Quick Reference Guide. Emily Haesler (Ed.). Cambridge Media: Osborne Park, Western Australia; 2014.

Risk assessment according to the Braden scale

A. Sensory perception			
1 Completely limited	2 Very limited	3 Slightly limited	4 No impairment
B. Moisture			
1 Constantly moist	2 Very moist	3 Occasionally moist	4 Rarely moist
C. Activity			
1 Bedfast	2 Chairfast	3 Walks occasionally	4 Walks frequently
D. Mobility			
1 Completely immobile	2 Very limited	3 Lightly limited	4 No limitation
E. Nutrition			
1 Very poor	2 Probably inadequate	3 Adequate	4 Excellent
F. Friction & shear			
1 Problem	2 Potential problem	3 No apparent problem	

Count up the score.

9 points = Very high risk for pressure ulcer development
10-12 points = High risk for pressure ulcer development
13-14 points = Medium risk for pressure ulcer development
15-18 points = Low risk for pressure ulcer development

© Copyright Barbara Braden & Nancy Bergstrom 1988

Meet the range of pressure care mattresses

Category 4

Pressure Injury Grade



Waterlow Scale:
20+ Very High Risk



CuroCell Cirrus IQ

CuroCell IQ

CuroCell A4

Category 3

Pressure Injury Grade



Waterlow Scale:
15+ High Risk



CuroCell AREA Zone

CuroCell S.A.M. Pro CF16

Category 2

Pressure Injury Grade



Waterlow Scale:
10+ At Risk



Optimal 5zon

Optimal 5zon Plus

Optimal Cura Mattress

Category 1

Pressure Injury Grade



Waterlow Scale:
10+ At Risk



Optimal Care Mattress

**Award-winning technology.
Care of Sweden's fully
automatic products have been
internationally recognised for
their innovative engineering and
excellent performance.**



reddot award 2019
winner



care of sweden

CuroCell Cirrus IQ

Pain therapy pressure care system

CuroCell® IQ Cirrus combines air with a soft foam surface and provides high user comfort and pressure redistribution. The heel function offers additional protection by relieving pressure on the heels. Moreover, the dual cover system reduces the shearing effect when adjusting the bed.

Benefits of the pulsation mode

We have made the CuroCell®IQ our most intelligent, yet simplest control unit so far. The Pulsating mode is the only featured programme, making it easier than ever to individualise effective care. The clinical results of the Pulsating mode has been proven in comprehensive studies, showing it to be superior to the traditional Alternating mode.

ORDER CODES:

Please contact us for order codes



CATEGORY 4
PRESSURE INJURIES / UNCLASSIFIED

Pressure redistribution and pain therapy

CuroCell® IQ Cirrus is used as an aid in the prevention and treatment of pressure ulcers/pressure injuries up to and including category 4, and unclassified pressure ulcer, and for pain therapy. It is a replacement system ideal for all healthcare environments.



Unique design for superior comfort

The unique design of CuroCell® Cirrus, providing a combination of air and foam, makes it possible to combine effective pressure redistribution and great comfort. The foam core surrounding the air cells provides stability and contributes to a smoother airflow, which is gentle for the user. With a liquid proof, yet vapour permeable cover, the mattress also reduces the risk of skin maceration.

Evac cover is an addition which enables a fast and secure evacuation. The soft inner cover is made of PU coating, an elastic fabric which reduces shearing and friction, and also provides good cleaning properties. The inner cover not only relieves shearing, but also contributes to the high comfort of the mattress. Reinforced sidewalls offer stability and safety for the user.



CuroCell® IQ

Intelligent simplicity

The CuroCell IQ range identifies the user and automatically adapts itself to the individual, while effectively aiding in the prevention and treatment of pressure ulcers/pressure injuries up to and including category 4, and unclassified pressure ulcers.

ORDER CODES:

CuroCell® IQ is available in four different models that work intelligently to support each unique users needs:

CuroCell IQ CX10: 10 cm overlay mattress up to 200kg

CuroCell IQ CX15: 15 cm replacement mattress up to 220kg

CuroCell IQ CX16: 16 cm replacement mattress up to 200kg

CuroCell IQ CX20: 20 cm replacement mattress up to 250kg

Features & Benefits

Features Control Unit

- > Pulsation mode - with the CuroCell® IQ, Care of Sweden offer a truly automatic system, and a new level of safety and efficiency. The control unit is equipped with active sensors, prepared to continuously react to body position changes, without the need of any manual settings or adjustments.
- > Soft friction hangers with extra soft tip
- > Notification function for loss of air and or electricity supply

Features of all Mattresses

All mattresses can be used with the either the A4 or IQ control unit.

- > Soft, elastic hygienic cover that is vapour permeable
- > Easy to clean with well documented hygiene standard
- > Cell on cell construction with safety mattress
- > Heel function
- > Static head cells
- > CPR-function for rapid deflation
- > Smart cable management
- > PVC free
- > Unique design for easy handling and usage
- > Chlorine resistant (10%) multi stretch cover with welded seams
- > Intelligent AI technology automatically senses the users weight and weight distribution, and adjusts how much air is in each cell accordingly – providing the ideal amount of immersion/pressure distribution at all times
- > Well protected zipper

Pulsation mode

- > Pulsation mode is the perfect scientifically proven combination of static air and alternating air for best immersion, less peak pressure, and a more comfortable sleep.
- > Works within the pressure inside the mattress cells. The cells alternate between two-thirds and one-third pressure to deliver gentler, but more effective, pressure relief for the user. As user weight is partially off-loaded on all cells, better immersion is maintained with pulsation. Even the most inflated cells never have a high peak pressure as demonstrated in standard air alternating mode – shown in the pressure map photos on this page

Preset this mattress to your ideal pressure relieving settings so there's peace of mind and no confusion for both users and carers.




CATEGORY 4 PRESSURE INJURIES

Air Flow Control™

Air Flow Control

Constant temperature, lower noise levels, increased user comfort, energy reduction




Pack&Go® simplifies deflation

With the Pack&Go® function, a press of a button is all that's needed to empty the mattress of air. Staff can easily pack the mattress away, and avoid having to manually squeeze the air out of used and dirty products.


Pulsation



Alternating



CLP (constant low pressure/static air)





Award Winning Results in Pressure Care

Active Healthcare received the 2023 award from Care of Sweden for our efforts in the distribution of the CurroCell IQ mattresses.

Read more on our website.



Curocell A4

A fully automatic and flexible alternating pressure mattress system (overlay and replacement)

CuroCell A4 mattress is a new, fully automated alternating pressure system that's designed to provide excellent comfort and save time and resources in working to prevent pressure injuries up to category 4.

The CuroCell A4 increases comfort for the user, enables better health economy and leads to an easier working day for care staff.


Features & Benefits

- › **CuroCell A4 is available in four variants:**
 - CuroCell A4 CX10: 10 cm overlay mattress up to 200kg
 - CuroCell A4 CX15: 15 cm replacement mattress up to 220kg
 - CuroCell A4 CX16: 16 cm replacement mattress up to 200kg
 - CuroCell A4 CX20: 20 cm replacement mattress up to 250kg
- › The CuroCell A4 mattress system has three program modes: Pulsation, Alternating and CLP (constant low pressure/static)
- › With the new pulsation mode, the pressure in the mattress cells alternates between two-thirds and one-third pressure, the idea being to provide gentler pressure relief for the user. CuroCell A4 is delivered with pulsation mode as the default setting. CuroCell A4 also has alternating and CLP (constant low pressure) program modes
- › The polyurethane air cells entails lower noise levels and greater comfort
- › Intelligent AI technology automatically senses the users weight and weight distribution, and adjusts how much air is in each cell accordingly – providing the ideal amount of immersion/pressure distribution at all times.
- › Weight sensor: regularly assess the users weight and where weight is distributed on the mattress, then adjusts the air in each cell accordingly


Pulsation mode

- › Pulsation mode is the perfect scientifically proven combination of static air and alternating air for best immersion, less peak pressure, and a more comfortable sleep.



Pulsation



Alternating



CLP (constant low pressure/static air)



Pack&Go® simplifies deflation


With the Pack&Go® function, a press of a button is all that's needed to empty the mattress of air. Staff can easily pack the mattress away, and avoid having to manually squeeze the air out of used and dirty products.



No manual setting required



TREATS UP TO CATEGORY 4 PRESSURE INJURIES



 care of sweden

CuroCell AREA Zone

Functional mattress replacement system
with self-adjusting technology

CuroCell AREA Zone the ultimate hybrid mattress – static air/foam cells release just the right amount to allow full immersion, combined with a high resilience topper enabling continued independent bed mobility for up to category 3 pressure injuries. It combines air with foam for effective pressure redistribution and great comfort. The mattress is self-adjusting and non-powered. It is a flexible mattress replacement system that can be used in all kinds of healthcare settings, easy to use and handle.

ORDER CODES:

0401-1518: 85 x 200 x 18cm
0401-1519: 90 x 200 x 18cm
0401-1520: 100 x 200 x 18cm
0401-1521: 105 x 200 x 18cm
0401-1522: 120 x 200 x 18cm

Features & Benefits

- › Combines foam with air for effective pressure redistribution
- › Nine foam air cells that are divided into zones which adapt automatically to the user
- › Built up with multiple layers of high quality foam
- › Special design reduces shear forces
- › Built-in sloped heel function to reduce pressure on the heel
- › Elastic and flexible removable cover with well-documented standard of hygiene
- › Welded seams
- › Soft and elastic material is vapour permeable which reduces risk of skin maceration
- › Rated "High pressure relief" in external tests
- › When tested, the mattress' capacity of pressure redistribution (PAI) it is reported that 100 % of the pressure on the mattress is below the threshold of 30mmHg (load 80kg)
- › Evacuation cover available on request



TREATS UP TO CATEGORY 3
PRESSURE INJURIES

Specifications

Height	18cm
Function	Prevention and treatment up to and including category 3 Mod. Norton < 20 p Braden scale 13-14 p Waterlow scale > 10+ p
Recommended User Weight	0-230kg
Cleaning of Cover	Wipe with cleaning agent and/or disinfectants Machine wash max 95°C, tumble drying



 care of sweden

CuroCell S.A.M. Pro CF16

Mattress replacement system with very high comfort

The CuroCell S.A.M. Pro CF16 is used as an aid in the prevention and treatment of pressure ulcers up to category 3, and for pain therapy. It is a static air mattress which provides very good comfort and pressure relief. It is a mattress replacement system with an integrated foam core.

ORDER CODES:

0401-1500: 80 x 200 x 16cm
 0401-1502: 90 x 200 x 16cm
 0401-1503: 100 x 200 x 16cm
 0401-1504: 105 x 200 x 16cm
 0401-1505: 120 x 200 x 16cm

Features & Benefits

- > Extra soft inner cover meaning already low pressure is further reduced
- > CPR function – rapid deflation
- > Easy to handle and maintain
- > Heel function
- > Silent and energy-efficient control unit
- > Soft, elastic, vapour permeable hygienic cover
- > Very good cleaning properties



TREATS UP TO CATEGORY 3
PRESSURE INJURIES

Specifications

Height	16cm
Function	Prevention and treatment up to and including category 3 Mod. Norton < 20 p Braden scale 13-14 p Waterlow scale > 10+ p
Recommended User Weight	0-200kg
Power Supply	230V/50Hz
Cleaning of Cover	Wipe with cleaning agent and/or disinfectants Machine wash max 95°C, tumble drying



Optimal 5zon

The complete mattress for pressure ulcer prevention

The Optimal 5zon is the complete mattress for pressure ulcer prevention. Ideal for all types of healthcare environments as an aid in the prevention and treatment of pressure ulcers up to category 2 and for pain therapy.

ORDER CODES:

- 0402-2000: 85 x 200 x 14cm
- 0402-2001: 90 x 200 x 14cm
- 0402-2002: 100 x 200 x 14cm
- 0402-2003: 105 x 200 x 14cm
- 0402-2004: 120 x 200 x 14cm

Features & Benefits

- › **Pressure**
Highly elastic, high-quality material and a unique zone and module system gives effective pressure equalisation
- › **Shear forces**
The mattress is specially designed to minimise the effects of shear forces
- › **Sit function**
Patented sit function DuoCore is designed to give support when sitting and also to provide good comfort when lying
- › **Moisture**
The hygienic cover is vapour permeable, which reduces the risk of skin maceration
- › **Hygiene**
The covers are easy to clean and handle and has a very well documented hygienic standard
- › Evacuation cover available on request



**TREATS UP TO CATEGORY 2
PRESSURE INJURIES**

Specifications

Core	High resilience foam 65+50kg/m ³
Height	14cm
Function	Prevention and treatment up to and including category 2 Mod. Norton < 20 p Braden scale 13-14 p Waterlow scale > 10+ p
Recommended User Weight	0-180kg
Cleaning of Cover	Wipe with cleaning agent and/or disinfectants Machine wash max 95°C, tumble drying



Bariatric mattress
300kg SWL

 care of sweden

Optimal 5zon Plus

Preventative mattress replacement
for bariatric use

The Optimal 5zon Plus is used as an aid in the prevention and treatment of pressure ulcers up to category 2, and is ideal for all healthcare environments. It is a mattress replacement that has been specially designed for bariatric use.

ORDER CODES:

- 0402-2010: 85 x 200 x 15cm
- 0402-2011: 90 x 200 x 15cm
- 0402-2012: 100 x 200 x 15cm
- 0402-2013: 105 x 200 x 15cm
- 0402-2014: 120 x 200 x 15cm

Features & Benefits

- > **User weight**
For bariatric use, recommended user weight is 100-270kg
- > **Pressure**
Highly elastic, high-quality material and a unique zone and module system gives effective pressure equalisation
- > **Shear forces**
The mattress is specially designed to minimise the effects of shear forces
- > **Sit function**
Patented sit function DuoCore is designed to give support when sitting and also to provide very good comfort when lying
- > **Moisture**
The hygienic cover is vapour permeable, which reduces the risk of skin maceration
- > **Hygiene**
The cover is easy to clean and has a very well documented hygienic standard



TREATS UP TO CATEGORY 2
PRESSURE INJURIES

Specifications

Core	High resilience foam 65+50kg/m ³
Height	15cm
Function	Prevention and treatment up to and including category 2 Mod. Norton < 20 p Braden scale 13-14 p Waterlow scale > 10+ p
Recommended User Weight	0-300kg
Cleaning of Cover	Wipe with cleaning agent and/or disinfectants Machine was max 95°C, tumble drying



 care of sweden

Optimal Cura Mattress

Preventative mattress replacement with good pressure equalization

Optimal Cura is used as an aid in the prevention and treatment of pressure ulcers up to category 2. It is a mattress replacement, used in all types of healthcare environments.

ORDER CODES:

0401-1586: 85 x 200cm
0401-1587: 90 x 200cm
0401-1588: 100 x 200cm
0401-1589: 105 x 200cm
0401-1590: 120 x 200cm

Features & Benefits

- › Optimal Cura is a two layer mattress where the top layer is made from visco-elastic foam (so called memory foam) and the bottom layer is made from high resilience foam. The special design of the mattress and the materials gives very good pressure equalization. The two layers allows the body to sink into the material, and thereby lower the pressure against the body
- › **Pressure**
Highly elastic, high-quality material and an unique design with effective pressure equalisation
- › **Shear forces**
The mattress is specially designed to minimise the effects of shear forces
- › **Moisture**
The hygienic cover is vapour permeable, which reduces the risk of skin maceration
- › **Hygiene**
The cover is easy to clean and has a very well documented hygienic standard



TREATS UP TO CATEGORY 2
PRESSURE INJURIES

Specifications

Core	High resilience foam + visco-elastic foam 50kg/m ³
Height	13cm
Covers	Olivia, Olivia H, Olivia/Evac, Nordic and Steel/Evac
Function	Prevention & treatment up to and including category 2
Recommended User Weight	0-130kg
Cleaning of Cover	Wipe with cleaning agent and/or disinfectants Machine wash max 95°C, tumble drying



 care of sweden

Optimal Care Mattress

Quality pressure redistribution mattress with excellent comfort

Optimal Care Mattress is a pressure redistributing mattress divided into zones adapted to the body. The Optimal Care is a quality mattress designed to meet stringent requirements in terms of quality, comfort and support.

ORDER CODES:

0401-1576: 85 x 200 x 14cm

0401-1577: 90 x 200 x 14cm

0401-1578: 100 x 200 x 14cm

0401-1579: 105 x 200 x 14cm

0401-1580: 120 x 200 x 14cm

Features & Benefits

- > Reinforced sides to give support when getting into and out of bed
- > The unique label contains the necessary information to ensure safe and easy use of this mattress
- > **Pressure**
Highly elastic, high-quality material with a unique module system gives effective pressure equalisation
- > **Shear forces**
The mattress is specially designed to minimise the effects of shear forces
- > **Moisture**
The hygienic cover is vapour permeable(3), which reduces the risk of skin maceration
- > **Hygiene**
The cover is easy to clean and has a very well documented hygienic standard



TREATS UP TO CATEGORY 1
PRESSURE INJURIES

Specifications

Core	Highly elastic cold foam 50kg/m ³
Height	14cm
Covers	Olivia/Evac, Olivia, Olivia H, Nordic and Steel/Evac
Function	Prevention & treatment up to and including category 1
Recommended User Weight	0-140kg
Cleaning of Cover	Wipe with cleaning agent and/or disinfectants Machine wash max 95°C, tumble drying



Questions	CURA	5ZON	5ZON PLUS	AREA ZONE	SAM	CX A4	CX IQ	CIRRUS IQ	
USE/CLIENT									
1	Prevention	Recom.	Recom.	Recom.	Recom.	Recom.			
	Treatment				Recom.	Recom.	Recom.	Recom.	Recom.
	Pain Therapy								Recom.
2	Wound Cat 1, 2, 3 and 4	2	2	2	3	3	4	4	4
3	Active/Dependant Client	Active	Active	Active	Active	Active	Active/Dependant	Active/Dependant	Active/Dependant
MATTRESS FEATURES									
4	Mattress System	Foam Mattress	Foam Mattress	Foam Mattress	Hybrid Mattress	Air Mattress	Air Mattress	Air Mattress	Hybrid Mattress
6	Safe Working Load	130kg	180kg	300kg	230kg	250kg	200kg	200kg	230kg
7	Widths	85, 90, 100, 105, 1200cm	85, 90, 100, 105, 1200cm	85, 90, 100, 105, 1200cm	85, 90, 100, 105, 1200cm	85, 90, 100, 105, 1200cm	85, 90, 100, 105, 1200cm	85, 90, 100, 105, 1200cm	85, 90, 100, 105, 1200cm
8	Heights	13cm	14cm	15cm	18cm	16cm	10,15, 16,20cms	10,15, 16,20cms	21cm
9	Cell Cycle						10,15, 20,25mins	10mins	10mins
CONTROL UNIT FEATURES									
10	Control Unit Required	No Control Unit	No Control Unit	No Control Unit	No Control Unit	Control Unit Optional	Control Unit	Control Unit	Control Unit
11	Static or Alternating	Static	Static	Static	Static	Static	Dynamic	Dynamic	Dynamic
12	Pulsation Mode						Yes	Yes	Yes
13	CLP and Air Alternating Mode						Yes	No	No
14	Cycle Time Adjustment						Yes	No	No
15	Auto Control Unit or Manual Control Unit Adj.	No Control Unit	No Control Unit	No Control Unit	No Control Unit	Manual Adj.	Auto	Auto	Auto
16	Pack and Go						Yes	Yes	Yes
ACCESSORIES									
17	Bag		Yes	Yes	Yes	Yes	Yes	Yes	Yes
WARRANTY									
18	Life Cycle		5 Years	5 Years	5 Years	5 Years	5 Years	5 Years	5 Years
19	Warranty Provided		3 Years	3 Years	5 Years	2 Years	2 Years	2 Years	2 Years



Moving patients for you



The TurnAll system sits underneath an existing mattress to turn patients 30 degrees at regular intervals.

- › No heavy lifting.
- › No pressure injuries.
- › More time for caregivers and better recovery for patients.
- › Better quality sleep through regular turning – thereby reducing carer stress and burn out.





TurnAll

Turning patients for you

Make a move in the right direction with the TurnAll, an automatic patient turning system that aids in preventing pressure ulcers.

Turning patients at regular intervals will prevent pressure injuries and promote faster recovery times. The Turn All lateral turning system is developed to turn patients at 30, 60 or 90 minute intervals determined by their caregiver and setting.

ORDER CODES:

0401-2000: Levabo TurnAll SWL 225kg

0401-2001: Levabo Bariatric TurnAll SWL 300kg



Features & Benefits

- › Automatic side positioning system 0 -30 degrees for pressure ulcer prevention or treatment
- › Compatible with any existing mattress, this includes any care bed with removable mattress.
- › Comfortable and doesn't interrupt normal sleep
- › Reduces load for caregivers having to manually turn patients who cannot be moved
- › Consistent and controlled turning
- › Automatically turns the patient gently and quietly
- › Side support system reduces shearing and the feeling of sliding away
- › Fits on every bed
- › CPR function for rapid deflation
- › Turning cycle dependent on needs 30/30, 60/60, and 90/90 minutes
- › Time setting to select length of time that is automated
- › Easy to use and on/off control button.
- › Clinical Efficiency, meets NICE GUIDLINE 2015 as well as International pressure ulcer guideleins EPUAP, NPIAP, PPIIA recommended use of the 30 degree lateral side lying position.



Read our
customer review here






 care of sweden

Curera Support Wedge

The Curera Support Wedge is perfect for positioning and position changes. It can be used to place a patient/user in a side position in order to relieve the sacrum, an extra sensitive area. For the side position, two support wedges are used together. The Curera Support Wedge is easy to use and clean. It comes with a liquid resistant cover that can be wiped with cleaning agents and/or disinfectants. It can also be machine washed and is sold in sets of two wedges.



ORDER CODE: 0404-0401

Features & Benefits

- > Enables repositioning of patients by tilting the side of mattress without touching the patient. Ideal where moving the patient causes pain
- > Quickly and easily achieve the 30° tilt
- > Helps prevent pressure ulcers
- > Liquid resistant cover can be wiped with a cleaning agent and/or disinfectants. It can also be machine washed
- > Examples of different uses:
 - When the user has problems lying on their side
 - For relief and prevention of pressure ulcers
 - When the user has problems with position changes
 - As a kick protection against bed rails
 - For other positioning



Specifications

Filling	100% foam
Cover	Polyurethane / polyester
Size	70 x 26 x 15/5 cm
Cleaning of cover	Wipe with cleaning agent and / or disinfectant Machine wash 95°C, tumble drying



Pressure Relief Aids

The Levabo Pressure Relief Positioning Aids are a single patient use pressure care solution.

These innovative products were developed in collaboration with leading wound care nurses and are manufactured in Denmark.

The range includes cushions for pressure relief for:

- › Heels and Legs
- › Body and Arms
- › The Seated Position

The cushions are inflatable, multi functional and single patient use which can be disposed after use.



NAME	SIZE	ORDER CODES	QTY	APPLICATION	ABOUT THE CUSHION
Heel up - Short ●	18 x32 x25cm	0404-4000	12 pcs		Heel protector for mobile seated users, typically wheelchair. Can be used for both prevention and treatment of pressure sores.
Heel up - Medium ●	18 x39 x 25cm	0404-4001	12 pcs		Heel protector useful for both prevention and treatment of pressure sores. Typically for users with short legs. Most useful for bed-bound patients. It supports the front foot and minimizes risk of foot drop
Heel up - Long ●	18 x 48 x 25cm	0404-4002	12 pcs		Heel protector useful for both prevention and mitigation of pressure sores. Most useful for bed-bound patients. It supports the front foot and minimizes the risk of foot drop.
Heel up - Max ●	18 x 50 x30cm	0404-4003	12 pcs		Heel protector useful for both prevention and mitigation of pressure sores. Most useful for bed-bound patients, and users with a long foot. It has an extra air chamber under the foot, which provides an optimal support of the front foot.
Pump		0404-4004			



Scan to access
Medical Devices
online



MEDICAL DEVICES



Prone Face	116
ICU Kits for Prone Position	118
Posey Mitts	119
Posey Restraints	119



Prone Face Soft

Prone Face Soft is a positioning cushion for prone operations consists of viscoelastic foam that adapts to the patient's face. Pressure points are avoided in this way.

ORDER CODES:

0552-0004: 12 Pieces – Medium Size

0552-0005: 8 Pieces – Large Size

Features & Benefits


- > Head positioning pillow for short operations in a prone position (recommended duration maximum 2 hours)
- > With a tube slit for secure hold
- > A combination of two foam layers supports and protects the patient during the intervention
- > Pressure points are avoided

Usage

- > Anaesthesia
- > Operating Theatre

Specifications

Prone Face One – M	24 x 13 x 26 cm
Prone Face One – L	24 x 17.5 x 26 cm
Material	Polyurethane foam



Prone Face One

Prone Face One is a disposable prone position pillow that makes it easier for you to position the patient's head and at the same time ensures very good visibility of the patient's eyes, nose and mouth.

ORDER CODE:

0552-0003: 1 piece, box of 6

Features & Benefits

- > The ergonomic design reduces pressure on the eyes and face
- > Including mirror for optimised view of face and eyes
- > Tubes can be fed in from either side
- > Latex-free
- > Suitable for many different face types, also for children from the age of 8

Usage

- > Anaesthesia
- > Operating Theatre
- > Intensive care

Specifications

Prone Face One	20.5 x 14 x 28.5 cm
Material	Polyurethane foam



Prone Face Plus

Prone Face Plus is a head positioning cushion that was specially developed for the prone position. It supports the patient's forehead and cheeks during the operation. Due to the special shape and the soft polyurethane foam, this head shell is suitable for many different face shapes and sizes, avoids pressure points and adapts optimally to the patient's face.

ORDER CODE:

0552-0001: 1 piece, box of 10

Features & Benefits

- > Cushion for prone position
- > Supports forehead and cheeks
- > Suitable for many different face types, also for children from the age of 8
- > Latex-free
- > Avoids pressure marks

Usage

- > Anaesthesia
- > Operating Theatre

Specifications

Prone Face Plus	30 x 21 x 13 cm
Material	Soft polyurethane foam



Prone Head System Plus

Prone Head System Plus was developed to optimally support the patient's head during prone operations. It consists of a height-adjustable ABS plastic helmet with a non-slip acrylic mirror.

ORDER CODE:

0552-0002: 1 piece

Features & Benefits

- > Mirror with non slip back side for a good hold on the table
- > Mirror legs are adjustable to maintain a neutral neck position
- > Easy to clean because of the simple helmet design
- > For a good hold of cushion and patient during prone position

Usage

- > Anaesthesia
- > Operating Theatre

Specifications

Prone Head System Plus	20.5 x 14 x 28.5 cm
Adjustable Mirror Plus	22 x 22 cm
Prone Helmet Plus	31 x 22 x 15 cm
Materials	Helmet: ASB plastic Mirror: Acrylic & aluminium alloyed screws



ICU-KIT For Prone Position

The 7-piece ICU kit disposable storage set enables you to expertly lie prone in the operating room or in the intensive care unit. The soft PU foam adapts perfectly to the patient's body and prevents the formation of soft tissue damage. This can minimize the risk of decubitus from prolonged storage.

Features & Benefits

- > For prone position during surgery or on ICU
- > Head support
 - > avoids pressure on eyes and face
 - > includes mirror for optimal view of face and eyes
 - > tube access from both sides possible
 - > designed for a whole variety of faces
 - > for patients 8 years plus
- > Prone leg support: two-piece, adjustable
- > Chest & pelvic support: two-piece, avoids pressure marks and increases the patients comfort
- > Chest & pelvic support is loadable up to: max. 65 kg
- > Arm supports: two-piece, adjustable

Usage

- > Ambulance
- > Operating theatre
- > Intensive care unit (ICU)
- > Outpatient clinic
- > Trauma surgery

Specifications

Prone Face One	20.5 x 14 x 28.5 cm
Prone Leg Support	50 x 18 x 13 cm 50 x 25 x 25 cm
Chest and Pelvic Support	21 x 32 x 20 cm 21 x 50 x 20 cm
Arm Supports	62 x 13 x 6 cm
Material	Soft polyurethane foam

ICU-KIT Plus For Prone Position

For prone position during surgery or on ICU.

Features & Benefits

- > Latex-free
- > Head support
 - > Avoids pressure on eyes and face
 - > Includes mirror for optimal view of face and eyes
 - > Tube access from both sides possible
 - > Designed for a whole variety of faces
 - > For patients 8 years plus
- > Prone leg support: two-piece, adjustable
- > Chest support: with soft memory foam that avoids pressure marks and increases the patients comfort
- > Arm supports: two-piece, adjustable

Usage

- > Ambulance
- > Operating theatre
- > Intensive care unit (ICU)
- > Outpatient clinic
- > Trauma surgery

Specifications

Prone Face One	20.5 x 14 x 28.5 cm
Prone Leg Supports	50 x 18 x 13 cm 50 x 25 x 25 cm
Chest Support	64.5 x 35 x 16 cm
Arm Supports	62 x 13 x 6 cm
Material	Soft polyurethane foam



Posey Hand Mitts – Double Security

Posey Mitts are used to help protect patients who are prone to disrupting medical treatment or self-harm. A mitt hinders picking and tube pulling and is considered to be a less restrictive device that should be considered and tried before more restrictive methods are used.

ORDER CODE:

0105-1205: 1 pair

Features & Benefits

- > Ideal for patients who disrupt medical treatment by pulling at the IV line/Catheter or are prone to self-injury
- > Velcro wrist closure
- > No finger separators
- > Fits either hand
- > One size fits most adults
- > Machine washable
- > Comes as pair

Specifications

Strap length	1240mm
Material	Fibre fill



Posey Quick-Release Twice-as-Tough Cuffs, Wrist

The Posey Posey Twice-as-Tough Quick-Release Cuffs are comfortable and reliable patient restraints to help keep patients from harming themselves or disrupting treatment.

ORDER CODE:

0105-1002: 1 pair

Features & Benefits


- > Designed for agitated/combatative patients to prevent the disruption of IV's, catheters, lines etc
- > Neoprene Cuffs protect patient's skin
- > Blue wrist restraints secured with extra-strong velcro and quick-release buckles
- > Double connecting straps for limitation of movement
- > Machine washable and sterilisable
- > Non-locking cuffs
- > Comes as pair



Scan to access
Beds and Bedroom
Furniture online



BEDS AND BEDROOM FURNITURE



Hospital Beds & ICU Beds	122
Stretchers	132
Hospital & Specialist Chairs	134
Paediatric Beds & Accessories	138
Long Term Care Beds	144
Bedside Cabinets	156
Over Bed Tables	158
Powered Movers	159



LINET Group is the largest European bed manufacturer with a focus on providing 360° care. This means every aspect of patient care has been considered.

LINET's success is based on innovations that help improve the standards of healthcare across the world.

LINET partnered with Active Healthcare to deliver a new standard of premium solutions.

LINET is one of the Top 4 biggest world brands in hospital bed manufacturing and produces 100,000 beds annually in Europe. From the raw materials through to the finished product, each bed is built with the intention to last and exceed the demands of each healthcare environment.









Multicare X Bed

LINET's premium ICU bed Multicare X is the world leading in ICU bed technology. With unique frame-based lateral tilt, move your patients with ease. Accompanied by Opticare X, innovative constant low pressure supporting surface mattress, patients are kept steady and comfortable while receiving pressure care.

Boasting **95% Satisfaction** from field test results in a 2021 user results and the new Opticare X Prone Mode, this bed really does have it all. Focusing on both patient and caregiver outcomes, this bed has safe patient moving and handling in mind. The frame-based tilt makes it easier and safer for hospital teams to provide daily cares and reduces physical strain when performing these demanding tasks.

Motorised on a 5 wheel system that is controlled by LINET's amazing i-Drive Power controller, that also doubles as IV poles. Ergonomics have been built into every aspect of this bed, simplifying the functions and braking system makes it easy for anyone to use. Reducing administration tasks and ensuring patients can be in sight with unique positional functions to enhance hospital operations efficiency.



Features & Benefits

› Early Mobilization

Our Early Mobility Program, featuring Mobi-Lift® handle or lateral tilt, contributes to better and faster patient recovery.

› Pressure Injury Prevention

Constant low pressure (CLP) Opticare X support surface, utilizes patented sensor technology to achieve automatic Optimal Immersion aiding the prevention of pressure injuries. Now available with Prone and Mobile modes to meet the needs of a wider range of patients.

› Falls Prevention

Complex set of features, like Multizone Bed Exit Alarm or automatically engaged i-Brake®, support patient's safety in every situation.

› Improve Pulmonary Outcomes in ICU

Frame-based lateral tilt with programmable Automatic Lateral Therapy, guided by Electrical Impedance Tomography reduce complications associated with mechanical ventilation.

› Improve Patient Experience

Features like ErgoFrame®, Opticare X Mobile Mode or integrated USB charger contribute to patients' comfort and autonomy, supporting better mental health, safety and faster recovery.



Specifications

Outer Dimensions (side rails up)	1030 x 2150mm
Mattress Platform Extension	220mm
Recommended Mattress Size*	860 x 2080 x140mm
Max. Mattress Height	230mm
Bed Height	440 – 820mm
Maximum Backrest Angle	70°
Maximum Thigh Rest Angle	30°
Lateral Tilt	+30°/-30°
Trendelenburg/Reverse Trendelenburg Position	+13°/-16°
Height Of Side Rails (above mattress platform)	450mm
Weight (basic equipment)	250kg
Safe Working Load	250kg





Eleganza 5 Bed

Innovation with the human touch, the LINET Eleganza 5 ICU Bed is here.

Features & Benefits

> Art of turning

Innovative frame-tilting technology helps turn the patient easily with less physical effort.

Enables routine nursing procedures to be carried out ergonomically and effortlessly.

Improves pressure ulcer prevention – regular patient positioning is easy.

New technology: smooth bed tilting for even more sensitive care.

> Art of safety

A solid foundation and sophisticated safety features create a circle of trust and confidence between patient and caregiver.

Safety under control – The BedMonitor system continuously monitors the main safety features of all beds in the department.

Siderails Concept – Reduced side space needed for siderails release.

i-Brake – The automatic brake prevents falls, especially during bed exit.

Safe Stop – Prevention of injuries due to crushing by the lowered mattress platform.

Multizone bed exit alarm – Fall prevention by monitoring the patient's motion activity and presence in the bed.

30 degree autostop – The automatic backrest stop at 30 degrees helps to improve respiration.

Lowest height – The lowest bed height helps to minimize the severity of fall consequences.

> Art of mobilisation

Inspiring new features facilitate earlier patient mobilisation and recovery.

MobiLift® – The patient controls the bed height using the MobiLift® handle.

MobiRails – Ergonomically shaped handles in siderails.

Lateral Tilt – The height setting and side tilt assist the patient's bed exit.

> Art of positioning

Multi-section frame design provides an unlimited range of patient positioning, increases patient comfort and improves nursing efficiency.

Cardiac chair position

Fowler position 30/30 with ErgoFrame

Tilt table position

Vascular position and Full vascular position

> Art of communication

Smart technology and bed connectivity bring communication to the next level, with a virtual symbiosis between bed and caregiver.

> Bedmonitor system

Using sensors built into the bed it monitors the settings of the safety parameters.

> Connectivity

Using the integration module the bed sends the necessary data to the hospital information system. Wifi or LAN connection.

Specifications

External dimensions	219 × 100cm (shortest position) 241 × 100cm (longest position)
Mattress dimension	208 × 90cm
Max. siderails height	45cm
Height adjustment	43.5 – 81.5cm
Lateral tilt	+/- 15°
TR/ATR tilt	14°/14°
Safe working load	250kg





ICU



Eleganza 4 Bed

Eleganza 4 is an electrically positionable bed – designed especially for Critical Care settings. The bed platform gives you flexible and customised solutions to keep all care activities and all special patient needs together with an open architecture of different technical features. You can choose the right bed for each care and medical application, patient conditions and budget.

Features & Benefits

› Focus on the upper body

With the integrated control elements in both upper siderails, the caregiver has direct access to all functions and adjustment options of the bed.

› Free-hands strategy

The bed's height adjustment and the special examination position can be set by the foot control. The nurse's hands are free to care for or handle the patient.

› One-button philosophy

The control board is easy to access and very simple to manage. Most of the positioning and emergency functions are set at the touch of one button.

Specifications

External dimensions	217.5×100 cm
Mattress dimensions	208 × 90 cm
Bed extension	0–22 cm
Siderails height and mattress platform	45cm
Height adjustment	41 – 79cm
Backrest angle	65°
Thigh rest angle	25°
Safe working load	250kg





Ward



Eleganza 2 Bed

The Eleganza 2 pushes the boundaries of safety standards, quality of workmanship and design. It contains sophisticated functions, including “smart” properties and is accessible for the broad spectrum of healthcare. Simply making demanding day-to-day patient care easier.

Features & Benefits

> Support for mobilisation

Increased space beneath the siderail in the lowered position simplifies mobilisation. The Mobilift® button, integrated into the plastic siderail, lifts the mattress platform and enables comfortable and safe lift control during mobilisation. The unique handrail is perfectly contoured for comfortable and safe support during bed exit in all backrest positions.

> Maximum safety

The Eleganza 2 offers safety without compromise. The siderails guarantee a high level of protection against falls and many other safety features including patented liquid-filled angle indicators, safe position signalling, night light and brake alarm make this a bed with the highest possible safety level.

> Smart technology

Highly sensitive VitalMonitor sensors monitor the patient’s vital functions and built-in BedMonitor sensors monitor the bed’s main safety features.

> Patient comfort

Auto-regression of the mattress platform increases the space in the pelvic area by sliding the backrest an additional 11cm. The result is a reduction in pressure and shear forces, significant contributors to pressure ulcers.

> Easy care

A 5th castor in the middle of the undercarriage means the Eleganza 2 has easier maneuverability in narrow corridors. The special shape of the handrail allows ergonomic handling of the bed by all staff regardless of height. The mattress platform is very easy to clean.

Specifications

External Dimensions	995mm × 2230mm
Bed Extension	310mm
Mattress Platform Adjustment	395mm – 775mm
Maximum mattress height with single collapsible side rails	140mm (ABS mattress platform 180mm)
Internal Dimension (compatible with mattress width)	2000mm × 900mm / (900mm and 860mm)
Max. Mattress Height	180mm
Height of split plastic side rails	405mm
Auto Regression	110mm
Maximum Backrest Angle	72°
Maximum Thigh Rest Angle	34°
Calf Rest Angle	21°
Trendelenburg/Reverse Trendelenburg Position	16°/16°
Clearance Of Undercarriage (with 150mm Tente castors)	150mm
Weight of Bed	140kg
Safe Working Load	250kg





Mental Health and Psychiatric Care

Ward



Eleganza 1 Bed

The LINET Eleganza 1 Acute Care Bed is a fully adjustable electric bed designed for standard hospital wards and long term care units. The bed has a simple construction with a wide range of above-standard features and sophisticated functions delivered at low cost, thus providing customers with great value for money.

Features & Benefits

Simple Construction

The construction of Eleganza 1 is simple and highly durable. Elevators are equipped with electric protection against overload, therefore the bed will automatically stop when an elevator is overloaded.

Ergoframe® +16 cm

When repositioning the backrest and thigh rest, the Ergoframe® function minimises the pressure and shear forces in the patient's pelvic region. This results in a significant reduction in the development of pressure ulcers.

Safe Siderails

Can be equipped with soft drop function, split plastic siderails or single ¾ siderails which comply with valid standards and gaps are designed with regard to safety.

The safety of the split plastic siderails is guaranteed by a system of two independent unlocking movements.

The single ¾ siderail controls are located ergonomically at the top of the siderail.

Siderails are lowered using the soft drop function which applies a gas spring to soften the effect of the siderail movement.

Easier Mobilisation

The mattress platform is equipped with an integrated holder for the Mobilift® which supports independent patient mobilisation.

Respects the different height of patients and can be set at two height levels.

Always set at the optimum supporting exit point.

5th Castor

The activated 5th castor makes transfer through long corridors easier. Creating a turning point in the middle of the bed, it allows for tight turns, and significant reduction in the force needed to turn the bed.

Mental Health and Psychiatric Care Units

The Eleganza 1 bed is also available in a specialty care version for environments that require a minimalistic and safe care bed. With additional built in features this version of the Eleganza 1 bed is referred to as the "extra safe" - because it is just that, extra safe for patients with high needs.

Specifications

Outer dimensions (side rails up)	218cm x 99cm
Mattress platform extension	15cm
Recommended mattress size	200cm x 90cm x 14cm
Max. mattress height	16cm
Bed height (with ø150mm castors)	39.5cm – 77cm
Maximum backrest angle	70°
Maximum thigh rest angle	34°
Trendelenburg/Reverse Trendelenburg position	+15° / -15°
Ergoframe	10 + 6cm
Height of plastic split side rails	38cm
Height of single collapsible side rails	37.9cm
Under bed clearance	16cm (18.8cm with 150mm cast)
Weight (basic equipment)	135kg
Safe working load	185-250kg



Ward



Image 3

The Image 3 electrically adjustable hospital bed responds to the growing demands of patients and nursing staff. Timeless design and suitable for a broad spectrum of health care and nursing care.

Features & Benefits

- > **Extra low position**
Extra low patient surface height of 28 cm significantly reduces the risk of injuries from falling out of bed.
- > **SafeFree Siderails**
4 different adjustable height siderails. No additional space required beside the bed folding. Covered full length bed sides.
- > **Variable Design**
Universal design for different hospitals and clinics. Flexible solutions for all needs.
- > **Mobilisation Concept**
One programmed button for mobilisation position. Integrated handle on siderails. Compatible with SafeSense bed exit alarm.
- > **3 Stop Strategy**
Automatic stop in 3 different height positions. Intended for safe sleeping, comfortable examination or easier mobilization of the patient.



Specifications

External dimensions	221 x 104cm / 220 x 99.8cm*
Mattress platform dimensions	200 x 86 / 90cm
Clearance	13 / 15.5cm
Mattress platform height adjustment	28 – 80cm
Bed extension	10; 22; 30.5cm
Maximum mattress height	18cm (split siderails); 17cm (single collapsible siderails)
Safe working load	265kg
Bed weight	160kg^
Backrest tilt	0 – 70°
Thighrest tilt	0 – 34°
TR/ATR tilt	0 – 14°

* by configuration ^ by accessories





Bariatric



Image 3 XXL Bariatric Hospital Bed

The Image 3 XXL is designed for bariatric patients and meets the growing demand for higher load beds. A very high safe working load of 320kg, extra wide mattress platform and many features make this a versatile bed for a wide range of hospital departments.

Features & Benefits

- › **Safety**

Safety is a key parameter for the Image 3 XXL. All the bed's functions ensure the patient not only feels, but is as safe as possible. Extra-low patient positioning (patient surface height 28cm) reduces the risk of falls injuries. Brake alarm. Double step locking mechanism of siderails protects from unintentional release.
- › **Mobilisation**

The special design of SafeFree side rails provides support and helps patients mobilise themselves. An optimal adjustment to the individual mobilisation height for different patient sizes is possible thanks to flexible height settings.
- › **Comfort**

Ergoframe reduces shear and friction and increases patient comfort. It decreases the risk of pressure ulcers in the pelvic and back area, spreading the distance between back and thigh rest up to 16cm. Siderail extender offers 10cm extra height in the siderails.



Specifications

External Dimensions	1100mm x 2200mm
Mattress Platform Dimensions	1000 x 2000mm
Maximum Mattress Height	260mm including the extender
Mattress Platform Height Adjustment	280 – 800mm
Maximum Backrest Angle	70°
Maximum Thigh Rest Angle	34°
Trendelenburg/ Anti-Trendelenburg Position	+14°/-14°
Ergoframe	160mm
Safe Working Load	320kg
Weight (depending on equipment)	168kg
Weight Capacity	181kg



Emergency



Sprint Stretcher 200

Three decades of innovations in healthcare now brought into stretcher in three key areas.

- > Ergonomic Drive that Goes the Distance
- > Safety Proven in a Million Care Beds Brought to a Stretcher
- > Leading-edge Design and Materials

Features & Benefits

> Easy Patient Transport

Sprint 200 was designed to minimize push forces and optimize patient transport. Thanks to i-Drive Power® Sprint 200 requires only a touch of a button to drive. Option without motorization requires 77% less than recommended initial push force.¹ Constant ergonomic posture thanks to innovative IV&Drive® concept. EasyBrake® ensures ergonomic braking from all four sides.

> Falls Prevention

Sprint 200 provides support when patient exits the stretcher and strong siderails secure the patient. Many falls happen when patient tries to leave the stretcher unsupported, Mobi-Lift handle help the patient during bed exit. Bed exit feature is integrated into scales and notifies the caregivers when patient leaves the stretcher. Secure siderails cover 70% of the patient body while still providing access for the caregivers.

> Simplify Caregivers Procedures

Sprint 200 is easy and intuitive to use and helps caregivers in their daily tasks. Thanks to scales with the precision of 0.5 kg and battery back-up, caregivers do not need to move patient to another surface for weighting. Siderails can be lowered so there is zero transfer gap between the stretcher and another surface for lateral patient transport. Hydraulic controls are reliable and easy to use under any circumstances.

> Hospital Operation Efficiency

Sprint 200 is built from high quality materials that ensure high durability. 5x more than recommended force resistance of IV poles.¹ 2.2x more than recommended force resistance of siderails.² Seamless design of columns, mattress platform and undercarriage makes the stretcher easy to clean.

> Support Patient Recovery

Sprint 200 supports multiple positions to help the patient with recovery. Positions include Cardiac chair, Trendelenburg, Reverse Trendelenburg, Vascular leg or Semi-Fowler. Thanks to Ergoframe® feature, the peak pressure in pelvic area is reduced by 16%.³ Ergoframe® also helps with sliding down prevention.

> Improve Patient Experience

Sprint 200 can be equipped with a variety of mattresses based on the condition of the patient. Reactive mattress redistributes the pressure in any position for partially mobile patients. Advanced mattress provides comfort and pressure redistribution for mobile patients. Standard and Comfort mattresses can be used for shorter stays. Large mattress platform can fit patients of most sizes without any accessories. Unique Mobi-Grips feature can help the patient with self-mobilization.

¹ White paper: Best practice for patient transport in Sprint 200 for reducing WRMSDs. Own testing, data upon request.

² White paper: Can plastic Sprint 200 siderails surpass steel? Own testing, data upon request.

³ White paper: Enhanced features for decreasing risk of developing PI in Sprint 200. Own testing, data upon request.

Specifications

External Dimensions in Standard Bed Position (length x width)	216 cm x 89cm
Siderail Height above Mattress support platform	40.4cm
Siderail Length	137.4 cm
Maximum Mattress Height	13cm
Minimum-Maximum Mattress support platform Height above floor (without Mattress)	53cm - 86cm
Castor Diameter	20cm
Maximum Backrest Angle	90°
Maximum Thighrest Angle	40°
Maximum Calfrest Angle	25°
Trendelenburg Angle	17°
Antitrendelenburg Angle	17°
Safe Working Load (SWL)	320kg
Average Stretcher Weight	167kg
Maximum Patient Weight	280kg

FloorLine-i Plus Bed

The aesthetically appealing FloorLine-i Plus Bed (previously known as the Protean 5 Ultra Low) is not just a bed, it's a complete care management solution. With its extensive range of features such as trendelenburg, cardiac chair position and electronic CPR function, the FloorLine-i Plus offers the best possible care. With its open bus digital control box it is also future proofed for adding even more accessories.

Low
Ultra Safe

Features & Benefits

- › The perfect solution for preventing fall injuries
- › Extensive range of features such as trendelenburg, cardiac chair position and electronic CPR function
- › An open bus digital control box means it is future proofed for adding even more accessories
- › Minimum height from the floor is just 99mm (3.9")
- › No compromises are made for excellent ergonomic working height reaching 799mm (31.4")
- › Optional central locking castors. This feature detects when the bed has not been moved for 60 seconds, locks the castors and puts the bed in safe mode. These castors helps reducing the risk of fall injuries caused by a moving bed due to castors not being locked
- › A complete management solution

Specifications

Platform Position Min-Max	99mm – 799mm
Sleeping Dimensions L x W	2000 x 900mm With extension kit 2175mm x 900mm
Bed Dimensions L x W	2325 x 925mm With extension kit 2500mm x 925mm
Functions	Twin castors, battery back up, Auto contour button for cardiac chair, position, handset with lockout
Compliance Standards	IEC 60601-2-52:2009 EN1970:2002 AS/NZS 3200.2.38:2007
Max User Weight	185kg
Safe Working Load	250kg
Product Weight	140kg



AVE 2 Birthing Bed

The AVE 2 birthing bed brings expectant mothers maximum safety and comfort as well as the freedom to change birthing positions.

Exceptional design combined with extraordinary functionality, AVE 2 is suitable for delivery, recovery and postpartum childbirth phases.

Features & Benefits

> Simple Control

Integrated control panel with clear pictograms and symbols for woman in labor and nursing staff.

1. High and Tilt Adjustment
2. Trendelenburg Position
3. Lockout Control
4. Under Bed Light (optional)
5. Nurse Call (optional)

> Independent Seat Tilting

Unique oval shape creates space for perineal access and fits closely to the birthing tub minimizing transfer gaps. An advanced pelvic tilt feature allows for better support for perineal care.

> Side Rails

Side rails with control panel easily integrated and hideable when transferring patients from one bed to another. Silent and easy turning with one hand. No additional space needed beside the bed. Serve as support to help patients sit up.

> Column Concept

Innovative telescopic solution provides extra low height for accessing the bed safely and extra height for treatment.

> Retractable Foot Section

Simple swivel mechanism to hide the foot section which is fast and easy for delivery. It remains attached to bed, no storage on the floor means infection prevention and prevention of dorsal injuries from being incurred by the personnel when manipulating the product.

> Hygiene and Safety

High hygienic standard and compact construction of particular sections of the rest area and the plastic cover of the bed base reduce the time needed for the cleaning the bed.

1. Bacterial static leather
2. Seamless upholstery
3. Compact and separate space
4. Electrostatically painted with epoxy powder coating against corrosion



Specifications

Total length of the lying area	2132mm
Minimum length in the default setting	1570mm
Full width	980mm
Castor size	150mm
Minimum height	600mm
Maximum height	1050mm
Back section	-10°/+70°
Seat section	0°/+18,5°
Trendelenburg position	0°/-10°
Leg rests vertical	0°/+135°
Leg rests horizontal	0°/+60°
Foot section adjustment angle	0°-22°
Maximum patient load	240kg
Overall product weight	236kg



PURA Multifunctional Chair

The PURA Multifunctional Chair is ideal for dialysis and oncology departments, examination rooms or treatment rooms. Design and comfort are PURA's key features.

PURA supports healthy sitting which is why it suits treatments where clients spend time in one position. Comfortable loading area and ergonomic armrests provide maximum comfort during treatment.

Features & Benefits

- › PURA's unique design creates a pleasant environment for patients and improves the working environment for personnel.
Thanks to its compact size, the chair does not require much space and it can be used in smaller consulting rooms.
- › **Low Access Height**
Quick and easy electrical height adjustment allows ease of access plus patient positioning via a single button, convenient for both patients and clinical staff.
- › **Innovative Solution**
Self service. Positionable, ergonomically shaped armrest. Adjustable foot support. Integrated controller lock.
- › **Unique Legrest**
Unique legrest solution increases comfort and enables the patient to change position on the chair with ease.
- › **Hygiene**
Compact construction and plastic cover of the underframe make cleaning easier and reduce the time required for maintenance. Seamless upholstery allows perfect disinfection. The chair is made of modern materials, which fully comply with the demanding conditions of health care.
- › **Safety**
Firm construction guarantees perfect stability of the chair. The chair has no unsafe gaps or sharp edges, which increases safety of the patient and personnel.



Specifications

Supporting area length	2100mm
Backrest length	950mm
Seat length	500mm
Leg support length	650mm
Support area width	590mm
Positioning angles	
Backrest positioning angle	0°/+65°
Seat positioning angle	+5°/+25°
Leg support positioning angle	-30°/0°
Trendelenburg positioning	-12°
Armrest positioning angles	
Vertical	+8° / -20°
Horizontal	-20° /+60°
Maximum patient weight	180-200kg
Product weight	98-110kg

GRACIE Gynaecological Chair

The GRACIE Gynaecological Chair and workplace create a modern and friendly environment for both the physician and patient, emphasizing ergonomics and effectiveness of gynaecological investigation.

GRACIE has an integrated video colposcope, the option of connection to an ultrasound machine and an instrument trolley option to create the ideal connected work space.



Features & Benefits

> **Video Colposcope**

Polarising filter eliminates glare during examination. Green filter enhances the red colour of capillaries while eliminating interfering perception of surrounding tissue. Integration of a FULL HD video colposcope into the chair reduces demands on space and increases examination efficiency.

> **LCD Screen**

The height and adjustment of the screen allows proper ergonomics during use. Attachment can be either the left or right side of the chair.

> **Wireless Solution**

Wireless connection to your computer, meaning no cables and a safer environment. Photos and videos are stored in the memory of the chair.

> **Complex Solution**

Gracie combines the advantages of a bed and a chair in one. The access position is suitable for less mobile patients reducing the need to use steps. The examination position has a range of adjustments to ensure comfort for the specialist and patient.



Specifications

View website for full specifications.



“I have never used a chair with all the comfort and technology which the Gracie Chair offers. When my patients first see the chair, most of them are immediately impressed.”

Dr Edward Williams

Read our review from private Gynaecologist and Obstetrician online



Graciella® Gynaecological Chair

Preventive examination is one of the most frequent procedures carried out at gynaecology clinics. The Graciella® gynaecological examination chair enables the physician to work with patients ergonomically, and its functional design elements help increase the patient's comfort and safety.

Graciella® has been designed with attention to detail, taking into consideration the time-consuming work of gynaecologists. Basic examination, including ultrasound, can be done ergonomically in one place. The unique two column design enables easy positioning of the chair and increases the patient's trust before and during the examination.

Features & Benefits

› Simple handling

The chair can be easily adjusted into a horizontal position so the gynaecologist can examine the patient using ultrasound without needing to move her to an examination bed.

The hand controller can be accessed from various angles thanks to a rotating mechanism.

The foot controller allows the chair to be quickly adjusted even during examination.

› Easy positioning

Preset positions allow the chair to be switched to the two most common positions - the sitting position and the examination position.

The positioning range allows the leg supports to be adjusted conveniently according to the gynaecologist's needs while ensuring that the patient remains comfortable.

› Design

The variable positioning allows the chair to be adjusted to the physique of individual patients. Patient comfort is also enhanced by the soft upholstery and ergonomic shape of the chair. An integrated headrest is also included.

The Graciella® chair has a range of leg supports available which can be selected according to the purpose, focus or most common gynaecological examinations of each healthcare facility. The leg supports can be adjusted according to the needs of the patient and gynaecologist.

There is a step to help patient to enter the chair, designed with a rotating mechanism. It can be moved to the side so that it does not obstruct the examination.

› Hygiene and easy cleaning

The Graciella® chair is equipped with a unique column design. The elegant design solution provides additional added value with its exceptional hygiene parameters.

The column is made of electrolytically oxidised aluminium with a thin film of lubricant on its surface. The space between the cylinders of the telescopic column is filled with plastic spacers which ensure that no contaminants can enter the inside of the column.

The material of the seamless upholstery is modified to allow easy decontamination using common hygienic methods.

The chair is easy to move around the clinic thanks to the retractable wheel on the undercarriage, particularly when the floor around and under the chair is being cleaned.





Tom 2 Paediatric Hospital Bed

The Tom 2 Paediatric Hospital Bed is a state-of-the-art pre-school children's bed, with electric positioning, telescopic siderails, and high safety parameters all in an aesthetically pleasing and child-friendly design.

Features & Benefits

- › **Unique telescopic side rails** allow access to the patient and have three adjustable height positions. The extra low position of the side rail is under the mattress and every day routines become significantly easier for nurses. Ergonomic handrails make the release of siderails extremely safe. Autoregression ensures a constant safety gap between the backrest and head of the bed. Height adjustment extending to 250mm (580 – 830mm) ensures patient safety and allows nursing procedures to be performed ergonomically.
- › **Unique modern design**
Clean lines, modern materials and fresh colours characterise the look of the Tom 2 bed. Transparent bed ends allow the child constant contact with their surroundings, parents and staff. Colour printed motifs on bed ends reflect the playful world of children.
- › **Electric Positioning**
Positioning of the Tom 2 is fully electric. Controls are used to adjust the bed height, tilt of the backrest and (Reverse-) Trendelenburg position. The "GO" button prevents any unwanted or accidental activation of the bed's positioning as the bed cannot be positioned without its activation.
- › **Column Construction**
The column construction makes it possible to adjust the height of the entire bed, ensures perfect stability, provides unrestricted access to all parts of the bed and makes it excellent to clean.





Specifications

Outer Dimensions	830 x 1554mm
Recommended Mattress Dimensions	700 x 1420mm
Recommended Mattress Height	100mm
Bed Height	580 – 830mm
Siderail Height Above Mattress Platforms	50mm / 400mm / 800mm
Autoregression of Backrest	110mm
Maximum gap between backrest and head end	25mm
Maximum Backrest Angle	40°
Trendelenburg/Reverse Trendelenburg Position	15°/15°
Weight (depending on equipment)	120kg
Clearance	130mm
Safe Working Load	75kg





BK02 Baby Cot

Safe hospital standard cot, designed for the most precious users. The Nitrocare BK02 Baby cot can be easily pushed on castors as well as carried around with full adjustable height.

Robust castors allow smooth transportation of the cot, as well as a comfortable stable transfers for newborn babies. Known for quality, these beds have outstanding infection control with easy to clean features. Liquid tight, and highly safe cot, ideal for birthing centers and delivery wards.

Features & Benefits

- > Hospital standard cot for maternity wards and maternity centres
- > Formed by a carrier car, a transparent plexiglass cell on top
- > Liquid tight, antiperspirant
- > Antibacterial, easily carried and light baby cot
- > 360 degrees movable castors, 2 of them lockable
- > Corrosion resisting metal parts and electrostatic powder coating against external factors
- > Height adjustable



NATALLY Radiant Infant Warmer

The NATALLY Radiant Infant Warmer provides a safe and comfortable environment for newborn children in delivery rooms and during subsequent intensive care. Thanks to its compact design, the warmer is easy to manipulate and it is suitable also for smaller neonatal and obstetric departments.

Features & Benefits

- > Preheating mode, manual mode and body temperature mode
- > 90° rotation of the emitter to both sides
- > Electrical bed tilting
- > Positionable 9" colour LCD monitor
- > Vital signs monitoring by Masimo
- > Integrated weighing scale
- > Height-adjustable chassis with two-side control
- > Phototherapeutic module
- > Wide selection of accessories
- > **A European manufacturer as a guarantee of quality**
Robust durable construction and low failure rate of the warmer ensures low maintenance costs and service and offers a truly valuable and economical solution for various clinical environments.
- > **Dual control**
To provide even greater safety there is dual microprocessor control of all functions – everything is checked twice, by two independent processors.
- > **Maximum flexibility**
We can customize the warmer according to the individual needs of our customers and more than meet their special needs and wishes. The possibility of optional modules transforms a standard device into an intensive care model.
- > **Compact design**
Thanks to its compact design, the warmer is easy to manipulate and it is suitable also for smaller neonatal and obstetric departments.



BABY ACTIVE Transport Incubator

The solid structure of the BABY ACTIVE Transport Incubator is designed to resist the strains of transportation and to absorb impacts. Undercarriages for transportation by an ambulance or for transport within hospital facilities.

The transparent double cover ensures thermal insulation properties and provides the health care staff with optimum visibility, for example during examination by integrated LED light.

Features & Benefits

- › It maintains stable climatic conditions (air temperature, oxygen concentration) during the patient transport
- › Double transparent cover
- › Optical and acoustic signalling of key parameters via alarm system
- › Power from the internal energy source of the incubator (for at least 4 hours), possibility to be powered from a car battery or from standard mains
- › Automatic charging of internal batteries when connected to a network
- › Possibility of fitting with additional devices such as vital signs monitor, ventilator etc.
- › Safety belts and a special anti-stress mattress guarantee the child's safety and comfort

Optional Accessories

- › LED examination light
- › Fixing belts
- › IV pole with shelf and infusion holder
- › Cotton blanket



SHELLY Neonatal Incubator

The SHELLY Incubator is already the fourth generation of newborn stationary incubators of TSE production. It is intended for both intermediate and intensive care. As a modern medical product it provides high comfort for both the patient and healthcare personnel. Incubators are very variable and can be supplemented with a number of optional accessories. The great advantage of SHELLY is the low noise level in the patient space – 38 dB only. Vital signs monitoring is optionally ensured by integrated Masimo Rainbow SET, which represents the top on the monitoring system market.

Features & Benefits

- › Control panel with colour 9" LED display visible from long distances
- › Absolute safety is provided by two independent processors and a sophisticated alarm system
- › The noise level in the patient's space is only 38 dB
- › Easy cleaning and disinfection, possibility of autoclave sterilization of the humidifier chamber
- › Adjustable bed, extensible to both sides, can be rotated by 45° at the patient's head
- › Air curtain, drawer for X-ray cassette, dual temperature probes
- › Masimo Rainbow SET

Optional Accessories

- › Dual temperature probes
- › Oxygen regulation
- › Monitoring of vital signs by MASIMO
- › Integrated weighing scale
- › Complete double plexiglass cover
- › Holder of hoses for ventilation, suction and food supply
- › Examination light
- › IRIS hand port
- › Infusion hooks
- › Shelves and rails for additional devices
- › Closed storage boxes on the lower part – 2 pcs
- › Backup power
- › Choice of one-sided or double-sided pedals for adjustable height of undercarriage
- › Antistatic wheels
- › Newborn positioning aids




LILLY LED Phototherapy Lamp

The LILLY Phototherapy Lamp represents the top of the class. The state-of-the-art LED technology is used for neonatal hyperbilirubinemia treatment. A unique device combines safe therapy, ultra long life of radiators, treatment effectiveness and economical operation. It emits intensive light radiation within the spectrum of 440 – 470 nm to reduce bilirubin concentration in the neonatal body.

Features & Benefits

- › Long LED life
- › White examination light allows correct identification of the infant's skin colour
- › Aiming function – activation of two red light points for a correct positioning
- › Automatic or manual intensity control
- › Device programmable with buttons or PC
- › Patient temperature control via alarm
- › Low noise level and easy to maintain
- › Use the lamp freely on an incubator or with a stand over an infant bed or a warmer
- › Height adjustable stand and flexible positioning of the radiator in all directions
- › **Adjustable stand**
The stand enables the exact adjustment of the lamp at the required height. Simple and stepless control is enabled by an internal gas support controlled by pressing the positioning pedal.
- › **LED technology**
The LED technology enables higher effectiveness of treatment within a shorter period of time, economical operation, minimum noise and very long life of the radiators, which are capable of operating at least 60 thousand hours.
- › **Temperature sensor**
A temperature sensor, with adjusted alarm limits attached to patient's body, prevents the patient from being overheated.
- › **Double use**
The simple and safe attachment of the radiator with a fastening nut enables the lamp to be used on an incubator cover. Anti slip pads ensure stable positioning. It can also be suspended on a stand for use over an infant bed or a warming bed.
- › **Examination light**
A white examination light set to daylight allows correct identification of the infant's skin colour. It enables a quick visual classification of the patient's condition without requiring the taking of blood or other measurements.
- › **Flexible positioning**
Joint suspension enables flexible positioning of the phototherapy radiator in all directions. Direction points make it easy to find the best position for optimum coverage of patient's body with therapeutic light.
- › **Intuitive control**
Intuitive controls including a navigation line make the operation easy. It enables the operators to choose from two treatment modes.

- › **Manual mode**
The manual mode enables adjustments to the required light intensity. A time counter on the main screen displays the total treatment time. The counter always automatically stops when treatment is interrupted and continues after it is resumed.
- › **Therapeutic mode**
The therapeutic mode enables the selection of therapeutic programmes that may be freely changed and stored. Each therapeutic programme consists of three treatment sequences. Each sequence has an adjusted treatment intensity and time; as soon as one sequence ends the unit starts the next one automatically until it reaches the end of the programme.
- › **Automatic regulation of radiation intensity** | When switched on, in each mode the unit sets the exact intensity according to the distance between the radiator and the patient. This ensures maximum treatment effectiveness and simplifies the operation.





Aged Care Beds



Elvido Care Bed Series

The Elvido care bed series strives with every detail to relieve the burden on the nursing staff and improve the quality of life for the residents. The focus is on digital innovations such as the new out-of-bed systems and a modular design that transforms every single bed into a tailor-made dream bed. The Elvido range of fully electric low-height beds promotes protection, mobilisation and comfort, without restricting freedom.

Features & Benefits

- > VARIO SAFE – The best system for adjustable care beds. The Vario Safe system is the ideal option if you want to equip your Elvido bed with split safety sides or side panels.
- > With Vario Safe, all the bed surround elements can be removed and replaced without the use of tools. This is made possible by patented fasteners.
- > RELIEF – Nursing staff are supported with intuitive operation, easy mobility and an ergonomic working height.
- > OUT-OF-BED – Two variants to choose from for quick support of residents who are at risk of falling. The fixed system OOB Smart and the mobile system OOB Flex.
- > EASY CLICK – The new generation of the Elvido series comes with the intelligent Easy-Click system as standard. The bars can be “clicked” onto pre-assembled brackets without tools. This makes it easier to set up and clean the bed.
- > Combinable divided safety sides for unhindered entry and exit selectable
- > Standard manual switch with lighting at night
- > Digitization with simple operation and high benefit
- > Safe working load of at least 225 kg



Also available with a night time handset

Specifications

External Dimensions approx.	100.3 x 211cm
Mattress base (mattress dimensions)	90 x 200cm or 100 x 200cm
Mattress base division (back/seat/thigh/lower leg) approx.	85 / 15 / 40 / 60cm
Backrest length compensation approx.	10cm
Safe working load	225kg
Ground clearance	15cm
Total weight approx.	140kg
Height adjustment	Approx 25 - 80cm

A range of attractive fabrics and faux leather are available for the Nobla head/footboards and the Vario Safe side panels.



Find out more here:





Aged Care
Beds



Basano Ultra Low Care Bed

The ultra-low Basano bed allows residents to stay safely and comfortably close to the floor and the caregiver the full support of a modern care bed. With the intelligent Easy-Click system, the side rails can be “clicked” onto pre-assembled brackets without tools and removed again at any time. This makes it easier to set up and clean the bed. The LCD handset controls the bed with just 3 buttons and offers customized operating levels for caregivers, residents and technical staff.

Features & Benefits

- › Height adjustment range: approx. 15-80 cm
- › High safe working load of 225 kg
- › All functions can be controlled with a handset
- › Choice of full-length and combined safety side rails
- › Both safety sides with Easy Click system requiring no tools for fitting
- › Simple castor braking in pairs with easily accessible brake pedals
- › Integrated bed extension for tall residents
- › Homelike appearance thanks to attractive headboards and footboards and wood decors

Specifications

External Dimensions approx.	101.6 x 236.5cm
External dimensions with extended bed extension approx.	101.6 x 254.5cm
Mattress base (mattress dimensions)	87 x 200cm
Mattress base division (back/seat/thigh/lower leg) approx.	72 / 25 / 33 / 54cm
Backrest length compensation approx.	8cm
Safe working load	225kg
Ground clearance	15cm
Total weight approx.	130kg

Find out more here:





Aged Care Beds

Partner the AURA Bed, with a matching bedside cabinet & make it a complete package
See page 156 for the range

AURA Low Edition Care Bed

The AURA Low Care Bed strikes the perfect balance between design and functionality. With a low position of just 25cm, AURA is recommended for falls prevention.

Its centrally braked, concealed castors offer optimum mobility without compromising the bed's home-like character. AURA sets new standards in safety and flexibility with the innovative vertical side rail system in premium-quality aluminium.

An integrated bed extension ensures that the reclining surface can be expanded by up to 20cm quickly and easily without compromising the appearance. No tools or additional protectors are required in the process.

Specifications


Low position	25cm
Working height	82cm
Safe working load	225kg
External dimensions	100 x 206cm
Transfer position	35cm
Chassis	50mm rubberised double castor with covering and fixed axis feature
Reclining surface	90 x 200cm

Features & Benefits

- › 25cm low position
- › Four-part reclining surface with mattress compensation
- › Automatic comfort seating mechanism for raising to a sitting position
- › Extreme stability in every position
- › Integrated bed extension
- › Maximum safety in combination with bed exit system

Fields of application

- › Exclusive establishments such as retirement homes
- › Dementia patients
- › Fall-prone patients (nocturnal agitation, sleep disorders, etc.)
- › Delirium patients, e.g. in case of postoperative delirium
- › Patients with nocturnal orientation problems
- › Vulnerable patients who refuse bed rails
- › Patients with coordination difficulties, e.g. MS or Parkinson's disease





Aged Care
Beds

Also available in the mobile version, Impulse Edition 400 LR.

Impulse Edition 400 Low Care Bed Series

The Impulse 400 Low Care Bed allows the reclining surface to be lowered to a floor height of just 25cm, meaning there is almost no risk of injury to occupants in this position in the event of a fall.

Impulse is equipped with a superior range of basic features, from an integrated bed extension and mobilising side rail system to the transfer position, which facilitates patients' mounting and dismounting at an optimised seating height.

Features & Benefits

- › 25cm¹ low position
- › Four-part reclining surface with mattress compensation
- › Automatic comfort seating mechanism for raising to a sitting position
- › Extreme stability in every position
- › Integrated bed extension

Fields of application

- › Dementia patients
- › Fall-prone patients (nocturnal agitation, sleep disorders, etc.)
- › Delirium patients, e.g. in case of postoperative delirium
- › Patients with nocturnal orientation problems
- › Vulnerable patients who refuse bed rails
- › Patients with coordination difficulties, e.g. MS or Parkinson's disease

Specifications

Scan to view specifications.



Four Stage Positioning





Aged Care Beds

Partner the Ayleen Care Bed, with a matching bedside cabinet & make it a complete package

See page 156 for the range

Ayleen Care Bed Series

The ideal combination of functionality and cost-effectiveness.

All four editions of the basic AYLEEN care bed feature maintenance-free linear drives and a reliable low-voltage control electronics for safe and stable height adjustment. The four-part, electrically adjustable reclining surface has an automatic comfort function to contour the reclining surface (auto contour) in addition to the individual adjustment of the back rest, upper and lower leg supports. This enables the bed occupant to move into a comfortable, upright position quickly and easily.

Specifications

Scan to view specifications.



Three Stage Positioning





**Aged Care
Beds**

FL250 Floorline Bed

With its impressive low height of 110mm, injury to the resident can be significantly reduced or avoided in the event of a fall from the FL250 Floorline bed, therefore reducing the need for side-rails.

We can customise as required to incorporate your choice of material, colour, finish, size or shape and match any interior design specifications

ORDER CODES:

0102-2021 - Single

0102-2022 - King Single

Features & Benefits

- › Under Bed Clearance – While the FL250 achieves a low height of 110mm, full clearance under the bed is still maintained, minimising the risk of foot or cord impingement.
- › SmartDescent™ Automatically slows descent speed over the final 300mm of lowering to the floor level, allowing possible impingements to be identified and moved.
- › Hidden Bed Mechanisms: The bed mechanisms are attached under the platform and are not visible. This helps the room feel less clinical.
- › Low Height 11cm: Adding a 15cm mattress gives you a total height below 30cm thus significantly reducing out-of-bed fall injury risks.
- › Auto-Regression on back & knee rests: Reduces skin shear forces during operation thus improving clinical outcomes and reducing the need for expensive mattress solutions.
- › High SWL 250kg & base-extension to 100 & 200mm: The same bed platform can meet a wider profile of residents.
- › BrakeFirst™ Automatic Safety Brake Activation at lowest height: Reduces the risk of injury during bed exit in the morning as the bed will lock when at its lowest height.
- › Single Button Seat Position: Easy transfer of weight from lower back to bottom for pressure-care and seated positioning also helps improve lung function for resident.
- › ExitSafe™ Single Button Ingress/Exit height: Your staff don't have to think about what height to set the bed. Via one button the vast majority of needs are met.
- › Attendant Control Panel – Allows the caregiver to lock out certain functions and also ensures bed operation is not just restricted to the handset.
- › Grey Colour Scheme & Narrow-profile frame: Keeps the focus on bedding and furnishings/finishings rather than the bed-frame.
- › Underbed light standard: Helps to reduce incidence of resident and caregiver falls.
- › Rubber & Nylon castors: Castors remain on the ground during braking, thus not damaging floors.

- › King Single Extension Kit (optional retrofit): Allows you to change the profile of your beds (with minimal cost) to meet resident profile changes.
- › KTL coated anti-corrosion steel: Improved durability for lower lifecycle cost.
- › Low-maintenance Braking System
- › The FL250 Bed incorporates a sophisticated range of finishing options. From our contemporary stock selection and made to order styles through to completely bespoke, any interior design desires can be met.

Specifications

	Single	King Single
Total length	200cm	200cm
Total Width	90cm	107cm
Safe Working Load	250kg	250kg
Electric Leg	False	False





aspire *ComfiMotion*

The CARE Adjustable bed blends seamlessly into the home without compromising on the therapeutic needs of the user or safety of partners or carers. Select from multiple position options designed to maximise independent mobility and improve sleep quality.

ORDER CODES:

Beds

0102-4001: CARE Adjustable Bed w/ Tilt (LS) - Portobello Grey (Headboard Sep.)

0102-4002: CARE Adjustable Bed w/ Tilt (KS) - Portobello Grey (Headboard Sep.)

Features & Benefits

- > Night Assist: Luminous underbed halo for safe entry and exit throughout the night.
- > Press and Hold Safety Handset: Intuitive, large button interface enhances usability.
- > Enclosed Frame Design: Ensures optimal positioning when getting into bed and safely covers the moving base platform.
- > Safe-Lowering Technology: Ensures that back, leg and Hi-Lo functions only lower under the force of gravity reducing potential for accidents or injuries.
- > Box-on-Box Design facilitates easier entry and exit and allows true flush positioning of beds in companion or dual adjustable bed configurations.
- > German Engineered Motors for smooth, quiet adjustment.

Specifications

	Long Single	King Single
Total Length	203cm	203cm
Total Width	92cm	107cm
Total Height	28 - 58cm ¹	28 - 58cm ¹

¹ With Low Profile Bed Legs.


Variable Bed Height Options



Low height
280 - 580mm with
Low Profile Bed Legs




Standard
350 - 650mm with
Standard Castors




Accessibility
400 - 700mm with
Large Castors (optional)


Accessories




Crook Handle Bed Stick



Fixed Bed Rail






Companion Beds

Fixed Companion Bed


Fixed companion adjustable beds consist of matching single beds designed to sit flush when positioned together. It facilitates a side-by-side sleeping arrangement at a fixed height of 370mm, without compromising on the users care and assistance requirements.

ORDER CODE:

0102-4003: FIXED COMPANION Bed (LS) - Portobello Grey (Headboard Sep.)



Allure



Chesterfield

Headboards

ORDER CODES:

0102-4010-Allure Headboard (LS) - Portobello Grey

0102-4011 Allure Headboard (KS) - Portobello Grey

0102-4012-Chesterfield Headboard (LS) - Portobello Grey

0102-4013-Chesterfield Headboard (KS) - Portobello Grey



aspire *ComfiMotion*



Pocket Spring Foam



Transitional Layered Pocket Springs
Arranged in weight activated support zones.



Integrated Side-walls
Creates roll resistance at the bed edge and provide extra rigidity to ease bed entry and exit.



Luxuriously Soft Pillowtop Layer
Provides a plush immersive feeling complimented by the responsive pocket springs.

ORDER CODES:

0102-4008-Pocket Spring Mattress (LS) - Portobello Grey (sides)

0102-4009-Pocket Spring Mattress (KS) - Portobello Grey (sides)



Memory Foam

The ComfiMotion Pocket Spring mattress offers zoned support springs that respond and contour to the individual body shape to improve comfort, maximising support and sleep quality.



Contoured Immersion

Specially layered memory foam provides contoured immersion for support and pressure relief.



Superior Breathability

Up to 8x more breathable than conventional memory foams.



Anti-microbial

Environmentally safetreatment is added to the foam which reduces odours and kills 99.9% of bacteria.



Eco-friendly GECA Foam

Produced using cleaner chemicals and production technology.

ORDER CODES:

0102-4004 - Memory Foam Mattress Classic (LS) - Portobello Grey (sides)

0102-4005 - Memory Foam Mattress Classic (KS) - Portobello Grey (sides)

0102-4006 - Memory Foam Mattress Incontinence (LS) - Portobello Grey (sides)

0102-4007 - Memory Foam Mattress Incontinence (KS) - Portobello Grey (sides)





Long Term Care



Long Term Care

aspire

Aspire Community Bed

The Aspire Lifestyle Community Care Bed is an electrically operated bed for the community or homecare environment. The bed has a fabricated steel frame with a powder coat finish and utilises plastic components of various material specifications.

ORDER CODES:

- 0102-4014: Single
- 0102-4015: King Single

Features & Benefits

- › Maximum safe working load (SWL) of the bed is 220kg with a maximum user weight of 180kg.
- › Available in Single and King Single sizes.
- › Electrically adjusted height range of 220-710mm.
- › Total lock foot operated castor wheels.
- › Four section electrically operated mattress platform with independent adjustment of backrest angle (maximum 60°) and knee section angle (maximum 30°).
- › Trendelenburg / Reverse Trendelenburg angle of 10.5°
- › Removable mattress retainer handles.
- › Integrated bed extension at foot end extends the bed by 100mm in total.
- › Removable bed end sections and transportation kit facilitates easy relocation and storage.

Specifications

	Single	King Single
Total length	222 - 237cm	222 - 237cm
Total Width	99.5cm	115.5cm
Total Height	24.5 - 64.5cm	24.5 - 64.5cm
Safe Working Load	180kg	180kg
Number of Functions	5	5

aspire

Aspire Maxi Lifestyle Bed

The Aspire MAXI Lifestyle Community Bed is an electrically operated bed for the community, homecare, aged care and acute care environments. The bed has a fabricated steel frame with a powder coat finish and utilises plastic components of various material specifications.

ORDER CODES:

- 0102-4016

Features & Benefits

- › Maximum safe working load (SWL) of the bed is 385kg with a maximum user weight of 350kg.
- › Available in Super King Single size.
- › Electrically adjusted height range of 330-730mm.
- › Total lock foot operated castor wheels.
- › Four section electrically operated mattress platform with independent adjustment of backrest angle (maximum 73°) and knee section angle (maximum 30°).
- › Trendelenburg / Reverse Trendelenburg angle of 10°.
- › Removable mattress retainer handles.
- › Electric folding bed facilitates easy relocation and storage without the need to disassemble bed sections.

Specifications

Total Length	229cm
Total Width	136cm
Total Height	30 - 73cm
Safe Working Load	385kg
Number of Functions	4



aspire

Aspire ComfiMotion Activ Care Bed

The Aspire ComfiMotion CARE Bed is designed as a duo with the ComfiMotion Fixed single bed. These beds are designed to sit flush when positioned together. The Fixed bed facilitates a side-by-side sleeping arrangement at a fixed height, without compromising on the users care. The ComfiMotion CARE bed features include Hi-Lo Functionality, Back raise, clinical positioning, leg raise, zero gravity, seated position and trendelenburg (and reverse). The Care Adjustable bed blends seamlessly into the home without compromising on the therapeutic needs of the user or safety of partners or carers. Select from multiple position options designed to maximise independent mobility and improve sleep quality.

ORDER CODES:

- 0102-4025: King Single Portobello Grey
- 0102-2034: Long Double UltraLow Bed
- 0102-2031: Queen UltraLow Bed



Features & Benefits

- > Night Assist: Luminous underbed halo for safe entry and exit throughout the night.
- > Press and Hold Safety Handset: Intuitive, large button interface enhances usability.
- > Enclosed Frame Design: Ensures optimal positioning when getting into bed and safely covers the moving base platform.
- > Safe-Lowering Technology: Ensures that back, leg and Hi-Lo functions only lower under the force of gravity reducing potential for accidents or injuries.
- > Box-on-Box Design facilitates easier entry and exit and allows true flush positioning of beds in companion or dual adjustable bed configurations.
- > German Engineered Motors for smooth, quiet adjustment.
- > Hi-Lo: Assists with manual handling and helps to mitigate fall risks.
- > Back Raise: Improves postural support and can ease symptoms of reflux, respiratory conditions, snoring and sleep apnoea.
- > Clinical Positioning: One touch raises back and legs to alleviate cardiac exertion, improving resting comfort.
- > Leg Raise: Promotes circulation, relieving tired, swollen and/or painful limbs.
- > Zero Gravity: Helps to relax the circulatory system and muscles of the lower back.
- > Seated Position: Assists with bed entry and exit and upright dining.
- > Trendelenburg (and Reverse): Can assist care givers when repositioning a user.
- > The ComfiMotion Pocket Spring and Memory Foam mattresses are designed with the flexibility to follow the contouring profile of an adjustable bed.

Specifications

	Long Single	King Single
Total length	203cm	203cm
Total Width	92cm	107cm
Total Height	28 - 58cm	28 - 58cm



Long
Term
Care

HARMONY

Harmony Abode Bed

The Harmony Abode is a stylish, scissor lifting care bed that will look beautiful in any room. Available in King Single 1000mm or 1200mm width options.

ORDER CODES:

- 0102-2807: 1000mm
- 0102-2808: 1200mm

Features & Benefits

- › Beech coloured wood and silver powdered metal create a stylish finish
- › Available in King Single 1000mm or 1200mm wide
- › Scissor lifting action
- › 4-section lying surface electrically adjustable between 40 cm and 80 cm (upper end of lying area) with two independent motors
- › Foot end can be manually adjusted with two ratchets
- › Adjustment is controlled with a splash-proof manual control switch and each function can be individually locked
- › Squeezing hazards are reduced with end caps that minimize the space between side rails and wooden front
- › Side bars can be lowered directly on to each other allowing for easy entrance and exit from the bed
- › Lockable castors

Specifications

Safe working load	200kg
Total weight	102kg
Heaviest single part	27kg
Dimensions	Length 207cm, Width 102cm
Back length	80cm
Head adjustability	70°
Foot adjustability	20°
Height under mattress support	16cm
Castor size	100mm always with brake



Long
Term
Care

HARMONY

Harmony Abode 350kg Bed

The Harmony Abode 350kg Bed is a high quality care bed especially designed for patients with a higher body weight or when a heavier mattress is necessary. Available in 1200mm or 1400mm width options.

ORDER CODES:

- 0102-2810: 1200mm
- 0102-2811: 1400mm

Features & Benefits

- › Abode 350kg Bed is a high quality care bed especially designed for patients with a higher body weight or when a heavier mattress is necessary.
- › Available in 1200mm or 1400mm width options
- › 350k safe working load, bariatric care bed
- › Built to withstand high stress and strain
- › Easy to shift with high quality ball bearing castors
- › Side bars can be lowered directly on to each other allowing for easy entrance and exit from the bed
- › 4-section lying area of 100cm x 200cm made from easy to clean mesh is individually adjustable with two single electric motors
- › Manually adjustable foot part with two ratchets
- › Laterally accessible for patient lifts
- › Lying area electrically adjustable between 40cm and 80cm (upper lying area)
- › Splash proof manual control switch with individual function locks
- › Stable scissor lifting mechanism designed to handle loads up to 350kg

Specifications

Safe working load	350kg
Total weight	149kg
Heaviest single part	53kg
Back length	80cm
Head adjustability	70°
Foot adjustability	20°
Height under mattress support	22cm
Castor size	100mm always with brake



Do you need a bedside cabinet different to these options?
 Contact our team to create a custom-built cabinet to meet your needs!



Bedside Cabinet W I Standard

The Bedside Cabinet W I Standard is part of the Bed and Bedside Furniture range from Malsh. This range is available in many different wood colour options.

ORDER CODE: 0107-0002

1 Tray pullout with interlock, 1 drawer optional lockable, 1 open compartment, 1 large drawer.
 45 x 48 x 75cm (W/D/H)



Bedside Cabinet W I Niedrig

The Bedside Cabinet W I Niedrig is part of the bed and bedside furniture range from Malsh. This range is available in many different wood colour options.

ORDER CODE: 0107-0005

1 tray drawer with locking mechanism, 1 drawer, 1 deep drawer with bottle holder, Optional: Lockable.
 45 x 48 x 65cm (W/D/H)



Bedside Cabinet W II

The Bedside Cabinet W II is part of the bed and bedside furniture range from Malsh. This range is available in many different wood colour options.

ORDER CODE: T0107-0003

1 drawer with push-through guard, 1 fold-out side opening bed tray, 1 open storage compartment, 1 revolving door with shelf.
54 x 49 x 90cm (W/D/H)



Bedside Cabinet W III

The Bedside Cabinet W III is part of the bed and bedside furniture range from Malsh in Germany. This range is available in many different wood colour options.

ORDER CODE: 0107-0004

1 drawer, 1 open storage compartment, 1 deep drawer with bottle holder or revolving door, 1 side tray, height adjustable from 75 - 113 cm.
45 x 49 x 75cm (W/D/H)



Bedside Cabinet W IV

The Bedside Cabinet W IV is part of the bed and bedside furniture range from Malsh. This range is available in many different wood colour options.

ORDER CODE: 0107-0006

1 tray drawer, 1 drawer, 1 deep drawer with bottle holder,
Optional: Lockable.
47 x 47 x 65cm (W/D/H)



Over Bed Table Rubens 9

The split tray enables for example the deposit of a cup of tea on the non-adjustable part of the table while reading a book in well-adjusted comfortable position.

The angle adjustability of the book-rest is eligible in 5 steps, variable by using a ratchet placed on the backside of the adjustable tray.

ORDER CODE: 0107-0008



Over Bed Table Server XL

This over bed table in a modern silver look features a split tray table for example the deposit of a cup of tea on the non-adjustable part of the table while reading a book in well-adjusted comfortable position.

The angle adjustability of the book-rest is eligible in 5 steps, variable by using a ratchet placed on the backside of the adjustable tray.

ORDER CODE: 0107-0007

StaminaLift TS5000 Bed Mover

Reduce healthcare workplace injuries with the StaminaLift TS5000 Bed Mover. The result of extensive research, development and field testing, the StaminaLift TS5000 is unlike any other hospital bed mover. Your staff will love using it because it is a pleasure to operate, and you will appreciate it for its universal compatibility – the ability to connect to a wide range of beds and stretchers.

ORDER CODE: 0255-0001

Ask for the Bariatric Version when quoting this order number if you require it.

Features & Benefits

- › Designed and proven to prevent injuries related to equipment moving
- › Designed for global acute care bed compatibility.
- › Adjustable Jaws: Wheel base width: 550 – 840mm
- › Castor sizes: 125mm – 200mm (single and double)
- › Adjustable Handle: Comfort regardless of operator height
- › Variable Speed: Flexibility for operator control

Specifications

Max Load Capacity	300kg lift, 600kg push or pull
Max Operating Incline	7°
Weight	160kg
Dimensions	In use: W 780mm x L 925mm x H 1220 and handle Folded: W 780mm x L 935mm x H 480mm
Batteries	Sealed maintenance free GEL batteries
Recharge	Nightly recharge recommended using supplied automatic charger. 120 or 240V
Warning Device	Horn on control unit
Wheels	Non-marking, for indoor use on a variety of surfaces.
Controls	Programmable, ergonomic joystick.
Safety Features	Automatic brakes / emergency stop button Emergency jaw and break bypass systems allow override of jaw and brake mechanisms
Motor	Two 24V DC electric motor and gearbox





Scan to access
Chairs online



CHAIRS



Manual Recliners	162
Electric Lift Recline Chairs	164
Care Chairs	170
Day Chairs	180

Lysande Manual Recliner

The Lysande Manual Recliner Chair provides all the features of an air chair, without the air. Pressure care foam, 2-way stretch vinyl upholstery and the ability to recline. If your client requires greater pressure relief you can simply remove the seat segment and put a pressure relieving cushion in place. Special consideration has gone into the design of this recliner after gaining feedback from nursing staff and the result is a recliner with comfort as well as functionality.

ORDER CODE: 0103-0003

Features & Benefits

- > 3 Pillow comfort backrest
- > Removable and replacement seat cushions
- can be replaced with gel or air cushions
- > Wipe over and removable seat, back and legrest
- > Heavy duty vinyl sides and wings
- > Easy manoeuvrable mobility base
- > Ergonomic push handle
- > Multi stretch vinyl
- > 200kg weight capacity

Specifications

Weight capacity	200kg
Seat to top of back	45cm
Seat to top of arm	15cm
Seat width	52.5cm
Seat depth	56cm
Backrest height	68cm





aspire

Aspire Cove Chair

The Aspire Cove Chair is a mobile chair designed to improve postural, pressure care and comfort outcomes for users requiring medium to high level support. Users can be easily transported in comfort to facilitate inclusiveness and social interaction.


ORDER CODE:

0103-2602: Aspire COVE Grey Chair Medium

0103-2603: Aspire COVE Navy Chair Large

Specifications

	Medium	Medium	Large	Large
Colour	Grey/ Andreas Pumice	Navy/ Bronx Steel	Grey/ Andreas Pumice	Navy/ Bronx Steel
Code	0103-2602	CHP198965	CHP198970	0103-2603
Seat Width	550mm	550mm	600mm	600mm
Seat Depth	500- 580mm	500- 580mm	500- 580mm	500- 580mm
Seat to Floor Height	540mm	540mm	540mm	540mm
Seat to Footrest	470mm	470mm	470mm	470mm
Backrest Height	740mm	740mm	74 mm	740mm
Overall Length	860- 1640mm	860- 1640mm	860- 1690mm	860- 1690mm
Overall Height	1270mm	1270mm	1300 mm	1300mm
Overall Width	780mm	780mm	830mm	830mm
Safe Working Load	160kg	160kg	160kg	160kg



aspire

Aspire Altitude Vertical Lift Chair

The Aspire Altitude Vertical Lift Chair, takes patient mobility to new heights. Designed to be adaptable in all environments, including aged care rehabilitation and as a durable recliner for common areas within facilities. Enabling mobilisation and independent use through clever ergonomics and functions. Beautiful simple design with your choice of colour-way to enhance your environment.

ORDER CODE: 0101-0705

Features & Benefits

- > Hand control – let users choose their setting
- > USB Connectivity – charge your device in the arm of the chair
- > Transport Handles – easy to position
- > Premium castors – move with ease
- > Inbuilt battery – simply plug the chair in to recharge quickly
- > Oncology arm rest - for wide forearm access and comfort
- > Assisted transfers
- > Durable coverings

Specifications

Seat Height	560-700mm
Seat Depth	520mm
Seat Width	510mm
Seat to Back of Top	710mm
Overall Height	1200-1340mm
Overall Depth	800mm
Overall Width	710mm
Overall Recline	1780mm
Safe Work Load	150kg

Golden Cambridge Power Lift Recliner

The Cambridge Recliner represents unsurpassed comfort and value. With a new and improved backrest to give it more supportive comfort, as well as adjusting the overall size to fit more people. This recliner is set to be the ultimate solution in any care setting.

ORDER CODES:

0101-0016: (M/L)

Features & Benefits

- > Deep-Seated Comfort with Ultra Soft Back
- > Simple Two Button Control
- > USB Charger in the arm
- > Easily Raise to a Standing Position
- > Gently Lower to a Seated Position and recline for more comfort
- > "Full Napper" Position
- > Superior Leg Extension
- > SmartTek™ Inside – Patent Pending Diagnostic System
- > Non-Skid Leg Levelers for Extra Stability and Safety
- > Easy Access Battery Back-Up System
- > Best Warranty in Industry

Specifications

	Medium / Large
Weight capacity	170kg
Seat to top of back	78.74cm
Seat to top of arm	17.78cm
Distance required from wall reclined	45.72cm
Seat width	55.88cm
Seat depth	55.88cm
Floor to Top of Seat Height	55.88cm
Overall height	113.03cm
Overall width	88.9cm



Single motor lift chairs offer a cost effective seating option. While dual motor chairs provide better positioning - which is better for function and comfort. Decide what is more important for your user.

Golden Comforter Lift Recliner

The Golden Comforter Lift Recliner is all about finding the perfect size and fit. The Comforter is a single motor lift recliner featuring plush, seamed backrest with lumbar support, a soft, comfortable seat and a unique 'grip rite' arm design.

ORDER CODES:

0101-0002: Petite
0101-0003: Small
0101-0004: Medium
0101-0005: Large
0101-0006: Tall

Features & Benefits

- > The Golden Comforter Lift Recliner is a single motor recliner with simple two button control
- > Easily raise to a standing position, gently lower to a seated position
- > Recline for extra comfort
- > "Full Napper" position
- > Superior leg extension
- > Hand stuffed seam back with exceptional lumbar support
- > Full chaise pad support for total body comfort
- > Non-skid leg levellers for extra stability and safety
- > Easy access battery back-up system
- > Available in navy or beige fabric



Specifications

	Petite	Small	Medium	Large	Tall
Weight capacity	136kg	136kg	170kg	170kg	170kg
Seat to top of back	63.5cm	63.5cm	68.58cm	72.39cm	76.2cm
Distance required from wall reclined	43.18cm	43.18cm	43.18cm	45.72cm	45.72cm
Width between arms	48.26cm	50.8cm	53.34cm	58.42cm	58.42cm
Seat depth	46.99cm	49.53cm	53.34cm	55.88cm	60.96cm
Floor to top of seat	45.72cm	48.26cm	49.53cm	52.07cm	57.15cm
Overall height	99.06cm	101.6cm	106.68cm	111.76cm	119.38cm
Overall width	77.47cm	80.01cm	82.55cm	87.63cm	87.63cm
User height (suggested)	152.4cm or under	152.4 - 161.5cm	164.6 - 155.4cm	155.8 - 188.9cm	192 - 207.3cm



Golden Comforter Wide Lift Recliner

“One size does not fit all” which is why the Comforter Wide Series has wider seating areas and greater lifting capacities . The Comforter Wide uses two heavy-duty motors for strength and support, without sacrificing the plush style you expect.

ORDER CODES:

0101-0013: Large
0101-0014: Tall
0101-0015: Wide

Features & Benefits

- > The Golden Comforter Wide is an extra wide, double motor lift recliner with simple two button control
- > Easily raise to a standing position, gently lower to a seated position
- > Recline for extra comfort
- > “Full Napper” position
- > Superior leg extension
- > Hand stuffed seam back, exceptional lumbar support
- > Non-skid leg levellers for extra stability and safety
- > Easy access battery back-up system
- > Available in navy or beige fabric

Specifications

	Large	Tall	Wide
Weight capacity	226kg	226kg	317kg
Seat to top of back	72.39cm	76.2cm	73.66cm
Distance required from wall reclined	45.72cm	48.26cm	50.8cm
Width between arms	69.85cm	74.93cm	83.82cm
Seat depth	57.15cm	60.96cm	55.88cm
Floor to top of seat	52.07cm	57.15cm	53.34cm
Overall height	111.76cm	121.92cm	119.38cm
Overall width	97.79cm	104.14cm	114.3cm
User height (suggested)	155.8 - 188.9cm	192 - 207.3cm	164.6 - 155.4cm





Golden MaxiComfort Lift Recliner

The Golden MaxiComfort Lift Recliner features patented MaxiComfort recline technology, for correct spinal alignment, back pressure relief and improved circulation. The world's only two motor power lift and recline chair with Golden's adjustable active seat option. Dual motors allow the back recline and leg rest operate independently, allowing for maximum comfort.

ORDER CODES:

- 0101-0007: Petite
- 0101-0008: Medium
- 0101-0009: Large

Features & Benefits

- › Featuring patented MaxiComfort recline technology, the MaxiComfort Lift Recliner is the world's only two motor power lift and recline chair with our adjustable active seat option.
- › A dual motor allows the back recline and leg rest operate independently for maximum comfort
- › MaxiComfort recline options include TV Watching, Zero Gravity, Sleep, and Trendelenburg.
- › Offering Autodrive with programmable memory settings
- › Optional Power Pillow for powered head and neck comfort
- › Patented MaxiComfort Ultimate Recline Technology for correct spinal alignment
- › Seamed backrest with lumbar support
- › Soft comfortable seat
- › Unique 'Grip rite' arm design
- › Easy to use hand control
- › Available in navy or beige fabric



Comes with pre-set seated/lying positions – customisable to suit the user for ultimate comfort and easy adjustment.

Specifications

	Petite	Medium	Large
Weight capacity	136kg	170kg	170kg
Seat to top of back	63.5cm	68.58cm	72.39cm
Distance required from wall reclined	55.88cm	60.96cm	68.58cm
Width between arms	48.26cm	53.34cm	58.42cm
Seat depth	46.99cm	53.34cm	55.88cm
Floor to top of seat	45.72cm	49.5cm	52.07cm
Overall height	99.06cm	106.68cm	111.76cm
Overall width	77.47cm	82.55cm	87.63cm
User height (suggested)	152.4cm and under	164.6 - 155.4cm	155.8 - 188.9cm



aspire

Aspire Raphael Quattro Lift Recliner

Inspired by the famous Italian artist, the Raphael is the epitome of style and luxury, by Aspire. Infinite positioning can be achieved thanks to its 4-motor engineering; while luxurious microsuede and vinyl upholstery options bring style & class to any environment. Make this chair the true centre-piece in the modern home.

ORDER CODES:

0101-0704: Small

0101-0701: Medium

0101-0703: Large

Features & Benefits

- > Quattro – four motor lift recline chair for infinite positioning
- > Backlit hand control with integrated USB charging point
- > Independent adjustable headrest, back, leg & lumbar support functions
- > Integrated lift & recline functions for easy sit-to-stand & maximum comfort
- > Intuitive headrest support – perfect for watching TV or reading when reclined
- > Head and armrest with additional covers for improved longevity
- > Part of the Aspire GOLD range of lift recline chairs
- > Available in luxurious microsuede and vinyl upholstery options to bring style & class to any environment
- > Legrests extend to provide a longer support under the lower legs, beneficial for taller people



Specifications

	Small	Medium	Large
Weight capacity	130kg	130kg	130kg
Backrest height	63cm	68cm	70cm
Seat height	47cm	47cm	50cm
Seat width	48cm	52cm	55cm
Seat depth	48cm	50cm	53cm
Floor to seat height	47cm	47cm	53cm
Overall height	106cm	109cm	108cm





Cocoon Lift Recliner Chair

The Cocoon Lift Recliner Chair is the ultimate in comfort, design and functionality. Exquisitely soft, the Cocoon relieves pressure points and offers superior pressure care by immersing the whole body in the quilt. The removable, breathable and waterproof quilt set enables easy washing for infection control. The Cocoon sets a new standard in aesthetics, comfort and care.

Cocoon Standard and Dual motor models have 3 optional lift settings: **Setting A** 28.5cm rise, 10° angle, **Setting B** 22cm rise, 20° angle, **Setting C** 17.5cm rise, 30° angle. This allows the chair to be set up for a more vertical lift for those who struggle with the steeper tilt angle of standard lift out chairs. Particularly useful for those with reduced leg strength, painful knees, and impaired balance. 100mm extension legs available, to raise floor to seat height.

ORDER CODES:

0101-0600: Standard Single Motor, 160kg SWL

0101-0601: Dual Motor, 160kg SWL

0101-0602: Cocoon XXL Single Motor, 220kg SWL

Features & Benefits

- › Exquisitely soft, to reduce pressure points
- › Fitted with a zipped quilt set which is easy to replace and washable at 30°
- › Retractable and removable arm rests allow easy access to medical care and transfers
- › Safe remote control can be positioned on the right or the left armrest, well secured, it always stays within easy reach
- › Available in 'standard' single motor, 'dual motor' and XXL models
- › Dual motor offers independent reclining of back and leg rests
- › XXL Cocoon is a single motor chair with higher safe working load of 220kg and increased width of 65cm
- › Polyurethane coating waterproof, washable and breathable
- › Removable and washable back, seat base and armrests for infection control
- › Available in Taupe polyurethane finish only





Swing away arms for easy transfers.



Specifications

	Standard	Dual	XXL
Weight capacity	160kg	160kg	220kg
Backrest height	68cm	68cm	68cm
Distance required from wall reclined	55.88cm	60.96cm	68.58cm
Seat width	50cm	50cm	65cm
Seat depth	55cm	55cm	55cm
Floor to seat height	43cm	43cm	43cm
Overall height	108cm	108cm	108cm
Overall width	71cm	71cm	71cm
User height (suggested)	152.4cm and under	164.6 - 155.4cm"	155.8 - 188.9cm



Lift angle can be changed on dual and standard chairs, ideal for impaired movement or strength as well as transfers.

The new Sertain and Regency range is our most flexible yet

- > 3 sizes (in electric chairs) - Standard, Large & Bariatric
- > Available in Gas, Electric or Hilo.
- > 4 backrest styles
- > 5 armrest styles
- > Standard or Central Lock Base options
- > Standard Legrest (no footplate) or Deluxe Legrest (with fold away footplate)
- > Huge range of colour options

Customise your care chair

Backrests



40 Standard Series (with wings)

40 Standard Series (without wings)

45 Euro Series

50 Bahama Series

Legrests



Standard

Delux

Armrests



No Meal Tray Arm

Standard Removable Arm

Drop Arm

Procedure Arm

Procedure Tray Arm

Bases



Standard Base

Central Lock Base





Comflex Care Chair

Allow your patients to feel looked after and secure in the Comflex Care chair, our new recliner care chair. Available in your choice of colourway in hospital grade materials, this care chair fits beautifully into any environment, whether it be allowing residents to be part of meal times, through to recovery in a day stay setting.

Available in both electric or gas formats, this chair has been designed to be easy to maneuver and simple to clean for infection control. Carefully designed to ensure your patients (or residents) are social as it can fit closely to a dining table.

Features & Benefits

- > Tilt in space' seat and leg-rest action
- > Euro style reclining backrest with built-in Bahama style head wings
- > Elevating standard leg-rest
- > Incorporates pressure management Multicush gel seating with aircushion backrest system
- > Fixed lounge style armrest
- > Includes push handle
- > 180kg safe working load
- > 5 year limited warranty
- > Available in a your choice of Healthcare grade upholstery colours
- > Australian made
- > Recliner care chair, with castors
- > Accessories Include: Round Drink Server, Delix leg rest including fold out footplate, Lateral supports

Specifications

	Narrow	Standard
Safe Working Loads	180kg	180kg
Seat Width	50cm	55cm
Seat Depth	52cm	57cm
Seat Height	55cm	55cm



Regency Result 3 Recliner Chair

The proven Regency Chair has been our favourite choice of recliner chair for every healthcare setting. The new and improved Regency Result 3 Recliner is designed to aid recovery, provide support and make transfers easy for healthcare teams.

This chair has been designed to work in any healthcare environment. With a gas-assisted 'tilt in space' seating, a reclining backrest and comfortable elevating leg rest, it has been designed with the patient in mind. A modern design means it is simple to use for healthcare staff.

ORDER CODE: 0103-2462

Features & Benefits

- > It keeps aged care and hospital patients social at mealtimes and in lounge areas
- > Gas-assisted comfort chair
- > 'Tilt in space' seat and leg-rest action
- > Euro style reclining backrest and elevating standard leg rest
- > Incorporating pressure management Muticush gel seating and air cushion backrest system
- > Fixed lounge-style armrest
- > Includes push handle and swing-away head wings
- > 4 x 100mm swivel braking castors
- > 200kg safe working load
- > 5 year limited warranty
- > Available in a huge range of Healthcare grade upholstery colours
- > Australian made
- > Accessories Include: Deluxe Legrest – Including Fold Out Footplate, Meal Tray

Specifications

Weight Capacity	200kg
Seat Size	55W x 52D x 55Hcm
Tracking/Braking Castors	10cm



Regency Response Chair

Compliment your environment and provide extra support to patients when you need it with the Regency Response Chair.

The Regency Response Chair (or Regency Care) is a gas assisted chair and provides a versatile and adaptable high dependency care chair, available in multiple sizes. Ideal for use in hospitals and aged care facilities – an added feature is that it will lie flat and can be placed in trendelenburg position.

ORDER CODE:

0103-2403: Standard size

0103-2413: Narrow

Features & Benefits

- > Gas assisted 'Tilt In Space' seat with pressure management gel seating system
- > Reclining backrest with air cushion pressure management system
- > Two position swing-away headwings
- > Two position fold down armrests
- > Deluxe legrest including footplate
- > 175mm castors front and back which reduce effort to move the chair
- > Narrow Care Chair has 175mm front castors and 315mm rear wheels for even greater manoeuvrability
- > Profiled head cushion for extra comfort
- > High quality upholstery with a focus on serviceability
- > Side transfer friendly with lifter friendly castor base
- > Superior range of tilt and nearly flat recline make this chair a market leader
- > Large range of configurations – can be adapted to suit Huntington's disease sufferers etc
- > Available in standard and narrow seat sizes

Specifications

Weight Capacity	180kg
Standard Seat Size	46W x 52D x 60Hcm
Narrow Seat Size	40W x 46D x 58Hcm
Tracking/Braking Castors	17.5cm 31.5cm rear wheels on Narrow Care Chair only





Regency Carer Chair Manual

Our Regency Carer Chair makes side transfers easy, gas assisted technology for simplicity and reliability - with completely removable armrests. Packed full of features and functions, this care chair is ready to be customised to suit your caring needs.

ORDER CODE: 0103-2455

Features & Benefits

- > 'Tilt in space' seat – incorporating Multicush pressure management gel seating system
- > Reclining backrest – incorporating air cushion pressure management system
- > Lay flat position
- > Gas assisted
- > 2 position swing-away headwings – Rio style
- > 2 position fold down standard removable armrests
- > Deluxe leg rest including fold-away footplate
- > 175mm tracking/braking casters
- > Standard push handle
- > 200kg SWL

Specifications

Weight Capacity	200kg
Seat Size	50W x 52D x 55Hcm
Tracking/Braking Castors	17.5cm





Regency Carer Chair Electric

Our Regency Carer Chair makes side transfers simple with completely removable armrests. Packed full of features and functions, this care chair is ready to be customised to suit your caring needs. Specially designed for you to choose from four backrests, five armrests and two leg-rest options.

ORDER CODE: 0103-2425

Features & Benefits

- > Electric 3 Function – backrest, seat tilt, & leg rest (includes Emergency battery back-up)
- > Auto lay flat function
- > Auto chair function
- > Multicush™ pressure management gel seating & air cushion backrest system
- > 2 position swing-away head wings – Rio style
- > 2 position fold-down and removable armrests – With NO Meal Tray Provision
- > Deluxe electric leg rest including fold-away footplate
- > Standard push handle

Specifications

Weight Capacity	200kg
Standard Seat Size	520W x 520D x 550Hmm
Tracking/Braking Castors	15cm

Available in a large size at 300kg SWL.





Sertain Electric Hi-Lo Care Chair Standard Size 160kg

The Sertain Electric Hi-Lo Care Chair is a fully electric pressure care seating system that provides ease of transfer from bed to chair and increased access for wound dressing and procedures. The Sertain Electric Hi-Lo Care Chair reduces manual handling risks and workload for nursing staff and therapists and enhances patient care and comfort. Designed to promote earlier mobilisation, patient safety, pressure and care comfort and advanced ergonomics.

ORDER CODE: 0103-2434

Features & Benefits

- > Fully electric system with battery backup
- > Manoeuvrable in small spaces
- > Unique 100% lay-flat position with one button push
- > High levels of comfort and pressure relief
- > 300mm of electric hi-lo adjustment
- > Choice of standard or central locking base
- > Choice of removable/width adjustable armrests or drop down armrests



Specifications

Safe Working Loads	160kg
Hi-Lo Adjustment	30cm
Seat Widths	51cm
Arms	Removable or Drop Arm
Base	Standard or Central Locking





Sertain Electric Hi-Lo Care Chair Large Size 300kg

The Sertain Electric Hi-Lo Care Chair is a fully electric pressure care seating system that provides ease of transfer from bed to chair and increased access for wound dressing and procedures. The Sertain Electric Hi-Lo Care Chair reduces manual handling risks and workload for nursing staff and therapists and enhances patient care and comfort. Designed to promote earlier mobilisation, patient safety, pressure and care comfort and advanced ergonomics.

ORDER CODE: 0103-2432

Features & Benefits

- > Fully electric system with battery backup
- > Manoeuvrable in small spaces
- > Unique 100% lay-flat position with one button push
- > High levels of comfort and pressure relief
- > 300mm of electric hi-lo adjustment
- > Choice of standard or central locking base
- > Choice of removable/width adjustable armrests or drop down armrests

Specifications

Safe Working Loads	300kg
Hi-Lo Adjustment	30cm
Seat Widths	58.5cm
Arms	Removable or Drop Arm
Base	Standard or Central Locking





Regency Care Chair Electric Extra Large Size 350kg

The Regency Bariatric Electric Care Chair is a unique high dependency care chair for bariatric patients, with a 350kg weight limit.

ORDER CODE:

0103-2427: Central Lock Base

0103-2459: Standard Base

Features & Benefits

- > Electric 3 Function – backrest, seat tilt, & legrest (includes Emergency battery back-up)
- > Auto lay-flat function, auto chair function
- > Multicush™ pressure management gel seating & air cushion backrest system.
- > 2 position swing-away head-wings – Rio style
- > 2 position fold-down and removable armrests – With NO Meal Tray Provision
- > Deluxe electric leg-rest including fold-away footplate
- > Standard push handle

Specifications

Weight Capacity	350kg
Seat Size	72W x 60D x 55Hcm
Central Locking Tracking/ Braking Castors	15cm





SERTAIN

Sertain Hi-Lo Bariatric Electric Care Chair 350kg

Versatile in design and function, our Bariatric Sertain HILO Care Chair is a popular choice for many wards including intensive care units.

ORDER CODE:

0103-2458: Central Lock Base

0103-2430: Standard Base

Features & Benefits

- > Electric 4 function (backrest, seat-tilt & leg-rest)
- > Auto lay flat and auto chair function
- > 2 position swing-away head wings
- > 2 position removable armrests
- > 350kg SWL
- > Standard removable armrests with no meal tray provision
- > Deluxe legrest including a fold-away footplate
- > Multicush pressure management seating system



Specifications

Weight Capacity	350kg
Seat Size	72W X 60D x 55Hcm
Hi-Low Range	55 – 85cm



Human Care Convertible Chair

Human Care's Convertible Chair is a no-lifting multi-functional device that helps caregivers to more efficiently and effectively perform their safe patient handling practices such as transfers, repositioning, transport and early mobilization of patients that may help to reduce the patient length of stay, improve patient satisfaction, safety and dignity, and reduce work-related injuries.

ORDER CODES:

0103-2700

0103-2701

Features & Benefits

- > Effective and safe early mobilization
- > Enables the lateral transfer of a patient in a supine position
- > Caregivers can use existing SPH transfer techniques or the patented, No-lift Patient Transfer System
- > Safe and easy lateral transfer builds confidence in both the patient and their family members to drive compliance
- > Caregiver can easily and frequently reposition a patient to increase tolerance for long-term seating with recline or tilt-in-space function
- > Portability of Chair allows for usage in multiple rooms in a department

Specifications

I-400 Chair	
Maximum user weight	181kg
Seat Width	53cm
Overall length	Prone: 184-199cm, wheelchair: 115-159cm
Overall height	Prone: 70cm, wheelchair: 130cm-142cm
Overall Width	76cm
I-700 Chair	
Maximum user weight	318kg
Seat Width	65cm
Overall length	Prone: 180-199cm, wheelchair: 115-159cm
Overall height	Prone: 70cm, wheelchair: 130cm-142cm
Overall Width	89cm





aspire

Aspire Adjustable Day Chair

The Aspire Adjustable Chair is a truly versatile height, width and depth adjustable high back orthopaedic chair with built in lumbar and lateral support and knee bolster

ORDER CODES:

0101-0710: Latte Vinyl
0101-0711: Ink Vinyl

Features & Benefits

- > A high back orthopaedic chair that offers adjustability, comfort and support
- > Depth Adjustable – Ensures changing user needs are accommodated
- > Contoured Backrest – High back design provides increased postural support
- > Padded Seat and Armrests – Generous support surfaces for better pressure distribution and sitting comfort
- > Padded Headrest Cushion – Provides additional comfort for long periods of sitting
- > Sturdy Design – High safe working load of 160kg, yet lightweight for easy manoeuvrability
- > Transport Wheels – Allows for the chair to be moved with ease by carers
- > Height Adjustable – Easy push button adjustment for comfortable positioning and changing needs
- > Non-Slip Tips – Provide stability whilst sitting or transferring
- > Powder Coated Steel Frame – Easy to clean, strong and durable

Specifications

Safe Working Loads	160kg
Seat Width	51 - 61cm
Seat Depth	47.5 - 59cm
Seat to Floor Height	41 - 53cm
Overall height	107 - 122cm
Unit weight	26kg



aspire

Aspire High Back Classic Day Chair

The Aspire High Back Classic Day Chair is an orthopaedic chair that offers adjustability, comfort and support.

ORDER CODES:

0101-0706: Champagne Vinyl
0101-0707: Slate Vinyl

Features & Benefits

- > A high back orthopaedic chair that offers adjustability, comfort and support
- > Contoured Backrest – High back design provides increased postural support
- > Softly padded armrests, seat and back upholstery are comfortable and supportive
- > Easy clean vinyl surfaces
- > Height Adjustable – Easy push button adjustment for comfortable positioning and changing needs
- > Sturdy Design – Generous 160kg weight capacity, yet lightweight for easy manoeuvrability
- > Powder Coated Steel Frame – Easy to clean, strong and durable
- > Non-Slip Tips – Provide stability whilst sitting or transferring
- > Available in either Slate or Champagne Vinyl

Specifications

Safe Working Loads	160kg
Seat Width	49cm
Seat Depth	49cm
Seat to Floor Height	42.5 - 61cm
Backrest height	72cm



aspire

Aspire Low Back Classic Day Chair

The Aspire Lowback Classic Day Chair is a versatile, low back orthopaedic chair.

ORDER CODES:

0101-0712: Champagne Vinyl

0101-0713: Slate Vinyl

Features & Benefits

- > A versatile, low back orthopaedic chair
- > Contoured Backrest – Provides postural support
- > Softly padded armrests, seat and back upholstery are comfortable and supportive
- > Non-Slip Rubber Tips – Provide stability whilst sitting or transferring
- > Easy clean vinyl surfaces
- > Height Adjustable – Easy push button adjustment for comfortable positioning and changing needs
- > Lightweight Design – lightweight yet sturdy design for easy manoeuvrability
- > Powder Coated Steel Frame – Easy to clean, strong and durable
- > Available in either Slate or Champagne Vinyl

Specifications

Safe Working Loads	160kg
Seat Width	46cm
Seat Depth	44cm
Seat to Floor Height	43 - 60.5cm
Backrest height	44cm



aspire

Aspire Maxi Day Chair

The Aspire Maxi Day Chair is a bariatric chair with 310kg weight capacity is fully height, width and depth adjustable to suit an array of large user shapes and sizes.

ORDER CODE: 0101-0715

Features & Benefits

- > Sturdy, flexible design for added stability and safety.
- > Generous 310kg safe working load.
- > Ergonomic seat with anterior tilt to improve posture and reduce fatigue.
- > Height, width and depth adjustability in seat and back, for superior customised comfort.
- > Easily manoeuvrable with push handle and transport wheels.
- > Easy clean, breathable and comfortable vinyl upholstery and powder coated frame for effortless maintenance and longevity.

Specifications

Safe Working Loads	310kg
Seat Width	60 - 81cm
Seat Depth	39 - 53cm
Seat to Floor Height	37 - 52cm
Seat to Footrest	37 - 52cm
Backrest height	74cm
Overall height	112 - 144cm
Electric Leg	False
Unit weight	45kg



aspire

Aspire Pressure Reducing Adjustable Day Chair

The Aspire Pressure Reducing Adjustable Day Chair features high quality Australian memory foam which provides a comfortable and supportive surface, improving user comfort and pressure redistribution.

ORDER CODE: 0101-0714

Features & Benefits

- › Carrflex™ PU 4-Way Stretch Fabric provides superior chemical resistance whilst retaining flexibility and breathability.
- › High quality Australian memory foam provides a comfortable and supportive surface, improving user comfort and pressure redistribution.
- › Maximised Immersion and Envelopment which is fundamental for a support surface to effectively redistribute pressure improving blood flow which promotes healing.
- › Contoured Seat and Backrest Padding designed for pressure redistribution and user comfort
- › Head Cushion height adjustable and removable head cushion for extra comfort
- › Sturdy design for a generous weight capacity of 160kg, yet lightweight for easy manoeuvrability
- › Height Adjustable Legs with easy push button adjustment for comfortable positioning and changing needs
- › Tool Free Adjustment Points allow the chair to be customised to suit long term use or readily adapted to suit multiple users
- › Adjustable Seat Depth, Width and Height allows customised configuration to a user's needs and circumstances
- › Unique Width Adjustable Frames cater to the full spectrum of users shapes and sizes

Specifications

Safe Working Loads	160kg
Seat Width	51 - 61cm
Seat Depth	47.5 - 59cm
Seat to Floor Height	41 - 53cm
Seat to Footrest	41 - 53cm
Overall height	107 - 122cm
Overall width	57.5 - 86cm
Unit weight	26kg



aspire

Aspire Waterfall Day Chair

The Aspire Waterfall high back orthopaedic chair offers contoured and adjustable backrest cushions that offer improved comfort and postural support.

ORDER CODES:

0101-0708: Ink Vinyl

0101-0709: Latte Vinyl

Features & Benefits

- › A high back orthopaedic chair that offers adjustability, comfort and support
- › Contoured, Waterfall Backrest – Segmented and adjustable backrest cushion provides improved ergonomics, comfort and postural support
- › Padded Seat and Armrests – Generous support surfaces for better pressure distribution and sitting comfort
- › Removable Cushion Sections – The seat cushion and backrest overlay can be easily removed for cleaning
- › Sturdy Design – High safe working load of 200kg, yet lightweight for easy manoeuvrability
- › Height Adjustable – Easy push button adjustment for comfortable positioning and changing needs
- › Non-Slip Tips – Provide stability whilst sitting or transferring
- › Powder Coated Steel Frame – Easy to clean, strong and durable
- › Available in either Vinyl (Ink or Latte) or Fabric(Oatmeal or Mocha)

Specifications

Available on request.



Comflex High-Back Orthopaedic Sitting Chair

The Comflex High-Back Orthopaedic Sitting Chair assists in providing great postural support for patients needing rehabilitation or recovery. With adjustable height legs and seat depth, the chair can be customised according to the patient's needs.

Features & Benefits

- > Adjustable height legs
- > Adjustable seat depth (8 x 25mm increments)
- > Contoured backrest including lumbar support
- > 500mm wide seat
- > 140kg safe working load
- > Powder-coated steel frame – cream
- > Available in a huge range of Healthcare grade upholstery colours
- > Australian made

Specifications

Safe Working Loads	140kg
Seat Width	51cm
Seat Depth	44 - 60cm
Seat Height	43 - 58cm
Overall Width	71cm
Overall Depth	75 - 91cm
Overall Height	112 - 127cm



Comflex High-Back Orthopaedic Sitting Chair – Bariatric

The Bariatric Comflex High-Back Orthopaedic Sitting Chair assists in providing great postural support for patients needing rehabilitation or recovery. With adjustable height legs and seat depth, the chair can be customised according to the patient's needs.

Features & Benefits

- > Adjustable height legs
- > Adjustable seat depth
- > Contoured backrest including lumbar support
- > Including rear tilt-n-move wheels for easy chair transport
- > CF17200 – 600mm wide, 220kg safe working load
- > CF17300 – 700mm wide, 350kg safe working load
- > Powder coated steel frame – cream
- > Available in a huge range of Healthcare grade upholstery colours
- > Australian made

Specifications

	CF17200	CF17300
Safe Working Loads	220kg	350kg
Seat Width	60cm	70cm
Seat Depth	44 - 60cm	44 - 60cm
Seat Height	43 - 58cm	43 - 58cm
Overall Width	80cm	90cm
Overall Depth	75 - 90cm	75 - 90cm
Overall Height	112 - 127cm	112 - 127cm



Scan to access
Patient Transfer
Equipment online



HYGIENE



Mobile Shower Commodes	186
Bath Lifters	191
Bathroom Aids	192
Change Tables	194
Shower Trolleys	195
Freestanding Shower Cubicle	196
Privacy	197
› Curtain Rails	197
› Portable Screens	198



Aspire Commode with Weight Bearing Platform

ORDER CODES:

0151-2429: 460mm
0151-2432: 530mm

Features & Benefits

- > Safety arms standard
- > Soft and durable polyurethane seat for pressure care and support with 70mm of travel forward and back
- > Full stainless steel construction for years of trouble free service
- > Deeper access trough for easier hygiene
- > Easy-slide weight bearing platform
- > Swing-back arms for ease of transfer
- > High-quality stainless steel frame
- > Stainless steel lockable castors standard
- > S.W.L 150kg
- > TGA Approved

Specifications

	460mm	530mm
Seat Width	460mm	530mm
Overall Height	994mm	991mm
Overall Width	512mm	582mm
Backrest Height	307mm	307mm
Armrest Height	228mm	225mm
Lower Leg Length	398mm	395mm
Anterior Seat Height	587mm	584mm
Posterior Seat Height	557mm	554mm



Aspire Self Propelled Commode with Weight Bearing Platform

ORDER CODES:

0151-2406: 460mm
0151-2443: 530mm
0151-2445: 600mm

Features & Benefits

- > Weight bearing platform
- > Soft PU seat with 70mm of travel (fwd & back)
- > Deeper access trough for easier hygiene
- > Easy-slide weight bearing platform
- > Swing-back arms for ease of transfer
- > Anti tippers standard
- > Stainless steel locking castors standard
- > High-quality stainless steel frame
- > S.W.L 150kg
- > TGA Approved

Specifications

Seat Width	460mm
Overall Height	994mm
Overall Width	656mm
Backrest Height	307mm
Armrest Height	230mm
Lower Leg Length	398mm
Anterior Seat Height	587mm
Posterior Seat Height	556mm



Aspire Bariatric Commode

ORDER CODE: 0151-2414

Features & Benefits

- > Safety arms standard
- > Soft PU seat with 70mm of travel (fwd & back)
- > Deeper access trough for easier hygiene
- > Easy-slide weight bearing platform
- > Swing-back arms for ease of transfer
- > Stainless steel lockable castors standard
- > 400kg capacity
- > 600mm seat width
- > TGA approved

Specifications

Seat Width	600mm
Overall Height	991mm
Overall Width	725mm
Backrest Height	300mm
Armrest Height	247mm
Lower Leg Length	400mm
Anterior Seat Height	590mm
Posterior Seat Height	559mm



Aspire Swing Away Footrest Commode

ORDER CODES:

- 0151-2430: 460mm
- 0151-2444: 530mm
- 0151-2415: 600mm

Features & Benefits

- > 8° backrest angle ensures patient comfort
- > Improved over toilet clearance
- > Integrated access trough improves hygiene whilst maintaining toilet bowl

Specifications

	460mm*	530mm [^]	600mm [^]
Overall Height	995mm	995mm	995mm
Overall Width	535mm	605mm	675mm
Seat to Backrest	305mm	305mm	305mm
Armrest Height	225mm	225mm	225mm
Anterior Seat Height	590mm	590mm	590mm
Posterior Seat Height	560mm	560mm	560mm

* Seat sold separately.

[^] Self propelled model also available.



Aspire Tilt In Space Commode

Available in two seat sizes and in attendant propelled or self propelled models.

ORDER CODES:

0151-2408: 460mm

0151-2803: 530mm

Features & Benefits

- > 30° of backrest angle adjustment in 10° increments for effortless repositioning and maximum user comfort
- > 5° to 35° of gas-assisted tilt-in-space functionality minimises manual handling efforts during the showering process
- > Open armrests style accommodates a wider sitting surface whilst maintaining a smaller base footprint for improved accessibility
- > 4x total locking stainless steel castors provide brake access from all angles
- > Open back straps provide greater access for bathing needs
- > Tool-free height adjustment to 4 settings allow the commode to be easily adapted to varying needs
- > S.W.L 250kg

Specifications

	Swing Away 460mm	Swing Away 530mm
Overall Height	1315 - 1485mm	1315 - 1485mm
Overall Width	560mm	630mm
Seat Width	460mm	530mm
Backrest Height	900mm	900mm
Armrest Height	275mm	275mm
Anterior Seat Height	460 - 630mm	460 - 620mm
Posterior Seat Height	460 - 630mm	460 - 620mm



BRODA

Revive Tilt & Recline Shower Commode

The Broda Tilt & Recline Shower Commode is designed for use by individuals who are caregiver dependent for commode and shower needs. The Broda Tilt & Recline Shower Commode accommodates easy side transfers through swing away, removable arms. It also helps facilitate front transfers through anterior tilt and a flip up removable footrest.

ORDER CODE: 0151-1401

Features & Benefits

- > 12° of posterior tilt, 10° anterior tilt and up to 67° of back recline, giving you numerous positioning options to help control slumping, sliding, and falls while maintaining your clients' comfort and safety
- > Caregivers benefit from the range of positioning, as the full elevating legrest fully supports the patient's legs while showering, while the back recline assists with washing the patient's hair and accessing difficult to reach areas
- > Adjustable-length elevating legrest with removable flip down footrest
- > Fixed height swing away, removable arms
- > Sturdy no-rust construction with stainless steel powder coated frame, and stainless steel fasteners and castors
- > 4 way stretch padded urethane foam commode seat (removable)
- > 3 total lock castors and 1 directional locking castor
- > Drainage holes to help prevent water from pooling
- > Bedpan with basket (basket slides in and out for easy removal)
- > Padded head rest
- > Lateral supports available as an optional accessory

Specifications

Seat Width	46cm (18") or 56cm (22")
Seat Height	60cm (23.5")
Seat Depth	46cm (18")
Overall Width	61cm (24") or 71cm (28")
Posterior Tilt	0° to 12°
Anterior Tilt	0° to 10°
Backrest Recline	0° to 67°
Weight Capacity	181kg (400lb.)

BRODA

Revive Bariatric Tilt & Recline Shower Commode

The Broda Bariatric Tilt & Recline Shower Commode offers superior versatility and safety in caring for Bariatric patients' shower and commode needs. It incorporates three bariatric chairs in one, being a Commode Chair, a Shower Chair, and a Transport Chair (with the option of an easily interchangeable transport seat). Numerous positioning options for comfort, safety and ease of use, unlike any other bariatric commode shower chair.

ORDER CODE: 0151-1403

Features & Benefits

- > Recline position opens the patient's mid-section area to permit cleaning of hard to reach areas under abdomen and perineal area
- > Unique 6-wheel design offers easy manoeuvrability and permits turning in tight corners without lateral drifting. The middle wheels allow for tracking
- > Up to 8° of anterior tilt, 14° of posterior tilt, with up to 65° of back recline
- > Adjustable-length elevating legrest with removable flip down footrest
- > Fixed height swing away removable arms
- > Removable and rotational arms to adjust seating width
- > Sturdy no-rust construction with stainless steel powder coated frame, and stainless steel fasteners and castors
- > 4 way stretch padded urethane foam commode seat (removable)
- > 4 total lock swivel castors and 2 20cm (8") locking middle wheels with one touch emergency brake
- > Drainage holes to help prevent water from pooling
- > Bedpan with basket (basket slides in and out for easy removal)
- > Lateral supports available as an optional accessory

Specifications

Seat Width	53cm (21") (can be adjusted to 58cm or 23")
Seat Height	69cm (27") (can be adjusted to 84cm or 33")
Seat Depth	53cm (21") (can be adjusted to 58cm or 23")
Overall Width	83cm (33") or 98cm (39")
Posterior Tilt	0° – 14°
Anterior Tilt	0° – 8°
Backrest Recline	0° – 65°
Weight Capacity	363kg (800lb.)



Reval Soflex 2 Hydraulic Shower Commode

Available in two seat sizes and in attendant propelled or self propelled models.

ORDER CODE: 0151-6000

Features & Benefits

- > Head and footrest that can be adjusted to match all heights and body types
- > The specially shaped and comfortable base facilitates washing, easily fits a wc pan or provides direct access to toilet seat
- > Takes up little floor space and features four swivel wheels with brakes
- > A powerful actuator that effortlessly lifts patients weighing up to 135kg

Specifications

Maxium Weight	135kgs
Weight Of Chair	35kgs
Minimum Height of Seat	50cm
Lifting Range	55cm



Reval Soflex Electric Commode

Offering optimum comfort for both users and carers the Soflex is an ergonomic solution for the care and hygiene routines of patients. It can be used as a commode chair, used with a bowl or pan or directly over the toilet.

The Soflex is a height adjustable commode and shower chair that makes hygiene procedures safe and comfortable for both patients and caregivers.

ORDER CODE: 0151-6001

Features & Benefits

- > Available with hydraulic or electric controls, the Soflex is height adjustable to enable carers to work at a height that suits them best
- > The tilt-in-space function allows for use by patients with limited upper body stability
- > A 3 part detachable headrest adjustable in height
- > A folding footrests, adjustable in height which can be transformed leg-support for comfort of patient
- > The specially shaped and comfortable base facilitates washing, easily fits a wc pan or provides direct access to toilet seat
- > Takes up little floor space and features four swivel wheels with brakes
- > A powerful actuator that effortlessly lifts patients weighing up to 135kg

Specifications

Maxium Weight	135kgs
Weight Of Chair	39kgs
Minimum Height of Seat	50cm
Lifting Range	55cm



Silver Surfer Hi Lo Bath

The all new SilverSurfers range of power assisted baths have been designed by caring professionals for professional carers. At the touch of a button, the powered seat lift will gently lift the bather and rotate the seat over the bath rim and down in to the temperature controlled water. Folding arm rests and optional lap strap make the experience safe, comfortable and stress free for the bather. The care assistant can then use the hand control set to raise the bath to a comfortable working height. The SilverSurfers range of baths protects both the bather and the carer.

Features & Benefits

It's simple

One touch technology on the ergonomic thermoplastic handset allows the bathing assistant to power the seat transfer unit up and out of the bath - then traverse the seat out at 90 degrees. The seat is then lowered to the required height for the transfer of the bather safely onto the seat.

It's safe

Once safely seated with the arm rests down - at the touch of the button the seat very gently lifts the bather up and then over the bath and then gently down into the water ready for bathing in total safety and comfort. Parker Anderson has used this transfer technology for over 20 years in conjunction with our Scandinavian technology partners and our UK electronic programming engineering partners.

It's easy

Built in lift programming allows the bathing assistant to raise the whole bath including water and bather to their required suitable bathing height - reducing the risk of back problems for your staff and making the whole bathing experience more enjoyable for all.

Lift and rotating seat

Lifts up to 160 Kg with ease. Armrests lift out of the way for ease of transfer.

Solid steel universal sub-frame

Hot dipped with rust inhibiting galvanised coating for steamy environment

Anderson Flexi Shower Hose

Rotates through 90 degrees with hand controlled shower head. Connected through TMV3 valve and manufactured from WRAS approved part





Assist-A-Care Heavy Duty Shower Stool

Extra heavy duty shower stool, adjustable height, with arms. Available in two different seat width options - 60cm or 66cm.

Seat depth: 36cm

Adjustable seat height: 44cm – 66cm

Maximum user weight: 350kg

ORDER CODES:

0151-3003: 60cm wide

0151-3004: 66cm wide



Assist-A-Care Heavy Duty Bath Transfer Bench

Extra heavy duty, transfer bench.

Width: 36cm

Length: 90cm

Adjustable height: 46cm – 58cm

Maximum user weight: 350kg

ORDER CODE: 0151-3001



Bariatric Toilet Surround

Heavy duty stainless steel freestanding toilet surround.

Width inside arms: 58cm

ORDER CODE: 0151-3007



Aspire MAXI Over Toilet Aid

The Aspire MAXI Over Toilet Aid is a super heavy duty width adjustable over toilet aid designed for bariatric patients.

Overall Height: 670 – 790mm

Overall Width: 645 – 845mm

Overall Depth: 495mm

Seat Height: 455 – 575mm

Sitting Width: 575 – 775mm

Seat Depth: 455mm

ORDER CODE: 0151-2440



Aspire MAXI Shower Chair

The Aspire MAXI Shower Chair is a super heavy duty, adjustable width shower chair designed for bariatric patients.

Overall Height: 670-1005mm

Overall Width: 645-845mm

Overall Depth: 495mm

Seat Height: 455 – 575mm

Sitting Width: 575 – 775mm

Seat Depth: 455mm

ORDER CODE: 0151-2438



Aspire MAXI Shower Stool

The Aspire MAXI Shower Stool is a super heavy duty, adjustable width shower stool designed for bariatric patients.

Overall Height: 670-790mm

Overall Width: 645-845mm


Overall Depth: 495mm

Seat Height: 455 – 575mm

Sitting Width: 575 – 775mm

Seat Depth: 455mm

ORDER CODE: 0151-2439



Sark Wall Mounted Changing Bench

The Sark Wall Mounted Changing Bench is an electrically operated wall mounted changing table that is suitable for children and adults up to 200kg. Despite its robust structure, Sark has a slimline design that ensures it fits easily into most environments.

The Sark has been designed so that it can be used with most mobile or ceiling hoists. The unique safety side rail stows away, streamlining access for transfers from a wheelchair, shower and toileting chair. The Sark also benefits from an impressive travel range of 600mm.

ORDER CODES:

0151-3800: 1800mm x 650mm

0151-3806: 1600mm x 650mm

Features & Benefits

- > We understand that every need is different, which is why Sark comes in seven different sizes that cater from young children through to adults
- > Electrically operated
- > Wall and floor mounted
- > Stainless steel for damp room environment i.e. bath/changing room
- > Available in 100mm increments from 1200mm – 1800mm
- > Weight capacity of 200kg
- > Impressive height range of 600mm
- > Folds away to save on space
- > Easy to clean padded surfaces

Specifications

Table length	1800mm
Table width	650mm
Table width safety guard	975mm
Travel range	400-1000mm
Wall frame width	700mm
Wall frame depth	110mm
Wall frame height	1550mm
Safety guard height	165mm
Stored width	305mm
Max user weight	200kg
Product weight	92kg



Saye Mobile Change Table

The Saye Mobile Change Table is a fully mobile changing table that requires no installation or fixing. Its compact and slimline design means it can be easily manoeuvred from room to room, offering an extremely cost effective option for multi-transfer or multi-user environments.

The electrically operated Saye provides an excellent travel range of 480mm and can be lowered and elevated at the touch of a button. Safe and suitable working heights can be easily achieved which helps prevent the risk of back injury to the carer.

ORDER CODE: 0151-3801: 1800mm x 750mm

Features & Benefits

- > The Saye Mobile Change Table has been designed to ensure sufficient clearance for a wide number of hoists. Its mobility and unique stowaway side rails enable safe and easy handling. Whether you are transferring from a bed, wheelchair or toileting chair, the Saye changer is the perfect solution
- > Mobile and easy to manoeuvre
- > No installation required
- > Stainless steel for wet room environments
- > Available in 1400mm, 1600mm or 1800mm
- > Weight capacity of 227kg
- > Travel range of 480mm
- > Easy to clean padded surfaces
- > Optional angled back and safety skirt
- > Unique stowaway side rails

Specifications

Table length	1800mm
Table width	750
Travel range	470-950mm
Safety guards width	840mm
Safety guards height	165mm
Safety guards operational space	200mm
Castor centres length	1090
Castor centres width	700mm
Nominal clearance	190kg
Max user weight	227kg
Product weight	90kg



Select Aquarius Hydraulic Shower Trolley

The Aquarius Hydraulic Shower Trolley provides full functionality and ease of use with simple hydraulic height adjustment and is ideal for use in both home care and hospital environments.

The Aquarius allows a patient to be transferred to the bathing area, showered, dried and clothed, minimising the need to lift manually, in line with current Moving and Handling Regulations.

ORDER CODES:

0151-2605: Aquarius Mild Steel Shower Trolley, Standard Size

0151-2623: Aquarius Mild Steel Shower Trolley, Junior Size

Features & Benefits

- > Easy to operate hydraulic height adjustment allows the shower trolley to be set to the optimum height for the carer
- > Lightweight design and directional steering lock on one castor allow easy manoeuvring
- > Rotating bumpers on all corners help stop damage to walls
- > Dropsides have twin release handles for increased safety and when folded down they lock under the trolley for unhindered side access and ease of transfers
- > Both endrails extend to accommodate tall clients
- > Secured patient pillow for added comfort
- > Heavy duty non-stick padded vinyl liner provides increased comfort and can be easily removed for cleaning
- > Base design allows simple access for patient lifters
- > 6° Top tilt for efficient drainage
- > Zero transfer gap for safety
- > Available in mild steel with stainless steel dropsides and end rails, or in fully stainless steel
- > Available in three top size options; standard, midi and junior

Specifications

Length	Standard: 1950mm (+120mm extra length adjustment) Midi: 1810mm
Width	790mm
Liner Base	1800 x 560mm
Castor Size	175mm
Fixed Height	680 to 880mm hydraulic
Max Load	180kg
Construction options	Mild steel with stainless steel side and end rails option Fully stainless steel option
Trolley Weight	80kg

Mobi Shower Trolley

The Mobi shower trolley is a powered, height-adjustable shower trolley specifically designed to enable the user to be safely and easily washed or showered and to reduce risk of back injury for carers.

Mobile and easy to manoeuvre, the Mobi shower trolley can be easily wheeled to and from any room, making it an ideal bathing solution for a wide range of care settings.

ORDER CODE: 0151-5000

Features & Benefits

> Safe showering

For many children and adults, conventional methods of bathing and showering can be difficult and even hazardous. The Mobi shower trolley is a powered, height-adjustable shower trolley specifically designed to enable the user to be safely and easily washed or showered by their carer.

> Reduces back injury

The Mobi shower trolley offers a range of height adjustments to enable the carer to shower and change the user at a safe and suitable working height. This reduces the risk of back injury for the carer.

> Stowaway side rails

The Mobi shower trolley has been designed with two unique safety side rails that can be easily stowed away beneath the trolley. This allows maximum clearance for safe, easy transfer and use.

Specifications

Table Length	1800mm
Table Width	750mm
Travel Range (height)	465 – 925mm
Safety Sides	840mm
Weight Capacity	220kg



Custom Designs Available

Careport 120 Plus Front Entry Shower Cubicle

The Careport Freestanding Shower Cubicle is a totally freestanding portable shower unit which combines ease of access with simple installation. Modular components make the Careport very quick and easy to install on any floor surface and it can be connected to existing plumbing or temporarily connected to an outside water source. Constructed from fibreglass, plastic and aluminium the Careport Freestanding Shower Unit is durable and aesthetically pleasing, as well as being very easy to clean.

ORDER CODES:

0151-0804 – 120 Plus

0812-8829 – Mira Excel Thermostatic Mixer Shower

Features & Benefits

- › A free-standing and self-contained shower cubicle range which can be sited in the bedroom, bathroom or in a downstairs room, offering a showering facility in a location convenient to the user/carer.
- › Quick and easy to install on almost any surface, usually in 1-2 days. The Cubicle can also be de-installed when no longer required.
- › No need for tiling - reducing the associated cost of installation.
- › Pumped waste options to suit drainage conditions.
- › Horizontal and vertical handrails
- › Removable access ramp
- › Optional: Half height side panel option - standard units are supplied with three full height panels and a half height door - as an option half height panels can be fitted allowing easy access for carer assistance.

Specifications

Width	1010mm
Height	1900mm
Depth	1210mm
Ramp	470mm Deep
Outlet	40mm



Custom Designs Available

Careport Freestanding Shower Cubicle Extra

The Careport Extra Freestanding Shower Cubicle is a freestanding portable shower unit with easy access. Modular components make the Careport possible to install on almost any floor surface and it can be connected to existing plumbing or temporarily connected to an outside water source.

Features & Benefits

- › Constructed from fibreglass, plastic and aluminium, the Careport Freestanding Shower Unit is durable and aesthetically pleasing, as well as being very easy to clean.
- › A freestanding and self contained shower cubicle which can be installed in the bedroom or bathroom, offering a showering facility in a location convenient to the user/carer.
- › No need for installing a level access bathroom – reducing the cost of installation and modifying the house.
- › Pumped waste options to suit drainage conditions.

Specifications

Width	1200mm
Height	2100mm
Depth	1400mm



Also
available in
Corner Cubicle

Curtain Rails

Select the best curtain rails for your healthcare environment.

Active Healthcare offers a range of bespoke curtain rail solutions built with durability as a top priority. The selection of curtain rails on offer provide swing out, self supporting option for ease of use and discretion for users. Easy to clean and designed with infection control properties.

Long lasting telescopic rails are built to be light and easy to use. They are extremely easy to handle, making them suitable for patients who would struggle with heavy curtain options. It also reduces the load to caregivers who can quickly go about their care duties. Ideal for the bathroom setting these rails are suitable for damp and wet environments without any compromising the product.

Included are curtain rings in standard grey colour and 42mm in width, making them suitable for different styles of curtains at your choice. Easily loaded and release themselves from the eyelets to avoid injury and damage to the entire system should they experience sudden force.

Features & Benefits

- › Swing out and self-supporting, choose from a selection of curtain rails that are suitable for all applications. Telescopic rails are made of high-quality anodised aluminum. Easy to clean and disinfect and highly versatile for all care environments to provide dignity and privacy.
- › Extending out to 915 mm – 2015 mm

Specifications

RKLE 1515	Telescopic Cubicle Shower Curtain Rail 900 mm – 1500 mm
RTS 2.1	Telescopic Straight Curtain Rail, extended 2100 mm
RKAE1.5	Telescopic Straight Curtain Rail 1.5m/ used in conjunction with RKLE 1515
WH95G	Shower Curtain Rail Wall Holder

KWICKSCREEN

World Leading Portable Screens

KwickScreen's are designed to help improve infection control in partnership with hospitals around the world. Quickly and easily reconfigure your spaces and provide enhanced patient safety and privacy.

Screens can be personalised to suit your environment. We can work with you to identify the screens you need as well as a range of images, aimed at both adults and children, suited to the needs of your environment.

The Problem

1 in 10 patients will acquire an infection in hospital

Patients come to hospital to get well – not to get worse. But currently, hundreds of millions of people each year are affected by HAIs, with 55% of Hospital Acquired Infections (HAIs) are preventable.

When a patient picks up an infection in a healthcare setting, their condition is likely to become far more serious, and they're likely to stay longer in hospital (and be readmitted).


And HAIs are often preventable – with the right infection control equipment.

Where to use KwickScreen?


KwickScreen is a versatile solution for all environments, not limited to healthcare settings.



Reduce the spread of infection



Maintain social distancing



Reconfigure spaces in seconds

How does it compare

KwickScreen	Curtains	Folding Screens
<p>Infection control</p> <p>A flat, smooth surface that's easy to clean</p>	<p>Permeable surface holds onto germs whilst being hard to clean</p>	<p>Folds and crevices are dirt traps that are hard to clean</p>
<p>Flexibility</p> <p>KwickScreens are portable and stow away into a small storage space</p>	<p>Limiting as they can only move within their track</p>	<p>A larger footprint when not in use</p>
<p>Environmentally friendly</p> <p>Reusable and long lasting</p>	<p>High environmental impact</p>	<p>Environmentally friendly and can be reused</p>



Transforming Healthcare Spaces

Conversion Charts

Weights (Approx. only)

KG	Lbs	Stone
40	88	6
50	110	8
60	132	9.5
70	154	11
80	176	12.5
90	198	14
100	220	16
110	242	17
120	264	19
130	286	20.5
140	308	22
150	330	23.5
160	352	25
170	374	27
180	396	28
190	418	30
200	440	31.5

Conversion for KG:
divide lbs by 2.2

Conversion for lbs:
multiply kg by 2.2

Conversion for stone:
multiply kg by 6.35

Lengths (Approx. only)

MM	Inches
25	1
50	2
100	4
150	6
200	8
250	10
300	12
350	14
400	16
450	18
500	20
550	22
600	24
650	25 ½
700	27 ½
750	29 ½
800	31 ½
850	33 ½
900	35 ½
950	37 ½
1000	39 ½
1050	41 ½
1100	43 ¼
1150	45 ¼
1200	47 ¼

Conversion for inches:
divide mm by 25.4

Conversion for mm:
multiply inches by 25.4





Auckland
Wellington
Christchurch

Freecall 0800 336 339
sales@activehealthcare.co.nz
activehealthcare.co.nz